

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE

AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE LIST

MULTIPLE AWARD SCHEDULE Security and Protection



Contract Number: 47QSWA22D0019

Period Covered by Contract: November 16, 2021 – November 15, 2026

Contract Administrator: Mr. David Wachs

Concentric Security, LLC 7560 Main Street Sykesville, MD 21784-7353

> Tel: (334) 273-8558 Fax: (410) 552-9939

http://www.concentricsecurity.com/

Pricelist current through Modification PS-A815 dated November 22, 2021

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu-driven database system. The INTERNET address for GSA Advantage! is: http://GSAAdvantage.gov

Table of Contents

Inforn	nation for Ordering Activities	1
Gener	al Terms and Conditions	1
1a.	Awarded Special Item Numbers (SIN)	1
1b.	Identification of the lowest priced model number and lowest unit price	1
2.	Maximum Order: All SINs \$250,000	1
3.	Minimum Order	1
4.	Geographic Coverage	1
5.	Points of Production	1
6.	Basic Discount	1
7.	Quantity Discount	2
8.	Prompt Payment Terms	2
9.	Foreign Items	2
10a.	Time of Delivery	2
10b.	Expedited Delivery	2
10c.	Overnight and 2-Day Delivery	2
10d.	Urgent Requirements	2
11.	FOB Point	2
12a.	Ordering Address	2
12b.	Ordering Procedures	2
13.	Payment Address	2
14.	Warranty Provision	2
15.	Export Packing Charges	2
16.	Terms and Conditions	2
17.	Terms and Conditions	2
18a.	Terms and Conditions	2
18b.	Terms and Conditions	2
19.	List of Service and	3
20.	List of Participating Dealers	3
21.	Preventative Maintenance	3
22a.	Environmental Attributes	3
22b.	Section 508 Compliance	3
23.	Unique Entity Identifier (UEI) number	3
24.	SAM Database	3
SIN 33	14290 - Ancillary Services	4
	·	
Sched	ule Contract Pricing	5

OLM

Information for Ordering Activities

General Terms and Conditions:

1a. Awarded Special Item Numbers (SIN):

334290	PURCH PURCE	
		NOTE: Excludes vehicular alarms.
	COOP DISAST	
334290L	PURCH PURCH	, e
		(PACS), such as card-controlled access, biometrics, security barriers, etc. Includes non-FIPS
		physical access control systems. NOTE: Subject to Cooperative Purchasing
334512	PURCH PURCH	

Total Solution Support Products for Facilities Management Systems - Includes products to support facilities management systems, such as repair parts, surveillance systems, security functions, energy functions, building comfort systems, etc.

NOTE: Subject to Cooperative Purchasing

OLMs are supplies and/or services acquired in direct support of an individual task or delivery order placed against a Schedule contract or BPA. OLM pricing is not established at the Schedule contract or BPA level, but at the order level. Since OLMs are identified and acquired at the order level, the ordering contracting officer (OCO) is responsible for making a fair and reasonable price determination for all OLMs.

OLMs are procured under a special ordering procedure that simplifies the process for acquiring supplies and services necessary to support individual task or delivery orders placed against a Schedule contract or BPA. Using this new procedure, ancillary supplies and services not known at the time of the Schedule award may be included and priced at the order level.

1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract:

SIN	Part Number	<u>Unit Price</u>
334290	XT-BIT1	\$101.70
334512	21"COUNTER-MODEL 74	4 \$71.79
334290L	GS-40-264920	\$4.31
	All CINIA COEO C	200

2. Maximum Order: All SINs \$250,000

If the "Best Value" selection places your order over this Maximum Order, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contractor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the Schedule contract in accordance with FAR 8.404.

3.	Minimum Order:	\$100.00
4.	Geographic Coverage:	Domestic, 50 States, Washington DC, Puerto Rico, US Territories
5.	Points of Production:	Various United States Locations
6.	Basic Discount:	Prices shown herein are GSA Net

7. Quantity Discount(s): None, additional discounts may be negotiated with the ordering

activity for orders exceeding the maximum order established

8. Prompt Payment Terms: Net 30 Days

9. Foreign Items: None

10a. Time of Delivery:

<u>Brand</u>	<u>Product Type</u>	<u>SIN</u>	<u>Delivery ARO</u>
Auto Gate, Inc.	Vehicle Barriers & Operators	334290L	84 Days
B&B ARMR Corporation	Active Vehicle Barriers	334290L	84 Days
Heald Limited	Vehicle Barriers	334290L	56 Days
RSSI Barriers, LLC.	Vehicle Barriers	334290L	56 Days
Concentric Security, LLC	Pre-Cast Concrete Barriers	334290L	56-70 Days
Concentric Security, LLC	AVB Repair Parts	334290L	28 Days
CP Films, Inc.	Window Film	334512	42 Days
Hy Security Gate, Inc.	Gates and Gate Operators	334290L	42 Days
Par-Kut International, Inc.	Guard Booths	334512	28-98 Days
Securitech Group, Inc.	Keyless Lockdown Locks	334290L	30 Days

10b. Expedited Delivery: Negotiated at Task order level

10c. Overnight and 2-Day Delivery: N/A

10d. Urgent Requirements: Contact Kenny Woolford (410-552-9950) for a faster delivery, if available.

11. FOB Point: F.O.B. Origin

12a. Ordering Address: Concentric Security, LLC

7560 Main Street

Sykesville, MD 21784-7353

Tel: (410) 552-9950 Fax: (410) 552-9939

12b. Ordering Procedures: For supplies and services, the ordering procedures, information on Blanket

Purchase Agreements (BPA's), are found in Federal Acquisition Regulation (FAR) 8.405-3

13. Payment Address: Same as Contractor

14. Warranty Provision: Standard Manufacturer Commercial Warranty

15. Export Packing Charges: Not Applicable

16. Terms and Conditions Applicable to Rental, Maintenance and Repair: Not Applicable

17. Terms and Conditions Applicable to Installation: Not Applicable

18a. Terms and Conditions Applicable to Repair Parts: Not Applicable

18b. Terms and Conditions Applicable to any other Services: Not Applicable

19. List of Service and Distribution Points:

<u>Alabama</u> <u>Maryland</u> <u>Virginia</u>

Concentric Security, LLC. Concentric Security, LLC. Concentric Security, LLC.

152 Marketplace 7560 Main Street Chantilly, VA

Montgomery, AL 36117 Sykesville, MD 21784 Phone: 703.961.8223 Phone: 334.273.8558 Phone: 800.854.0050 Fax: 703.961.8227

Fax: 334273.8524 Phone: 410.552.9950 Fax: 410.552.9939

20. List of Participating Dealers: Not Applicable

21. Preventative Maintenance: Not Applicable

22a. Environmental Attributes, e.g., recycled, content, energy efficiency, and/or reduced Pollutants: Not Applicable

22b. Section 508 Compliance Information: Not Applicable

23. Unique Entity Identifier (UEI) number: 780400771

24. SAM Database: Registered

SIN 334290 - Ancillary Services

Instructions: Ancillary services are included under this SIN; however, services performed under this SIN shall not be the primary purpose of the work ordered, but be an integral part of the total solution offered. Services provided under this SIN must be ancillary to other schedule offerings and may only be ordered in conjunction with the purchase of supplies.

Hydraulic Bollard Installation

<u>TASK</u>	<u>Description</u>	<u>Price</u>
Hydraulic Bollard Installation	Turnkey installation of a Matador 4 Bollard System than includes	\$74,181.36
	excavation, concrete, rebar, start up, testing and training.	
	Installation of basic controls and testing of controls. Does not	

include mobilization to a specific location.

Schedule Contract Pricing

Vehicle Barriers & Operators	6
Auto Gate, Inc.	
Active Vehicle Barriers	17
B&B ARMR Corporation	
Vehicle Barriers	
Heald Limted	25
RSSI Barriers, LLC.	
Pre-Cast Concrete Barriers	35
Concentric Security, LLC	
Window Film	46
CP Films, Inc.	
Gates and Gate Operators	50
Hy Security Gate, Inc.	
Guard Booths	
Par-Kut International, Inc.	58
AVB Repair Parts	421
Concentric Security, LLC	
Keyless Lockdown Lock	424
Securitech	

Vehicle Barriers & Operators

Manufacturer: AutoGate, Inc.

Country of Origin: United States

Point(s) of Production: Berlin Heights, OH

SIN: 334290L

Unit of Measure: Per Each

Fabrication Lead Time: 84 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Barracuda Bar	Part Number			
AG-200-31216	GS-37-AG-200-31216	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 3' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require Windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,567.96
AG-200-31720	GS-37-AG-200-31720	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 3' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require Windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,744.77
AG-200-32124	GS-37-AG-200-32124	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 3' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,852.70
AG-200-32526	GS-37-AG-200-32526	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 3' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,911.36
AG-200-32728	GS-37-AG-200-32728	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 3' high x 27'-28' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,970.84
AG-200-41216	GS-37-AG-200-41216	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 4' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,626.62
AG-200-41720	GS-37-AG-200-41720	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 4' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,804.25
AG-200-42124	GS-37-AG-200-42124	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 4' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,911.36
AG-200-42526	GS-37-AG-200-42526	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 4' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,970.84
AG-200-42728	GS-37-AG-200-42728	Barracuda Barrier Arm	The Barracuda 200 Barrier Arm is a heavy duty barrier 4' high x 27'-28' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,029.50
Buckeye Stand	dard Picket Gate		<u> </u>	
AG-500-561216	GS-37-AG-500-561216	Buckeye Standard Picket Gate	The Buckeye 500 Standard Picket 2-Rail Gate is 5'-6' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Mesh or Screen is allowed on Vertical Pivot Lift Picket Gates (Warranty is void if added). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,068.63
AG-500-561720	GS-37-AG-500-561720	Buckeye Standard Picket Gate	The Buckeye 500 Standard Picket 2-Rail Gate is 5'-6' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Mesh or Screen is allowed on Vertical Pivot Lift Picket Gates (Warranty is void if added). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,334.67

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number AG-500-562124	Part Number GS-37-AG-500-562124	Buckeye Standard Picket Gate	The Buckeye 500 Standard Picket 2-Rail Gate is 5'-6' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Mesh or Screen is allowed on Vertical Pivot Lift Picket Gates (Warranty is void if added). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,102.73
AG-500-562526	GS-37-AG-500-562526	Buckeye Standard Picket Gate	The Buckeye 500 Standard Picket 2-Rail Gate is 5'-6' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Mesh or Screen is allowed on Vertical Pivot Lift Picket Gates (Warranty is void if added). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,579.45
AG-500-781216	GS-37-AG-500-781216	Buckeye Standard Picket Gate	The Buckeye 500 Standard Picket 2-Rail Gate is 7'-8' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Mesh or Screen is allowed on Vertical Pivot Lift Picket Gates (Warranty is void if added). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,659.37
AG-500-781720	GS-37-AG-500-781720	Buckeye Standard Picket Gate	The Buckeye 500 Standard Picket 2-Rail Gate is 7'-8' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Mesh or Screen is allowed on Vertical Pivot Lift Picket Gates (Warranty is void if added). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,340.68
AG-500-782124	GS-37-AG-500-782124	Buckeye Standard Picket Gate	The Buckeye 500 Standard Picket 2-Rail Gate is 7'-8' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Mesh or Screen is allowed on Vertical Pivot Lift Picket Gates (Warranty is void if added). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,919.01
AG-500-782526	GS-37-AG-500-782526	Buckeye Standard Picket Gate	The Buckeye 500 Standard Picket 2-Rail Gate is 7'-8' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Mesh or Screen is allowed on Vertical Pivot Lift Picket Gates (Warranty is void if added). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,414.73
Catawba-CC C	Custom Curved Picke	t		
AG-400-451216	GS-37-AG-400-451216	Catawba-CC Custom Curved Picket	The Catawba-CC 400 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,591.62
AG-400-451720	GS-37-AG-400-451720	Catawba-CC Custom Curved Picket	The Catawba-CC 400 Custom Curved 2-Rail Flat Top Gate is 4'-5' high \times 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,916.31
AG-400-452124	GS-37-AG-400-452124	Catawba-CC Custom Curved Picket	The Catawba-CC 400 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,608.36
AG-400-452526	GS-37-AG-400-452526	Catawba-CC Custom Curved Picket	The Catawba-CC 400 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,079.29
AG-400-671216	GS-37-AG-400-671216	Catawba-CC Custom Curved Picket	The Catawba-CC 400 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,945.23
AG-400-671720	GS-37-AG-400-671720	Catawba-CC Custom Curved Picket	The Catawba-CC 400 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,623.23

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number AG-400-672124	Part Number GS-37-AG-400-672124	Catawba-CC Custom Curved Picket	The Catawba-CC 400 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,189.18
AG-400-672526	GS-37-AG-400-672526	Catawba-CC Custom Curved Picket	The Catawba-CC 400 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,679.11
Catawba-CC C	Custom Curved Picket	t w/ Spear Tops		
AG-400ST-451216	GS-37-AG-400ST-451216	Catawba-CC Custom Curved Picket	The Catawba-CC 400ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,745.29
AG-400ST-451720	GS-37-AG-400ST-451720	Catawba-CC Custom Curved Picket	The Catawba-CC 400ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,069.98
AG-400ST-452124	GS-37-AG-400ST-452124	Catawba-CC Custom Curved Picket	The Catawba-CC 400ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,762.04
AG-400ST-452526	GS-37-AG-400ST-452526	Catawba-CC Custom Curved Picket	The Catawba-CC 400ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,232.97
AG-400ST-671216	GS-37-AG-400ST-671216	Catawba-CC Custom Curved Picket	The Catawba-CC 400ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,098.90
AG-400ST-671720	GS-37-AG-400ST-671720	Catawba-CC Custom Curved Picket	The Catawba-CC 400ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,776.91
AG-400ST-672124	GS-37-AG-400ST-672124	Catawba-CC Custom Curved Picket	The Catawba-CC 400ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,342.85
AG-400ST-672526	GS-37-AG-400ST-672526	Catawba-CC Custom Curved Picket	The Catawba-CC 400ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,832.79
Chain Link Ga	te No Barb Wire		<u>'</u>	
AG-300-561216	GS-37-AG-300-561216	Chain Link No Barb Wire Gate	The Chain Link 300 No Barb Wire Gate is 5'-6' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,894.31
AG-300-561720	GS-37-AG-300-261720	Chain Link No Barb Wire Gate	The Chain Link 300 No Barb Wire Gate is 5'-6' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,129.77
	·		· · · · · · · · · · · · · · · · · · ·	·

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number AG-300-562124	Part Number GS-37-AG-300-562124	Chain Link No Barb Wire Gate	The Chain Link 300 No Barb Wire Gate is 5'-6' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,633.45
AG-300-562526	GS-37-AG-300-562526	Chain Link No Barb Wire Gate	The Chain Link 300 No Barb Wire Gate is 5'-6' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Price DOES NOT include shipping charges. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,911.88
AG-300-781216	GS-37-AG-300-781216	Chain Link No Barb Wire Gate	The Chain Link 300 No Barb Wire Gate is 7'-8' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,484.21
AG-300-781720	GS-37-AG-300-781720	Chain Link No Barb Wire Gate	The Chain Link 300 No Barb Wire Gate is 7'-8' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,884.61
AG-300-782124	GS-37-AG-300-782124	Chain Link No Barb Wire Gate	The Chain Link 300 No Barb Wire Gate is 7'-8' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,294.41
AG-300-782526	GS-37-AG-300-782526	Chain Link No Barb Wire Gate	The Chain Link 300 No Barb Wire Gate is 7'-8' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,588.53
AG-300+1-561216	GS-37-AG-300+1-561216	Chain Link w/ Barb Wire Gate	The Chain Link 300+ w/ Barb Wire Gate is 5'-6' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,047.98
AG-300+1-561720	GS-37-AG-300+1-261720	Chain Link w/ Barb Wire Gate	The Chain Link 300+ w/ Barb Wire Gate is 5'-6' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,283.45
AG-300+1-562124	GS-37-AG-300+1-562124	Chain Link w/ Barb Wire Gate	The Chain Link 300+ w/ Barb Wire Gate is 5'-6' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,787.12
AG-300+1-562526	GS-37-AG-300+1-562526	Chain Link w/ Barb Wire Gate	The Chain Link 300+ w/ Barb Wire Gate is 5'-6' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,065.55
AG-300+1-781216	GS-37-AG-300+1-781216	Chain Link w/ Barb Wire Gate	The Chain Link 300+ w/ Barb Wire Gate is 7'-8' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes aluminum fabric. Includes aluminum fabric. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,637.88

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number AG-300+1-781720	Part Number GS-37-AG-300+1-781720	Chain Link w/ Barb Wire Gate	The Chain Link 300+ w/ Barb Wire Gate is 7'-8' high x 17'-20' wide. All gates under 8'	\$10,038.29
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	05 57 710 500 1 701720	chain Ellin II, Bara IIII Gate	tall and 15' long DO NOT require windbracing, although it will be recommended	Ψ10,030.23
			where required. No Privacy Slats are allowed on Vertical Pivot Lift Chain Link Gates	
			(Warranty is void if added). Includes aluminum fabric. Freight NOT included in item	
			price. Freight add'l charge & calculated from factory to delivery location.	
AG-300+1-782124	GS-37-AG-300+1-782124	Chain Link w/ Barb Wire Gate	The Chain Link 300+ w/ Barb Wire Gate is 7'-8' high x 21'-24' wide. All gates 8' tall	\$10,448.08
		· ·	and/or over 20' long require Masted Windbracing (not included). No Privacy Slats are	
			allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes	
			aluminum fabric. Freight NOT included in item price. Freight add'l charge &	
			calculated from factory to delivery location.	
AG-300+1-782526	GS-37-AG-300+1-782526	Chain Link w/ Barb Wire Gate	The Chain Link 300+ w/ Barb Wire Gate is 7'-8' high x 25'-26' wide. All gates 8' tall	\$10,742.21
			and/or over 20' long require Masted Windbracing (not included). No Privacy Slats are	
			allowed on Vertical Pivot Lift Chain Link Gates (Warranty is void if added). Includes	
			aluminum fabric. Freight NOT included in item price. Freight add'l charge &	
			calculated from factory to delivery location. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	
Congress Cust	tom Curved Picket			
AG-600-451216	GS-37-AG-600-451216	Congress Custom Curved Picket	The Congress 600 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 12'-16' wide. All	\$8,591.62
•			gates under 8' tall and 15' long DO NOT require windbracing, although it will be	
			recommended where required. Freight NOT included in item price. Freight add'l	
			charge & calculated from factory to delivery location.	
AG-600-451720	GS-37-AG-600-451720	Congress Custom Curved Picket	The Congress 600 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 17'-20' wide. All	\$8,916.31
			gates under 8' tall and 15' long DO NOT require windbracing, although it will be	
			recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	
			charge & calculated from factory to delivery location.	
AG-600-452124	GS-37-AG-600-452124	Congress Custom Curved Picket	The Congress 600 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 21'-24' wide. All	\$10,608.36
			gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight	
			NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	
AG-600-452526	GS-37-AG-600-452526	Congress Custom Curved Picket	The Congress 600 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 25'-26' wide. All	\$11,079.29
71G 000 432320	G5 57 AG 000 452520	congress custom curved ricket	gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight	Ş11,075.25
			NOT included in item price. Freight add'l charge & calculated from factory to delivery	
			location.	
AG-600-671216	GS-37-AG-600-671216	Congress Custom Curved Picket	The Congress 600 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 12'-16' wide. All	\$8,945.23
			gates under 8' tall and 15' long DO NOT require windbracing, although it will be	
			recommended where required. All 7' and higher Picket Style Gates require a center	
			channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	
AG-600-671720	GS-37-AG-600-671720	Congress Custom Curved Picket	The Congress 600 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 17'-20' wide. All	\$10,623.23
			gates under 8' tall and 15' long DO NOT require windbracing, although it will be	
			recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge &	
			calculated from factory to delivery location.	
AG-600-672124	GS-37-AG-600-672124	Congress Custom Curved Picket	The Congress 600 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 21'-24' wide. All	\$11,189.18
			gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7'	
			and higher Picket Style Gates require a center channel (included). Freight NOT	
			included in item price. Freight add'l charge & calculated from factory to delivery	
AG-600-672526	GS-37-AG-600-672526	Congress Custom Curved Picket	location. The Congress 600 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 25'-26' wide. All	\$11,679.11
		3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7'	. ==,5.5.11
			and higher Picket Style Gates require a center channel (included). Freight NOT	
			included in item price. Freight add'l charge & calculated from factory to delivery	
Congress Cust	tom Curved Picket w	Spear Tops	location.	
AG-600ST-451216	GS-37-AG-600ST-451216	Congress Custom Curved Picket	The Congress 600ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 12'-	\$8,745.29
			16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it	
			will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	
AG-600ST-451720	GS-37-AG-600ST-451720	Congress Custom Curved Picket	The Congress 600ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 17'-	\$9,069.98
1			20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight	
Ì			add'l charge & calculated from factory to delivery location.	
			, ,	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number AG-600ST-452124	Part Number GS-37-AG-600ST-452124	Congress Custom Curved Picket	The Congress 600ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,762.04
AG-600ST-452526	GS-37-AG-600ST-452526	Congress Custom Curved Picket	The Congress 600ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,232.97
AG-600ST-671216	GS-37-AG-600ST-671216	Congress Custom Curved Picket	The Congress 600ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 12'- 16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,098.90
AG-600ST-671720	GS-37-AG-600ST-671720	Congress Custom Curved Picket	The Congress 600ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 17'- 20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,776.91
AG-600ST-672124	GS-37-AG-600ST-672124	Congress Custom Curved Picket	The Congress 600ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,342.85
AG-600ST-672526	GS-37-AG-600ST-672526	Congress Custom Curved Picket	The Congress 600ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,832.79
Cornhusker G		<u> </u>		
AG-100-341216	GS-37-AG-100-341216	Cornhusker Gate	The Cornhusker 100 is a utility-style farm gate 3'-4' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,567.96
AG-100-341720	GS-37-AG-100-341720	Cornhusker Gate	The Cornhusker 100 is a utility-style farm gate 3'-4' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require Windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,744.77
AG-100-342124	GS-37-AG-100-342134	Cornhusker Gate	The Cornhusker 100 is a utility-style farm gate 3'-4' high x 21'-24' wide. All gates 8' tall and/or over 20' long require windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,852.70
AG-100-561216	GS-37-AG-100-561216	Cornhusker Gate	The Cornhusker 100 is a utility-style farm gate 5'-6' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require Windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,774.51
AG-100-561720	GS-37-AG-100-561720	Cornhusker Gate	The Cornhusker 100 is a utility-style farm gate 5'-6' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require Windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,951.31
AG-100-562124	GS-37-AG-100-562124	Cornhusker Gate	The Cornhusker 100 is a utility-style farm gate 3'-4' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,072.46
Gate Operato	r Only			
AG-00-1216	GS-37-AG-00-1216	Gate Operator Only - Replacement	Gate Operator Only - for Replacement Only for use with a customer supplied gate or as a replacement. For gate sized 12'-16' wide. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,319.27
AG-00-1718	GS-37-AG-00-1718	Gate Operator Only - Replacement	Gate Operator Only - for Replacement Only for use with a customer supplied gate or as a replacement. For gate sized 17'-18' wide. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,372.98
AG-OO-1920	GS-37-AG-OO-1920	Gate Operator Only - Replacement	Gate Operator Only - for Replacement Only for use with a customer supplied gate or as a replacement. For gate sized 19'-20' wide. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,425.85

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
AG-00-2122	GS-37-AG-00-2122	Gate Operator Only - Replacement	Gate Operator Only - for Replacement Only for use with a customer supplied gate or as a replacement. For gate sized 21'-22' wide. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,478.73
AG-00-2324	GS-37-AG-00-2324	Gate Operator Only - Replacement	Gate Operator Only - for Replacement Only for use with a customer supplied gate or as a replacement. For gate sized 23'-24' wide. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$7,532.43
Islander Custo	om Picket Gate			
AG-1000-451216	GS-37-AG-1000-451216	Islander Custom Picket Gate	The Islander 1000 Custom Picket 3-Rail Gate is 4'-5' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,358.63
AG-1000-451720	GS-37-AG-1000-451720	Islander Custom Picket Gate	The Islander 1000 Custom Picket 3-Rail Gate is 4'-5' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,683.32
AG-1000-452124	GS-37-AG-1000-452124	Islander Custom Picket Gate	The Islander 1000 Custom Picket 3-Rail Gate is 4'-5' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,375.38
AG-1000-452526	GS-37-AG-1000-452526	Islander Custom Picket Gate	The Islander 1000 Custom Picket 3-Rail Gate is 4'-5' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,846.31
AG-1000-671216	GS-37-AG-1000-671216	Islander Custom Picket Gate	The Islander 1000 Custom Picket 3-Rail Gate is 6'-7' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,712.24
AG-1000-671720	GS-37-AG-1000-671720	Islander Custom Picket Gate	The Islander 1000 Custom Picket 3-Rail Gate is 6'-7' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,390.25
AG-1000-672124	GS-37-AG-1000-672124	Islander Custom Picket Gate	The Islander 1000 Custom Picket 3-Rail Gate is 6'-7' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,956.19
AG-1000-672526	GS-37-AG-1000-672526	Islander Custom Picket Gate	The Islander 1000 Custom Picket 3-Rail Gate is 6'-7' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,446.13
AG-900-451216	GS-37-AG-900-451216	Ohioian Custom Picket Gate	The Ohioian 900 Custom Picket 3-Rail Gate is 4'-5' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,358.63
AG-900-451720	GS-37-AG-900-451720	Ohioian Custom Picket Gate	The Ohioian 900 Custom Picket 3-Rail Gate is 4'-5' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,683.32
AG-900-452124	GS-37-AG-900-452124	Ohioian Custom Picket Gate	The Ohioian 900 Custom Picket 3-Rail Gate is 4'-5' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,375.38
AG-900-452526	GS-37-AG-900-452526	Ohioian Custom Picket Gate	The Ohioian 900 Custom Picket 3-Rail Gate is 4'-5' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,846.31
AG-900-671216	GS-37-AG-900-671216	Ohioian Custom Picket Gate	The Ohioian 900 Custom Picket 3-Rail Gate is 6'-7' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,712.24

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
AG-900-671720	GS-37-AG-900-671720	Ohioian Custom Picket Gate	The Ohioian 900 Custom Picket 3-Rail Gate is 6'-7' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,390.25
AG-900-672124	GS-37-AG-900-672124	Ohioian Custom Picket Gate	The Ohioian 900 Custom Picket 3-Rail Gate is 6'-7' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,956.19
AG-900-672526	GS-37-AG-900-672526	Ohioian Custom Picket Gate	The Ohioian 900 Custom Picket 3-Rail Gate is 6'-7' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,446.13
Prestigous Cu	stom Curved Picket	-		
AG-800-451216	GS-37-AG-800-451216	Prestigous Custom Curved Picket	The Prestigous 800 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,591.62
AG-800-451720	GS-37-AG-800-451720	Prestigous Custom Curved Picket	The Prestigous 800 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,916.31
AG-800-452124	GS-37-AG-800-452124	Prestigous Custom Curved Picket	The Prestigous 800 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,608.36
AG-800-452526	GS-37-AG-800-452526	Prestigous Custom Curved Picket	The Prestigous 800 Custom Curved 2-Rail Flat Top Gate is 4'-5' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,079.29
AG-800-671216	GS-37-AG-800-671216	Prestigous Custom Curved Picket	The Prestigous 800 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,945.23
AG-800-671720	GS-37-AG-800-671720	Prestigous Custom Curved Picket	The Prestigous 800 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,623.23
AG-800-672124	GS-37-AG-800-672124	Prestigous Custom Curved Picket	The Prestigous 800 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,189.18
AG-800-672526	GS-37-AG-800-672526	Prestigous Custom Curved Picket	The Prestigous 800 Custom Curved 2-Rail Flat Top Gate is 6'-7' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,679.11
Prestigous Cu	stom Curved Picket w	v/ Spear Tops		
AG-800ST-451216	GS-37-AG-800ST-451216	Prestigous Custom Curved Picket	The Prestigous 800ST Custom Curved 2-Rail Gate with Spear Tops is 4'.5' high x 12'- 16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,745.29
AG-800ST-451720	GS-37-AG-800ST-451720	Prestigous Custom Curved Picket	The Prestigous 800ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high \times 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,069.98
AG-800ST-452124	GS-37-AG-800ST-452124	Prestigous Custom Curved Picket	The Prestigous 800ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,762.04

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
AG-800ST-452526	GS-37-AG-800ST-452526	Prestigous Custom Curved Picket	The Prestigous 800ST Custom Curved 2-Rail Gate with Spear Tops is 4'-5' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,232.97
AG-800ST-671216	GS-37-AG-800ST-671216	Prestigous Custom Curved Picket	The Prestigous 800ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,098.90
AG-800ST-671720	GS-37-AG-800ST-671720	Prestigous Custom Curved Picket	The Prestigous 800ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,776.91
AG-800ST-672124	GS-37-AG-800ST-672124	Prestigous Custom Curved Picket	The Prestigous 800ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,342.85
AG-800ST-672526	GS-37-AG-800ST-672526	Prestigous Custom Curved Picket	The Prestigous 800ST Custom Curved 2-Rail Gate with Spear Tops is 6'-7' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). All 7' and higher Picket Style Gates require a center channel (included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,832.79
	om Picket w/ Rings			
AG-700-451216	GS-37-AG-700-451216	Saratoga Custom Picket w/ Rings	The Saratoga 700 Custom Picket Arched Gate with Rings is 4'-5' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$8,737.03
AG-700-451720	GS-37-AG-700-451720	Saratoga Custom Picket w/ Rings	The Saratoga 700 Custom Picket Arched Gate with Rings is 4'-5' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,120.38
AG-700-452124	GS-37-AG-700-452124	Saratoga Custom Picket w/ Rings	The Saratoga 700 Custom Picket Arched Gate with Rings is 4'-5' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,813.26
AG-700-452526	GS-37-AG-700-452526	Saratoga Custom Picket w/ Rings	The Saratoga 700 Custom Picket Arched Gate with Rings is 4'-5' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,284.19
AG-700-671216	GS-37-AG-700-671216	Saratoga Custom Picket w/ Rings	The Saratoga 700 Custom Picket Arched Gate with Rings is 6'-7' high x 12'-16' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$9,120.38
AG-700-671720	GS-37-AG-700-671720	Saratoga Custom Picket w/ Rings	The Saratoga 700 Custom Picket Arched Gate with Rings is 6'-7' high x 17'-20' wide. All gates under 8' tall and 15' long DO NOT require windbracing, although it will be recommended where required. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$10,857.87
AG-700-672124	GS-37-AG-700-672124	Saratoga Custom Picket w/ Rings	The Saratoga 700 Custom Picket Arched Gate with Rings is 6'-7' high x 21'-24' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,423.82
AG-700-672526	GS-37-AG-700-672526	Saratoga Custom Picket w/ Rings	The Saratoga 700 Custom Picket Arched Gate with Rings is 6'-7' high x 25'-26' wide. All gates 8' tall and/or over 20' long require Masted Windbracing (not included). Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$11,912.93
Shield Crash A	Arm Barrier			
VPL-CB-24-K12-A-17	GS-37-VPL-CB-24-K12-A-17	Shield Crash Barrier Arm	The Shield VPL-CB-24-K12-A-17 Crash Barrier Arm System is a K12 rated (15,000 lb. vehicle at 50 mph) barrier arm only (no full size gate) with bolsters. It pivots open to 90 degrees and has a clear opening of up to 15'. Features include deep foundations, heavy duty bolsters, extreme weather tolerance and numerous access control options. The Shield is an all electric system - no hydraulics. Limited 3 year warranty. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$34,646.95

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
VPL-CB-24-K12-A-1820	GS-37-VPL-CB-24-K12-A-1820	Shield Crash Barrier Arm	The Shield VPL-CB-24-K12-A-1820 Crash Barrier Arm System is a K12 rated (15,000 lb. vehicle at 50 mph) barrier arm only (no full size gate) with bolsters. It pivots open to 90 degrees and has a clear opening of up to 15'. Features include deep foundations, heavy duty bolsters, extreme weather tolerance and numerous access control options. The Shield is an all electric system - no hydraulics. Limited 3 year warranty. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$35,847.92
VPL-CB-24-K12-6	GS-37-VPL-CB-24-K12-6	Shield Crash Gate Barrier	The Shield VPL-CB-24-K12-6 Crash Barrier Gate System is a K12 rated (15,000 lb. vehicle at 50 mph) full-size vetical pivot lift anti-ram crash gate with bolsters. It pivots open to 90 degrees and has a clear opening of up to 15'. Gate is 6' high and features include deep foundations, heavy duty bolsters, extreme weather tolerance and numerous access control options. The Shield is an all electric system - no hydraulics. Limited 3 year warranty. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$37,102.61
VPL-CB-24-K12-78	GS-37-VPL-CB-24-K12-78	Shield Crash Gate Barrier	The Shield VPL-CB-24-K12-78 Crash Barrier Gate System is a K12 rated (15,000 lb. vehicle at 50 mph) full-size vetical pivot lift anti-ram crash gate with bolsters. It pivots open to 90 degrees and has a clear opening of up to 15'. Gate is 7'-8' high and features include deep foundations, heavy duty bolsters, extreme weather tolerance and numerous access control options. The Shield is an all electric system - no hydraulics. Limited 3 year warranty. Freight NOT included in item price. Freight add'l charge & calculated from factory to delivery location.	\$38,264.58

Active Vehicle Barriers

Manufacturer: B&B ARMR Corporation

Country of Origin: United States

Point(s) of Production: Grandview, MO and Russellville, AL

SIN: 334290L

Unit of Measure: Per Each

Fabrication Lead Time: 84 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacture Part Number		Product Name	Product Description	GSA Price
	Cantilevered Sli	ding Gate		
400-1	GS-05-400-1	400 K4 Cantilever Sliding Gate Barrier	Model 400 K4 (15,000 lbs @ 30 mph) Crash Rated Cantilever Sliding Anti-Ram Gate Barrier w/ 12' wide clear opening. Gate barrier consists of a motor side buttress assembly, a cantilever gate leaf, receiver assembly & drive mechanism designed to stop & contain an unauthorized vehicle from entering a facility. Activation of gate is from a single set of dry contacts (card reader, push button, vehicle detector) & operated by hydraulic pumping unit (additional). Normal operating speed is 1.5 feet per second. Unique anti-climb design prevents scaling gate. Finish painted black. The hydraulic pumping unit is not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$34,149.8
400-3	GS-05-400-3	400 Master Control Panel	Master Control Panel with Annunciator for Model 400 K4 Crash Rated Cantilever Sliding Gate Single Barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,413.10
400-4	GS-05-400-4	400 Remote Control Panel	Remote Control Panel with Annunciator for Model 400 K4 Crash Rated Cantilever Sliding Gate Barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.8
400-5	GS-05-400-5	400 Additional Loop Detection	Add for Additional Loop Detection for Model 400 K4 Crash Rated Cantilever Sliding Gate Single Barrier. Includes Logic and Harness, ground loop not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$213.29
400-6	GS-05-400-6	400 Stop/Go Signal Light	Stop/Go Signal Light with 6' Mounting Stanchion for Model 400 K4 Crash Rated Cantilever Sliding Gate Barrier. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$779.35
400-6119-2	GS-05-400-6119-2	2 400 Hydraulic Pump Unit/Single Barrier	Model 6119 Hydraulic Pumping Unit for Model 400 single barrier includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$14,554.93
Model 450	Cantilevered SI	iding Gate		
450-1	GS-05-450-1	450 K12 Cantilever Sliding Gate Barrier	Model 450 K12 (15,000 lbs @ 50 mph) Crash Rated Cantilever Sliding Gate Barrier with a 12' wide clear opening. The gate barrier is operated by a hydraulic rack and pinion drive and can be activated from a single set of dry contacts (card reader, push button, vehicular detector). The electro-hydraulic sliding gate is designed with field-adjustable controls to meet specific security and control needs. Normal operating speed is 1.5 ft per second for standard 12-ft opening. The unique anti-climb design has a gate infill of 3/4" square steel tubes of 2.5" centers positioned to prevent scaling the gate. The hydraulic pumping unit is not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$38,753.19
Model 450	Cantilevered SI	iding Gate Options		
450-2	GS-05-450-2	450 Hydraulic Pump Unit/Single Barrier	Model 6119 Hydraulic Pumping Unit for Model 450 single barrier includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$14,554.9:
450-3	GS-05-450-3	450 Master Control Panel	Master Control Panel with Annunciator for Model 450 K12 Crash Rated Cantilever Sliding Gate Single Barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,413.10
450-4	GS-05-450-4	450 Remote Control Panel	Remote Control Panel with Annunciator for Model 450 K12 Crash Rated Cantilever Sliding Gate Barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.83
450-5	GS-05-450-5	450 Additional Loop Detection	Add for Additional Loop Detection for Model 450 K12 Crash Rated Cantilever Sliding Gate Single Barrier. Includes Logic and Harness, ground loop not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$213.25

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 450-6	Part Number GS-05-450-6	450 Stop/Go Signal Light	Stop/Go Signal Light with 6' Mounting Stanchion for Model 450 K12 Crash Rated Cantilever Sliding Gate Barrier. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$779.35
Model 6117 H	lydraulic Pum	ping Unit	<u> </u>	
6117-1	GS-05-6117-1	6117 Hydraulic Pumping Unit	Hydraulic Pumping Unit Model 6117. The Model 6117 Hydraulic Extra Large Capacity Pumping Unit is designed to operate a series of 3-4 crash rated bollards/barriers. The pumping unit is designed to operate continuously with very little maintenance. The feet are designed to accept a standard concrete anchor for mounting. The unit is designed with a large open area to allow the positioning of conduits. The speed of operation can be controlled by adjusting the flow control valves. The hydraulic pumping unit is a complete assembly. In case of electrical failure, there is a manual pump which can be used to operate the unit once the directional control valve is shifted. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$21,406.30
	lydraulic Pum			
6118-1	GS-05-6118-1	6118 Hydraulic Pumping Unit	Hydraulic Pumping Unit Model 6118. The Model 6118 Hydraulic Large Capacity Pumping Unit is designed to operate dual crash rated barriers. The pumping unit is designed to operate continuously with very little maintenance. The feet are designed to accept a standard concrete anchor for mounting. The unit is designed with a large open area to allow the positioning of conduits. The speed of operation can be controlled by adjusting the flow control valves. The hydraulic pumping unit is a complete assembly. In case of electrical failure, there is a manual pump which can be used to operate the unit once the directional control valve is shifted. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$17,124.18
Model 6119 F	lydraulic Pum	ping Unit		
6119-1	GS-05-6119-1	6119 Hydraulic Pumping Unit	Hydraulic Pumping Unit Model 6119. The Model 6119 Hydraulic Medium Capacity Pumping Unit is designed to operate a single crash rated bollard/barrier. The pumping unit is designed to operate continuously with very little maintenance. The feet are designed to accept a standard concrete anchor for mounting. The unit is designed with a large open area to allow the positioning of conduits. The speed of operation can be controlled by adjusting the flow control valves. The hydraulic pumping unit is a complete assembly. In case of electrical failure, there is a manual pump which can be used to operate the unit once the directional control valve is shifted. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$14,554.91
Model 6120 H	lydraulic Pum	ping Unit		
6120-1	GS-05-6120-1	6120 Hydraulic Pumping Unit	Hydraulic Pumping Unit Model 6120. The Model 6120 Hydraulic Small Capacity Pumping Unit is designed to operate a single drop arm barrier, which requires relatively low pressure and low flow. The pumping unit is designed to operate continuously with very little maintenance. The feet are designed to accept a standard concrete anchor for mounting. The unit is designed with a large open area to allow the positioning of conduits. The speed of operation can be controlled by adjusting the flow control valves. The hydraulic pumping unit is a complete assembly. In case of electrical failure, the arms can be raised manually. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$6,209.07
Model 712 ar	nd 714M Cable	Crash Beam Barrier Option	ons	
712-4	GS-05-712-4	712 Master Control Panel	Master Control Panel with Annunciator for Model 712 Drop Arm Crash Beam Barrier - single barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,413.10
712-5	GS-05-712-5	712 Remote Control Panel	Remote Control Panel with Annunciator for Model 712 Drop Arm Crash Beam Barrier - single barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.81
712-6	GS-05-712-6	712 Additional Loop Detection	Add for Additional Loop Detection for Model 712 Drop Arm Crash Beam Barrier - single barrier Includes Logic and Harness, ground loop not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$213.25

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 712-6120-3	Part Number GS-05-712-6120-3	712 Hydraulic Pump/Single Barrier	Model 6120 Hydraulic Pumping Unit for Model 712 single barrier includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$6,209.07
712-7	GS-05-712-7	712 Stop/Go Signal Light	Stop/Go Signal Light with 6' Mounting Stanchion for Model 712 Drop Arm Crash Beam Barrier. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$779.35
Model 712 C	able Crash Bean	n Barrier		
712-1	GS-05-712-1	712 Cable Crash Beam Barrier System	Model 712 10,000 lbs @ 18 mph Crash Rated Cable Crash Beam Barrier System w/ standard 12' wide clear opening. Basic components include standard vertical to horizontal arm w/ energy absorption cable assembly, hinge post, receiver/latch post, cable-reinforced crash beam & automatic controls. When hit by vehicle, 4-inch diameter aluminum arm gives way to cable inside, and impact energy is absorbed as cable stretches. When cable is at full tension, impact energy is transferred to foundation. Stanchions finish painted black; Arm finish painted red & white stripes (options available). Hydraulic pumping unit is not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$11,129.22
Model 714 N	lanual Cable Cra	ash Beam Barrier		
714-2	GS-05-714-2	714 Manual Cable Crash Beam Barrier	Model 714 10,000 lbs @ 18 mph Crash Rated Manual Cable Crash Beam Barrier System w/ standard 12' wide clear opening. Basic components of crash beam barriers include standard vertical to horizontal arm w/ energy absorption cable assembly, hinge post, receiver/latch post & cable-reinforced crash beam. When hit by vehicle, 4-inch diameter aluminum arm gives way to cable inside, & impact energy is absorbed as cable stretches. When cable is at full tension, impact energy is then transferred to foundation. Stanchions finish paint black; Arm finish painted red & white stripes (options available). Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$10,491.18
Model 730 a	nd 730M Crash	Beam Barrier Options		
730-3	GS-05-730-3	730 Hydraulic Pump/Single Barrier	Model 6120 Hydraulic Pumping Unit for Model 730 single Drop Arm Barrier includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$6,209.07
730-4	GS-05-730-4	730 Master Control Panel	Master Control Panel with Annunciator for Model 730 Drop Arm Crash Beam Barrier - single barrier, rack mounted. Freight NOT included in item price. Freight is add'I charge & is calculated from factory to delivery location.	\$1,413.10
730-5	GS-05-730-5	730 Remote Control Panel	Remote Control Panel with Annunciator for Model 730 Drop Arm Crash Beam Barrier - single barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.81
730-6	GS-05-730-6	730 Additional Loop Detection	Add for Additional Loop Detection for Model 730 Barrier - single barrier Includes Logic and Harness, ground loop not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$213.25
730-7	GS-05-730-7	730 Stop/Go Signal Light	Stop/Go Signal Light with 6' Mounting Stanchion for Model 730 Barrier. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$779.35
Model 730 C	rash Beam Barri	ier		
730-1	GS-05-730-1	730 K4 Crash Beam Barrier System	Model 730 K4 (15,000 lbs @ 30 mph) Crash Rated Drop Arm Crash Beam Barrier with standard 12' wide clear opening. The barrier is designed to transmit the energy of the impacting vehicles to the foundation. It is finished with a superior zinc rust inhibitor and anti-wear paint allowing for superior corrosion protection. Finish painted in black with reflective tape (red/white or other options available). The hydraulic pumping unit is not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$17,556.68
Model 730M	Manual Crash I	Beam Barrier		

Manufacturer		Product Name	Product Description	GSA Price
Part Number 730M-2	Part Number GS-05-730M-2	730M K4 Manual Crash Beam Barrier	Model 730M K4 (15,000 lbs @ 30 mph) Crash Rated Drop Arm Manual Crash Beam Barrier with standard 12' wide clear opening. The barrier is designed to transmit the energy of the impacting vehicles to the foundation. It is finished with a superior zinc rust inhibitor and anti-wear paint allowing for superior corrosion protection. Finish painted in black with reflective tape (red/white or other options available). Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$16,486.15
Model 820 S	hallow Mount	Plate Barrier	<u> </u>	
820-1	GS-05-820-1	820 K12 Shallow Mount Plate Barrier	Model 820 K12 (15,000 lbs @ 50 mph) Crash Rated Shallow Mount Plate Barrier System. Barrier is constructed of heavy-gauge steel shapes & weldments designed to transmit energy of impacting vehicle to foundation. Frame & top plate are finished w/ superior rust inhibitor & anti-wear paint for superior corrosion protection. Consists of cast-in-place foundation frame, raising plate w/ locking linkage & assoc. hardware to move plate from horizontal to raised, secure position w/ aid of hydraulic cylinder w/ all necessary accesses for drains, hydraulic conduits & electrical services. In active (up) position, barrier is 36" high & lowers flush to ground to allow authorized vehicles to pass. Barrier plate is 9' wide & available in custom sizes up to 14'. Barrier provided w/ safety locks. Finish painted in yellow & black (options avail.). Hydraulic pumping unit not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$27,833.75
Model 820 S	hallow Mount	Plate Barrier Options		
820-5	GS-05-820-5	820 Master Control Panel	Master Control Panel with annunciator for Model 820 Single Shallow Mount Plate Barrier System, rack mount. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,413.10
820-6	GS-05-820-6	820 Remote Control Panel	Slave Control Panel with annunciator for Model 820 Single Shallow Mount Plate Barrier System, rack mount. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.81
820-6117-4	GS-05-6117-4	820 Hydraulic Pumping Unit/3-4 Barrier	Model 6117 Hydraulic Pumping Unit for Model 820 3-4 barriers includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$21,406.30
820-6118-3	GS-05-6118-3	820 Hydraulic Pumping Unit/Dual	Model 6118 Hydraulic Pumping Unit for Model 820 dual barrier includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$17,124.18
820-6119-2	GS-05-6119-2	820 Hydraulic Pumping Unit/Single	Model 6119 Hydraulic Pumping Unit for Model 820 single barrier includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$14,554.91
820-7	GS-05-820-7	820 Additional Loop Detect System	Additional Loop Detection System for Model 820 Shallow Mount Plate Barrier. Includes Logic & Harness - Ground Loop not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$213.25
820-8	GS-05-820-8	820 Stop/Go Signal Light	Stop/Go Signal Light with 6' Mounting Stanchion for Model 820 Shallow Mount Plate Barrier. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$779.35
820-9	GS-05-820-9	820 Heat Trace Cable	6' x 9' Heat Trace Cable for Model 820 Shallow Mount Plate Barrier. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,670.03

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 850-1	Part Number GS-05-850-1	850 K4 Portable Plate Barrier	Model 850 K4 (15,000 lbs @ 30 mph) Crash Rated Portable Plate Barrier System. Designed to be rapidly deployed in an emergency situation and operational within 15 min. Has clear opening of 12' and may be towed into position using a truck. Once in place is lowered into position w/ built-in jacks. On unpaved or uneven road surfaces, stabilizers on back side of unit serve as add'l reinforcement to increase stopping capacity, opt. jersey barriers may be used in place of stabilizers. Galvanized finish w/ yellow stripes on plate (options avail.). Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$32,758.19
Model 850 Po	rtable Plate B	arrier Options	ideal, to deliter, location	
850-10	GS-05-850-10	850 Stop/Go Signal Light	Stop/Go Signal Light Directly Mounted to Cabinet for Model 850 Barrier System. Freight NOT included in item price. Freight is add'l charge & is calculated from	\$1,070.53
			factory to delivery location.	
850-11	GS-05-850-11	850 Photoelectric Beam	Photoelectric Beam for Model 850 Barrier System. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$346.85
850-2	GS-05-850-2	850 PLC Controller	Programmable Logic Controller (PLC) Upgrade for Model 850 Barrier System. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$813.60
850-3	GS-05-850-3	850 12VDC Motor	12VDC Motor for Model 850 Barrier System. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$3,297.23
850-4	GS-05-850-4	850 24VDC Motor	24VDC Motor for Model 850 Barrier System. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$3,297.23
850-5	GS-05-850-5	850 Battery Box with Cables	Battery Box with Cables for Model 850 Barrier. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$192.70
850-6	GS-05-850-6	850 Solar Panel & Charger	Solar Panel and Charger for Model 850 Barrier System. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$2,098.24
850-7	GS-05-850-7	850 Generator Connector	Generator Connector for Model 850 Barrier System. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$261.21
850-8	GS-05-850-8	850 Master Control Panel	Master Control Panel with Annunciator for Model 850 Single Barrier System. Rack mount. PLC upgrade required. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,413.10
850-9	GS-05-850-9	850 Remote Control Panel	Remote Control Panel with Annunciator for Model 850 Single Barrier System. Rack mount. PLC upgrade required. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.81
Model 890 Su	ırface Mount I	Barrier		
890-1	GS-05-890-1	890 Surface Mount Barrier	Model 890 4,000 lbs @ 30 mph Crash Rated Surface Mount Single Barrier System. Barrier constructed of heavy-gauge steel shapes & weldments, a 208/3/60 motor, programmable logic controller, manual lifting bar for non-power operation, vehicle loop detector system for safety/reset & limit switch. Frame & top plate finished w/ rust inhibitor, anti-wear paint, operated by self-contained internal pumping unit w/ valves, ports & fittings to operate barricade for continuous use. Comes w/ necessary accesses for drains, hydraulic conduits & electrical services. In active (up) position, barrier is 24" high & lowers flush to ground. Standard barricade plate allows for 9 ft. clear opening. Provided w/ safety locks. Galvanized finish w/ yellow stripes on plate (options avail.). Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$18,198.99
890-2	GS-05-890-2	890 Master Control Panel	Master Control Panel with Annunciator for Model 890 Single Barrier System, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,413.10
890-3	GS-05-890-3	890 Remote Control Panel	Remote Control Panel with Annunciator for Model 890 Single Barrier System, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.81

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 890-4	Part Number GS-05-890-4	890 Add'l Loop Detection System	Additional Loop Detection System for Model 890 Surface Mount Plate Barrier. Includes Logic & Harness - Ground Loop not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$213.25
890-5	GS-05-890-5	890 Stop/Go Signal Light	Stop/Go Signal Light mounted on barrier for Model 890 Surface Mount Plate Barrier. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$779.35
890-6	GS-05-890-6	890 Stop/Go Signal Light w/Stanchion	Stop/Go Signal Light with 6' Mounting Stanchion for Model 890 Surface Mount Plate Barrier. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$779.35
890-7	GS-05-890-7	890 Traffic Signal Arm	Traffic Signal Arm mounted on Model 890 Surface Mount Plate Barrier. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$2,212.14
Model B-30	Bollard System		<u> </u>	
B-30-10	GS-05-B-30-10	B30 Stop/Go Signal Light	Stop/Go Signal Light with 6' Mounting Stanchion for Model B30 Bollards. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$779.35
B-30-6117-6	GS-05-B-30-6117-6	B30 Hydraulic Pump Unit/3-4 Bollards	Model 6117 Hydraulic Pumping Unit for Model B30 for 3-4 bollards includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$21,406.30
B-30-6118-5	GS-05-B-30-6118-5	B30 Hydraulic Pump Unit/Dual Bollards	Model 6118 Hydraulic Pumping Unit for Model B30 dual bollards includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$17,124.18
B-30-6119-4	GS-05-B-30-6119-4	B30 Hydraulic Pump Unit/Single Bollard	Model 6119 Hydraulic Pumping Unit for Model B30 single bollard includes a 208/3/60 motor with programmable logic controller, emergency fast operation, manual hand pump for non-power operation, hydraulic reservoir heater, vehicle loop detector system configured for safety/reset and 30 ft. of hydraulic hose with field fitting. The unit also comes with a weather resistant enclosure in black. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$14,554.91
B-30-7	GS-05-B-30-7	B30 Master Control Panel	Master Control Panel with Annunciator for Model B30 Bollards - single bollard, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,413.10
B-30-8	GS-05-B-30-8	B30 Remote Control Panel	Remote Control Panel with Annunciator for Model B30 Bollards - single bollard, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.81
B-30-9	GS-05-B-30-9	B30 Additional Loop Detection	Add for Additional Loop Detection for Model B30 Bollards - single bollard. Includes Logic and Harness, ground loop not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$213.25
B-30-F-3	GS-05-B-30-F-3	B30F Fixed Bollard System	Model B30F K8/L1 (15,000 lbs @ 40 mph with less than 50' of penetration) Crash Rated Fixed Bollard System. This system is constructed of high strength cylindrical steel guided by an offset flange assembly with precision molded anti- friction surfaces. All subterranean components including the foundation are coated to prevent corrosion. Arranged independently or engineered to work as a set. Finish painted yellow (options available). Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,027.71

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number B-30H-1	Part Number GS-05-B-30H-1	B30H Hydraulic Bollard System	Model B30H K8/L1 (15,000 lbs @ 40 mph with less than 50' of penetration) Crash Rated Hydraulic Bollard System. This system is ideal for areas requiring continual operation and access. Consists of one 10" diameter bollard constructed of high strength cylindrical steel guided by an offset flange assembly w/ precision molded anti-friction surfaces. All subterranean components including foundation are coated to prevent corrosion. Arranged independently or engineered to work as a set, the system incorporates dual speeds for normal operation (4-5 seconds) and emergency fast operation (2-3 seconds). The bollard also features multiple operating methods including card reader activation, push button & vehicle detector. Finish painted yellow (options available). Hydraulic pumping units not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$6,808.56
B-30SA-2	GS-05-B-30SA-2	B30SA Semi-Automatic Bollard System	Model B30SA K8/L1 (15,000 lbs @ 40 mph with less than 50' of penetration) Crash Rated Semi-Automatic Bollard System. This system is ideal for locations where power is either unavailable or not practical to provide. Constructed of high strength cylindrical steel guided by offset flange assembly w/ molded antifriction surfaces. All subterranean components including foundation are coated to prevent corrosion. Arranged independently or engineered to work as a set. Finish painted yellow (options available). Hydraulic pumping units not included and not required. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$6,440.30
		Model CR-25M N	Ianual Cable Crash Beam Barrier	
CR-25M-2	GS-05-CR-25M-2	CR-25M Manual Cable Crash Beam	Model CR-25M 10,000 lbs @ 18 mph Crash Rated Manually Operated Vertical Cable Crash Beam Barrier w/ 12'0" wide clear opening. Basic components of crash beam barrier includes standard vertical to horizontal arm w/ energy absorption cable assembly, hinge post, receiver/latch post, & cable-reinforced crash beam. When crash beam is hit by vehicle, 4-inch diameter aluminum arm gives way to cable inside, and impact energy is absorbed as cable stretches. When cable is at full tension, impact energy is transferred to foundation. Galvanzied steel finish. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$14,130.98
	_	Cable Crash Beam Barrier Op		
CR-25P-3	GS-05-CR-25P-3	CR-25P Additional Loop Detection	Add for Additional Loop Detection for Model CR-25P Cable Crash Beam Barrier. Includes Logic and Harness, ground loop not included. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$213.25
CR-25P-4	GS-05-CR-25P-4	CR-25P Master Control Panel	Master Control Panel with Annunciator for Model CR-25P Cable Crash Beam Barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,413.10
CR-25P-5	GS-05-CR-25P-5	CR-25P Remote Control Panel	Remote Control Panel with Annunciator for Model CR-25P Cable Crash Beam Barrier, rack mounted. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$1,241.81
Model CR-25P	Cable Crash E	Beam Barrier		
CR-25P-1	GS-05-CR-25P-1	CR-25P Cable Crash Beam Barrier	Model CR-25P 10,000 lbs @ 18 mph Crash Rated Electro-mechanical Vertical Cable Crash Beam Barrier w/ 12'0" wide clear opening. Basic components of crash beam barrier includes standard vertical to horizontal arm w/ energy absorption cable assembly, hinge post, receiver/latch post, cable-reinforced crash beam, electrical control unit, & automatic controls. When crash beam is hit by vehicle, 4-inch diameter aluminum arm gives way to cable inside, and impact energy is absorbed as cable stretches. When cable is at full tension, impact energy is transferred to foundation. Galvanized steel finish. Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$19,269.52

Manufacturer: Heald Limted

Country of Origin: United Kingdom

SIN: 334290L

Unit of Measure: Per Each

Fabrication Lead Time: 56 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Bollards	Part Number			
XT-2300-SLB	GS-38-XT-2300-SLB	Matador Surface Mount Three Bollard System	Matador surface mount three bollard system to include: PAS68 V/7500(N2)/48/90:0/0 crash certification; (1) sliding bollard and (2) stationary bollards; hot-dipped galvanized finish or zinc primer and painted finish; non-slip surface; hydraulic pumping unit ("HPU"); and (1) 2-button control pendant. Please note that freight is not included in the unit price and is an additional charge.	\$49,578.27
XT-2400-SLB	GS-38-XT-2400-SLB	Matador Surface Mount Four Bollard System	Matador surface mount four bollard system to include: PAS68 V/7500(N2)/48/90:0/0 crash certification; (2) sliding bollards and (2) stationary bollards; hot-dipped galvanized finish or zinc primer and painted finish; non-slip surface; hydraulic pumping unit ("HPU"); and (1) 2-button control pendant. Please note that freight is not included in the unit price and is an additional charge.	\$60,122.80
XT-2200-RB1	GS-38-XT-2200-RB1	M50 Raptor Shallow Retractable One Bollard System	M50 Raptor shallow retractable one bollard system to include: ASTM M50 P1 crash certification (rated for a 15,000 pound vehicle traveling at 50 mph); single bollard and housing; hot-dipped galvanized finish or zinc primer and painted finish; non-slip surface; hydraulic pumping unit ("HPU"); barrier control cabinet; barrier control enclosure; and emergency fast operation. Please note that freight is not included in the unit price and is an additional charge.	\$34,635.52
XT-2200-RB2	GS-38-XT-2200-RB2	M50 Raptor Shallow Retractable Two Bollard System	M50 Raptor shallow retractable two bollard system to include: ASTM M50 P1 crash certification (rated for a 15,000 pound vehicle traveling at 50 mph); two bollards and housings; hot-dipped galvanized finish or zinc primer and painted finish; non-slip surface; one hydraulic pumping unit ("HPU") for the two bollards; barrier control cabinet; barrier control enclosure; and emergency fast operation. Please note that freight is not included in the unit price and is an additional charge.	\$58,810.26
XT-2200-UPS	GS-38-XT-2200-UPS	UPS Upgrade for Raptor Bollard System	UPS Upgrade for Raptor bollard system to include: UPS battery back up system for bollard - upgrade to 24/48 VDC hydraulic pumping unit capable of operating bollard and controls for up to 100 cycles after power loss. Please note that freight is not included in the unit price and is an additional charge.	\$11,859.45
Plate Barrier				
XT-2000-INST	GS-38-XT-2000-INST	Installation of M50 Viper Barrier	Installation of ASTM M50 Viper barrier within the continental US to include: receiving and off-loading at project site; excavation in medium soils in preparation for the installation of the barrier; excavation in medium soils in preparation for the concrete base for the HPU (within 30' of barrier); installation and alignment of barrier; installation of rebar; stubbing up drain line and conduits at the barrier; filling the balance of the barrier excavation with concrete to grade; stubbing up conduits at the location of the HPU; forming and pouring the concrete base for the HPU; placement of the HPU; completion of final electrical power terminations to the HPU; installation and connection of hydraulic lines and power and control wire between the HPU and the barrier; installation of (2) safety loops and connection to the loop detectors mounted in the HPU if the barrier is equipped with loop detectors (loop detectors are an additional price to the barrier equipment price); testing and confirmation that the equipment is functioning properly; and providing up to (4) hours of barrier operation and maintenance training to the End User's designated personnel. Price specifically excludes excavation in other than medium soils; trenching and installation of drain line and conduits; field distribution of power to the location of the HPU; installation and connection of traffic light(s); and installation and connection control panel(s).	\$30,880.98
XT-2000-UPS	GS-38-XT-2000-UPS	UPS Upgrade for Viper Wedge Barrier	UPS Upgrade for Viper wedge barrier to include: UPS battery back up system for barrier - upgrade to 24/48 VDC hydraulic pumping unit capable of operating barrier and controls for up to 100 cycles after power loss. Please note that freight is not included in the unit price	\$11,859.45
XT-2000-W	GS-38-XT-2000-W	M50 Viper Hydraulic Wedge Barrier	M50 Viper hydraulic wedge barrier to include: ASTM M50 P1 crash certification (rated for a 15,000 pound vehicle traveling at 50 mph); single barrier; 9'8" wide; hot-dipped galvanized finish or zinc primer and painted finish; non-slip surface; reflective tape; barrier skirt; hydraulic pumping unit ("HPU"); barrier control cabinet; barrier control enclosure; and emergency fast operation. Please note that freight is not included in the unit price and is an additional charge.	\$48,110.20

Accessories				
XT-BIT1	GS-38-XT-BIT1	Barrier Installation Technician 1	Barrier installation technician 1 for RSS Viper, Raptor, or Matador to	\$101.70
			include: hourly rate for barrier/bollard-related installation work to include, but not be limited to, demo of existing barriers; receiving and off-loading equipment; excavation work; trenching/conduit work (excluding material supply of conduits); equipment placement; rebar installation (excluding material supply of rebar); and concrete work (excluding material supply of concrete). Price specifically excludes mobilization/demobilization; per diem; material supply of conduits; material supply of rebar; and material supply of concrete.	
XT-BIT2	GS-38-XIT-BT2	Barrier Installation Technician 2	Barrier installation technician 2 for RSS Viper, Raptor, or Matador to include: hourly rate for barrier/bollard-related installation work to include, but not be limited to, completion of final electrical power terminations to the HPU (field distribution of proper power by others); installation and connection of hydraulic lines and power and control wire between the HPU and the barrier (material supply of hydraulic lines, hydraulic oil, power wire and control wire by others); installation and connection of loops (material supply of loops by others); testing; and operation and maintenance training. Price specifically excludes mobilization/demobilization; per diem; field distribution of proper power; material supply of hydraulic lines, hydraulic oil, power wire, and control wire; and material supply of loop wire and sealant.	\$101.70
XT-CP-INST	GS-38-XT-CP-INST	Installation of Control Panel	Installation of control panel within the continental US to include: receiving and off-loading at project site; placement at the control location (within 500' of HPU); installation and connection of control wire in conduit by others between the HPU and the control panel; and testing and confirmation that the equipment is functioning properly. Price assumes installation with a barrier system (not a stand-alone price). Price specifically excludes placement of the control panel greater than 500' from the HPU and trenching and installation of conduit between the HPU and the control panel.	\$3,613.35
XT-EAL	GS-38-XT-EAL	Push Buttons per Additional Lane	Push buttons per additional lane to include: push buttons for remotely operating each additional barrier or single set of bollards (price is per lane); up/down buttons with illuminated status indicator; and EFO button. Please note that freight is not included in the unit price and is	\$352.96
XT-HTM	GS-38-XT-HTM	Heat Trace Mat	Heat trace mat to include: heat trace mat with thermostat for single barrier or bollard. Please note that freight is not included in the unit	\$3,870.59
XT-LTM	GS-38-XT-LTM	Loop Detector	Loop detector to include: loop detector module for barrier or bollard. Please note that freight is not included in the unit price and is an	\$654.47
XT-MCP	GS-38-XT-MCP	Master Control Panel	additional charge. Master control panel to include: master push button panel for remotely operating single barrier or single set of bollards; up/down buttons with illuminated status indicator; EFO button; EFO reset button; and sub remote control panel enable/disable switch. Please note that freight is not included in the unit price and is an additional	\$2,462.34
XT-RCP	GS-38-XT-RCP	Sub Remote Control Panel	Sub remote control panel to include: sub remote push button panel for remotely operating single barrier or single set of bollards; up/down buttons with illuminated status indicator; and EFO button. Please note that freight is not included in the unit price and is an additional charge.	\$2,111.78
XT-TSL	GS-38-XT-TSL	Post-Mounted Traffic Signal Light	Post-mounted traffic signal light to include: mounting anchors; base; pole; and LED red and amber lights. Please note that freight is not	\$938.04
XT-TSL-INST	GS-38-XT-TSL-INST	Installation of Traffic Signal Light	included in the unit nrice and is an additional charge Installation of traffic signal light within the continental US to include: receiving and off-loading at project site; excavation in medium soils in preparation for the installation of the concrete base for the traffic signal light post (within 50' of HPU); trenching in medium soils between the location of the HPU and the location of the concrete base for the traffic signal light post (up to 50'); stubbing up conduits at the location of the traffic signal light post; forming and pouring the concrete base for the traffic signal light post; placement and anchorage of the traffic signal light post; installation of the traffic signal lights; installation and connection of control wire between the HPU and the traffic signal lights; and testing and confirmation that the equipment is functioning properly. Price assumes installation with a barrier system (not a stand- alone price). Price specifically excludes placement of the traffic signal light greater than 50' from the HPU and excavation and trenching in other than medium soils.	\$3,290.30

Manufacturer: RSSI Barrier, LLC

Country of Origin: United States

Point(s) of Production: Panama City, FL

SIN: 334290L

Unit of Measure: Per Each

Fabrication Lead Time: 56 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Electric Bollard	Part Number			
BA-4000	GS-33-4000-TGA	Traffic Gate Arm for Electric Bollards	Traffic gate arm for set of (2) or set of (3) electric bollards to include: traffic gate arm and up to 12' long non-rated aluminum gate arm	\$3,789.59
BBS-4000	GS-33-4000-BBS	Battery Back Up for Electric Bollards	Battery back-up for set of (2) or set of (3) electric bollards to include: up to 400 cycles of power out operation (one battery back-up system per one to two sets of bollards)	\$5,800.74
EFO-4000	GS-33-4000-EFO	EFO for Electric Bollards	Emergency fast operation for set of (2) or set of (3) electric bollards to include: bollards to secure position in under 1.5 seconds	\$373.39
HGS-4000	GS-33-4000-HGS	Bollard Heat Grid System for Electric Bollards	Bollard heat grid system for set of (2) or set of (3) electric bollards to include: heat grid; cold weather grease; and heater and thermostat in bollard control system	\$2,578.11
RSS-4002	GS-33-4002	Set of (2) ASTM M50 P2 Electric Bollards	Set of (2) ASTM M50 P2 electric bollards to include: ASTM M50 P2 crash certification to stop a 15,000 pound vehicle traveling at 50 mph with up to 23' of penetration from the bollard line; two square bollards; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); bollard control system with programmable PLC; safety loop sensors; flashing LED safety lights mounted on the bollards that are visible when deployed; sump pump mounted in the bollard box; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$47,277.19
RSS-4003	GS-33-4003	Set of (3) ASTM M50 P2 Electric Bollards	Set of (3) ASTM M50 P2 electric bollards to include: ASTM M50 P2 crash certification to stop a 15,000 pound vehicle traveling at 50 mph with up to 23' of penetration from the bollard line; three square bollards; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); bollard control system with programmable PLC; safety loop sensors; flashing LED safety lights mounted on the bollards that are visible when deployed; sump pump mounted in the bollard box; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$55,620.23
TLA-4000	GS-33-4000-TSL	Traffic Light for Electric Bollards	Traffic light for set of (2) of set of (3) electric bollards to include: mounting post and red/amber LED traffic signal light	\$1,418.88
Electric Drop B	leams			
BBS-3000	GS-33-3000-BBS	Battery Back Up for Electric Drop Beam	Battery back-up for electric drop beam to include: up to 400 cycles of power out operation (one battery back-up system per set of one to two barriers)	\$5,800.74
RSS-3015	GS-33-3015	ASTM M30 15' Opening Electric Drop Beam	ASTM M30 12' to 15' Opening electric drop beam to include: ASTM M30 crash certification for a 15,000 pound vehicle traveling at 30 mph; stanchions and drop arm; sized for a 12' to 15' opening; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); barrier control system with programmable PLC; safety loop sensors; red/white reflective tape on the drop arm; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$32,226.31
RSS-3019	GS-33-3019	ASTM M30 19' Opening Electric Drop Beam	ASTM M30 16' to 19' Opening electric drop beam to include: ASTM M30 crash certification for a 15,000 pound vehicle traveling at 30 mph; stanchions and drop arm; sized for a 16' to 19' opening; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); barrier control system with programmable PLC; safety loop sensors; red/white reflective tape on the drop arm; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$35,329.59

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
RSS-3024	GS-33-3024	ASTM M30 24' Opening Electric Drop Beam	ASTM M30 20' to 24' Opening electric drop beam to include: ASTM M30 crash certification for a 15,000 pound vehicle traveling at 30 mph; stanchions and drop arm; sized for a 20' to 24' opening; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); barrier control system with programmable PLC; safety loop sensors; red/white reflective tape on the drop arm; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$36,284.44
TLA-3000	GS-33-3000-TSL	Traffic Light for Electric Drop Beam	Traffic light for electric drop beam to include: mounting post and red/amber LED traffic signal light	\$1,418.88
Electric Finger	Wedge Barriers		·	
BA-2000	GS-33-2000-TGA	Traffic Gate Arm for Finger Wedge Barrier	Traffic gate arm for 4-post, 5-post, or 6-post finger wedge barrier to include: traffic gate arm and up to 12' long non-rated aluminum gate arm	\$3,789.59
BBS-2000	GS-33-2000-BBS	Battery Back Up for Finger Wedge Barrier	Battery back-up for 4-post, 5-post, or 6-post finger wedge barrier to include: up to 400 cycles of power out operation (one battery back-up system per set of one to two barriers)	\$5,800.74
EFO-2000	GS-33-2000-EFO	EFO for Finger Wedge Barrier	Emergency fast operation for 4-post, 5-post, or 6-post finger wedge barrier to include: barrier to secure position in under 1.5 seconds	\$373.39
HGS-2000	GS-33-2000-HGS	Barrier Heat Grid System for Finger Wedge Barrier	Barrier heat grid system for 4-post, 5-post, or 6-post finger wedge barrier to include: heat grid; cold weather grease; and heater and thermostat in barrier control system	\$2,578.11
IN-2000	GS-33-2000-IN	Installation of 4-Post Finger Wedge Barrier	Installation of K12 ASTM M50 4-post electric finger wedge barrier within the continental US to include: receiving and off-loading at project site; excavation in medium soils in preparation for the installation of the barrier; exavation in medium soils in preparation for the concrete base for the barrier control unit (within 100' of barrier); installation and alignment of barrier; installation of rebar; connection of drain line and conduits to the barrier box; filling the balance of the barrier excavation with concrete to grade; stubbing up conduits at the location of the barrier control unit; forming and pouring the concrete base for the barrier control unit; forming and pouring the concrete base for the barrier control unit; placement of the barrier control unit; completion of final electrical power terminations to the barrier control unit; installation and termination of power and control wire between the barrier control unit and the barrier; installation of (2) safety loops and connection to the loop sensors mounted in the barrier control unit; testing and confirmation that the equipment is functioning properly; providing up to (4) hours of barrier operation and maintenance training to the End User's designated personnel. Price specifically excludes excavation in other than medium soils; trenching and installation of drain line and conduits; field distribution of power to the location of the barrier control unit; installation and connection of traffic light(s); installation and connection of traffic gate arm(s); installation and connection of safety horn(s); and installation, connection, and programming of remote control panel(s)	\$28,932.07

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number IN-2000V	Part Number GS-33-2000V-IN	Installation of 5-Post Finger Wedge Barrier	Installation of K12 ASTM M50 5-post electric finger wedge barrier	\$30,722.42
20001	05 55 25567	instantation of 5 + 650 + inger tweage surner	within the continental US to include: receiving and off-loading at	\$30,722.12
			project site; excavation in medium soils in preparation for the	
			installation of the barrier; exavation in medium soils in	
			preparation for the concrete base for the barrier control unit	
			(within 100' of barrier); installation and alignment of barrier;	
			installation of rebar; connection of drain line and conduits to the	
			barrier box; filling the balance of the barrier excavation with	
			concrete to grade; stubbing up conduits at the location of the	
			barrier control unit; forming and pouring the concrete base for	
			the barrier control unit; placement of the barrier control unit; completion of final electrical power terminations to the barrier	
			control unit; installation and termination of power and control	
			wire between the barrier control unit and the barrier; installation	
			of (2) safety loops and connection to the loop sensors mounted	
			in the barrier control unit; testing and confirmation that the	
			equipment is functioning properly; providing up to (4) hours of	
			barrier operation and maintenance training to the End User's	
			designated personnel. Price specifically excludes excavation in	
			other than medium soils; trenching and installation of drain line	
			and conduits; field distribution of power to the location of the	
			barrier control unit; installation and connection of battery back-	
			up system; installation and connection of traffic light(s);	
			installation and connection of traffic gate arm(s); installation and	
			connection of safety horn(s); and installation, connection, and	
IN-2000VI	GS-33-2000VI-IN	Installation of 6-Post Finger Wedge Barrier	Installation of K12 ASTM M50 6-post electric finger wedge barrier	\$33,109.55
11V-2000V1	G3-33-2000 VI-IIV	installation of 0-1 ost ringer wedge barrier	within the continental US to include: receiving and off-loading at	\$33,105.55
			project site; excavation in medium soils in preparation for the	
			installation of the barrier; exavation in medium soils in	
			preparation for the concrete base for the barrier control unit	
			(within 100' of barrier); installation and alignment of barrier;	
			installation of rebar; connection of drain line and conduits to the	
			barrier box; filling the balance of the barrier excavation with	
			concrete to grade; stubbing up conduits at the location of the	
			barrier control unit; forming and pouring the concrete base for	
			the barrier control unit; placement of the barrier control unit;	
			completion of final electrical power terminations to the barrier	
			control unit; installation and termination of power and control	
			wire between the barrier control unit and the barrier; installation	
			of (2) safety loops and connection to the loop sensors mounted	
			in the barrier control unit; testing and confirmation that the	
			equipment is functioning properly; providing up to (4) hours of	
			barrier operation and maintenance training to the End User's designated personnel. Price specifically excludes excavation in	
			other than medium soils; trenching and installation of drain line	
			and conduits; field distribution of power to the location of the	
			barrier control unit; installation and connection of battery back-	
			up system; installation and connection of traffic light(s);	
			installation and connection of traffic gate arm(s); installation and	
			connection of safety horn(s); and installation, connection, and	
200 20001	00.00.00004		programming of remote control panel(s)	A= 4 · · · ·
RSS-2000V	GS-33-2000V	K12 ASTM M50 5-Post Electric Finger Wedge Barrier	K12 ASTM M50 P1 5-Post electric finger wedge barrier to include:	\$54,140.21
			K12 crash certification per US DoS SD-STD-02.01 and ASTM M50	
			crash certification to stop a 15,000 pound vehicle traveling at 50	
			mph with no penetration; 5-post barrier; 12'5" wide x 6' long x 2' deep barrier box dimensions (out-to-out post dimension width is	
			10'2"); yellow powder coat finish for the post assembly; servo	
			electromechanical actuator (sealed, submergible, self-lubricating,	
			and self-braking); barrier control system with programmable PLC;	
			safety loop sensors; flashing LED safety lights mounted on the	
			barrier that are visible when deployed; sump pump mounted in	
			the barrier box; and 2-year electromechanical parts-only	
			warranty. Please note that freight is not included in the unit	
			price and is an additional charge.	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RSS-2000VI	Part Number GS-33-2000VI	K12 ASTM M50 6-Post Electric Finger Wedge Barrier	K12 ASTM M50 P1 6-Post electric finger wedge barrier to include: K12 crash certification per US DoS SD-STD-02.01 and ASTM M50 crash certification to stop a 15,000 pound vehicle traveling at 50 mph with no penetration; 6-post barrier; 15' wide x 6' long x 2' deep barrier box dimensions (out-to-out post dimension width is 12'7-3/4"); yellow powder coat finish for the post assembly; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); barrier control system with programmable PLC; safety loop sensors; flashing LED safety lights mounted on the barrier that are visible when deployed; sump pump mounted in the barrier box; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$61,874.52
TLA-2000	GS-33-2000-TSL	Traffic Light for Finger Wedge Barrier	Traffic light for 4-post, 5-post, or 6-post finger wedge barrier to include: mounting post and red/amber LED traffic signal light	\$1,418.88
Electric Mobile	Surface Drop Beams			
BBS-3000MSB	GS-33-3000MSB-BBS	Battery Back Up for Mobile Surface Drop Beam	Battery back-up for mobile surface drop beam to include: battery power for power out operation	\$6,612.84
RSS-3012MSB	GS-33-3012MSB	12' Opening Electric Mobile Surface Drop Beam	12' Opening electric mobile surface drop beam to include: plate-mounted stanchions and drop arm; sized for a 12' opening; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); barrier control system with programmable PLC; red/white reflective tape on the drop arm; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$47,623.32
RSS-3015MSB	GS-33-3015MSB	15' Opening Electric Mobile Surface Drop Beam	15' Opening electric mobile surface drop beam to include: plate-mounted stanchions and drop arm; sized for a 15' opening; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); barrier control system with programmable PLC; red/white reflective tape on the drop arm; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$51,024.99
Remote Contro	ol Panels/Buttons			
PBS-1000	GS-33-PBS	Push Button Panel for Single Barrier	Push button remote control panel for a single barrier to include: illuminated up/down push buttons	\$895.18
TSC-1000	GS-33-TSC	Touchscreen Remote Control Panel	Touchscreen remote control panel to include: Panel View 600 touchscreen	\$2,849.61
RSS-2000 Vehic	cle Barrier Options			
RSS-2000-BBS6001	GS-33-RSS-2000-BBS6001	RSS-2000 Battery Back-Up System	Battery Back-up System for RSS-2000 Series Electric Vehicle Wedge Barrier System. Adds roughly 400+ cycles of no power operation (one backup system per set of 1-2 barriers) Freight NOT included in item price. Freight is add'I charge & calculated from factory to delivery location.	\$5,576.58
RSS-2000-EFO1001	GS-33-RSS-2000-EFO1001	RSS-2000 Emergency Fast Operation	Emergency Fast Operation Upgrade for RSS-2000 Series Electric Vehicle Wedge Barrier System. Standard under 1.5 seconds (factory customizeable to as fast as 1/2 a second) Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$373.39
RSS-2000-HGS4011	GS-33-RSS-2000-HGS4011	RSS-2000 Barrier Cold Weather System	Barrier Cold Weather System for RSS-2000 Series Electric Vehicle Wedge Barrier System. Cold Weather Package includes heat grid, cold weather grease and heater and thermostate in EPU.	\$2,560.20
RSS-2000-TLA4001	GS-33-RSS-2000-TLA4001	RSS-2000 Traffic Control Light (LED)	Traffic Control Light (LED) for RSS-2000 Series Electric Vehicle Wedge Barrier System. LED assembly with post or wall bracket integrated with barrier. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$1,418.88

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RSS-2000-TSC1001	Part Number GS-33-RSS-2000-TSC1001	RSS-2000 Add'l Touch Screen	Additional Touch Screen Control Console for RSS-2000 Series Electric Vehicle Wedge Barrier System. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$2,849.61
RSS-3000 Drop B	Beam Vehicle Barrier			
RSS-3000	GS-33-RSS-3000	RSS-3000 Drop Beam Electric Barrier	12' Drop Beam RSS-3000 Electric Vehicle Barrier System. Barrier is all-electric drop beam vehicle barrier, all steel construction, w/hot dipped galvanized frame w/painted post & beams provide lane coverage up to 12 ft. Beam 33"H to top of beam from roadway, 3000 lbs. (Does not include concrete foundation.) Operating system electromechanical, self-lubricating actuator. Cycle time within 8 sec for standard deployment. Motors available for 120x/230v single phase or 120v/240v 3 phase voltage. Basic Barrier: Custom Control Panel, Touch Screen for barrier controls, Remote Operator Console w/Barrier Controls, Safety Loop Sensors & Flashing LED Safety Lights on Barrier. Barriers shipped operational, self-contained & ready for install. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$25,602.02
RSS-3000 Drop B	Beam Vehicle Barrier II	nstallation		
RSS-3000-IN-3001	GS-33-RSS-3000-IN-3001	RSS-3000 Installation	Installation of RSS-3000 Drop Beam Electric Vehicle Barrier. Installation Includes: Installation in asphalt roadway, excavated 2' in medium soils, controls within 50' of unit, and a dedicated electrical outlet supplied by others. Valid for Continental United	\$20,947.10
	Beam Vehicle Barrier C	•		
RSS-3000-BBS6001	GS-33-RSS-3000-BBS6001	RSS-3000 Battery Back-Up System	Battery Back-Up System for RSS-3000 Drop Beam Electric Vehicle Barrier System. Adds roughly 400+ cycles of no power operation (one backup system per set of 1-2 barriers). Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$5,576.58
RSS-3000-HGS4011	GS-33-RSS-3000-HGS4011	RSS-3000 Barrier Cold Weather System	Barrier Cold Weather System for RSS-3000 Drop Beam Electric Vehicle Barrier System. Cold Weather Package Heat Grid System includes cold weather grease, heater and thermostat in EPU. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$971.60
RSS-3000-MSB-BBS6001	GS-33-RSS-3000-MSB-BBS6001	RSS-3000-MSB Battery Back-Up System	Battery Back-Up System for RSS-3000-MSB Mobile Surface Vehicle Barrier Systeml. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$4,499.75
RSS-3000-TLA4001	GS-33-RSS-3000-TLA4001	RSS-3000 Traffic Control Light (LED)	8" Traffic Control Light (LED) for RSS-3000 Drop Beam Electric Vehicle Barrier System. LED assembly with post or wall bracket, integrated with barrier. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$1,418.88
RSS-3000-TSC1001	GS-33-RSS-3000-TSC1001	RSS-3000 Add'l Touch Screen	Additional Touch Screen Control Console for RSS-3000 Drop Beam Electric Vehicle Barrier System. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$2,849.61
RSS-3000-MSB D	Prop Beam Vehicle Bar	rier		
RSS-3000-MSB-T	GS-33-RSS-3000-MSB-T	RSS-3000-MSB-T Mobile Surface Trailer	Trailer for RSS-3000-MSB Mobile Surface Vehicle Barrier System. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location. Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$10,086.96
Support and Tra	ining	1		

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
ICW-1000	GS-33-ICW	Installation Certification & Warranty Validation	Installation certification and warranty validation to include: installation certification and warranty validation within the continental US not to exceed 5 days (including travel time) and installation certification and warranty validation report (supporting documents and photos)	\$5,926.80
OMT-1000	GS-33-OMT	Operation and Maintenance Training	Operation and maintenance training to include: operation and maintenance training within the continental US not to exceed 3 days; formal classroom training followed by hands-on demonstations on the barriers installed at the site; and formal training materials (lesson plan; PowerPoint slides; and training handouts)	\$5,967.84
SAC-1000	GS-33-SAC	Site Assessment Consultation	Site assessment consultation to include: site assessment within the continental US not to exceed 1 day on-site and site assessment report (supporting documents and photos)	\$5,926.80
TSV-1000	GS-33-TSV	Technical Support Visit	Technical support visit to include: technical support visit within the continental US not to exceed 5 days (including travel time) and technical support report (supporting documents and photos)	\$5,967.84
Wedge Barrier				
RSS-2000	GS-33-2000	K12 ASTM M50 4-Post Electric Finger Wedge Barrier	K12 ASTM M50 P1 4-Post electric finger wedge barrier to include: K12 crash certification per US DoS SD-STD-02.01 and ASTM M50 crash certification to stop a 15,000 pound vehicle traveling at 50 mph with no penetration; 4-post barrier; 10' wide x 6' long x 2' day barrier box dimensions (out-to-out post dimension width is 7'9"); yellow powder coat finish for the post assembly; servo electromechanical actuator (sealed, submergible, self-lubricating, and self-braking); barrier control system with programmable PLC; safety loop sensors; flashing LED safety lights mounted on the barrier that are visible when deployed; sump pump mounted in the barrier box; and 2-year electromechanical parts-only warranty. Please note that freight is not included in the unit price and is an additional charge.	\$46,310.40
SERVO Box				
RSSI-854	GS-40-RSSISERVO	RSSI Servo Box	RSSI Servo box, assembled - barrier serial number is required in order to validate that product is the correct replacement (contact Concentric Security to confirm fit for the Owner's specific model)	\$5,773.30

Pre-Cast Concrete Barriers

Manufacturer: Concentric Security, LLC

Country of Origin: United States

Point(s) of Production: Denison, IA and Midland, VA

SIN: 334290L

Unit of Measure: Per Each

Fabrication Lead Time: 56 – 70 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Architectural Pre-0	Part Number Cast Concrete Plant	er Barriers		
CS1-PB-R-3630	GS-01-CS1-PB-R-3630	CS1 Pre-Cast Concrete Planter 36" x 30" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 36" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$614.21
CS1-PB-R-3636	GS-01-CS1-PB-R-3636	CS1 Pre-Cast Concrete Planter 36" x 36" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 36" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$675.87
CS1-PB-R-4830	GS-01-CS1-PB-R-4830	CS1 Pre-Cast Concrete Planter 48" x 30" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 48" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$842.72
CS1-PB-R-4836	GS-01-CS1-PB-R-4836	CS1 Pre-Cast Concrete Planter 48" x 36" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 48" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$964.84
CS1-PB-R-6030	GS-01-CS1-PB-R-6030	CS1 Pre-Cast Concrete Planter 60" x 30" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 60" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,131.69
CS1-PB-R-6036		CS1 Pre-Cast Concrete Planter 60" x 36" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 60" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,280.40
CS1-PB-R-6042		CS1 Pre-Cast Concrete Planter 60" x 42" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 60" wide x 42" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,429.12
CS1-PB-R-7230		CS1 Pre-Cast Concrete Planter 72" x 30" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 72" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,446.05
CS1-PB-R-7236		CS1 Pre-Cast Concrete Planter 72" x 36" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 72" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,735.01
CS1-PB-R-7242		CS1 Pre-Cast Concrete Planter 72" x 42" RND	CS1 Design pre-cast concrete round planter barrier to include: planter sized 72" wide x 42" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,812.39
CS1-PB-RECT-364830		CS1 Pre-Cast Concrete Planter 36" x 48" x 30"	CS1 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 48" long x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$768.97
CS1-PB-RECT-364836		CS1 Pre-Cast Concrete Planter 36" x 48" x 36"	CS1 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 48" long x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$820.96
CS1-PB-RECT-366030		CS1 Pre-Cast Concrete Planter 36" x 60" x 30"	CS1 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 60" long x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$957.58
CS1-PB-RECT-366036		CS1 Pre-Cast Concrete Planter 36" x 60" x 36"	CS1 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 60" long x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,285.24
CS1-PB-RECT-366042		CS1 Pre-Cast Concrete Planter 36" x 60" x 42"	CS1 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 60" long x 42" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,336.02
CS1-PB-RECT-367230		CS1 Pre-Cast Concrete Planter 36" x 72" x 30"	CS1 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 72" long x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,158.29
CS1-PB-RECT-367236		CS1 Pre-Cast Concrete Planter 36" x 72" x 36"	CS1 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 72" long x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,319.09
CS1-PB-RECT-367242		CS1 Pre-Cast Concrete Planter 36" x 72" x 42"	CS1 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 72" long x 42" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,719.29

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CS1-PB-S-3630	Part Number	CS1 Pre-Cast Concrete Planter 36" x 30" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 36" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$739.95
CS1-PB-S-3636		CS1 Pre-Cast Concrete Planter 36" x 36" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 36" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$808.87
CS1-PB-S-4830		CS1 Pre-Cast Concrete Planter 48" x 30" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 48" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,009.57
CS1-PB-S-4836		CS1 Pre-Cast Concrete Planter 48" x 36" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 48" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,152.24
CS1-PB-S-6030		CS1 Pre-Cast Concrete Planter 60" x 30" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 60" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,361.41
CS1-PB-S-6036		CS1 Pre-Cast Concrete Planter 60" x 36" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 60" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,540.35
CS1-PB-S-6042		CS1 Pre-Cast Concrete Planter 60" x 42" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 60" wide x 42" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,719.29
CS1-PB-S-7230		CS1 Pre-Cast Concrete Planter 72" x 30" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 72" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,741.06
CS1-PB-S-7236		CS1 Pre-Cast Concrete Planter 72" x 36" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 72" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$2,083.22
CS1-PB-S-7242		CS1 Pre-Cast Concrete Planter 72" x 42" SQ	CS1 Design pre-cast concrete square planter barrier to include: planter sized 72" wide x 42" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$2,296.02
CS2-PB-R-3630		CS2 Pre-Cast Concrete Planter 36" x 30" RND	CS2 Design pre-cast concrete round planter barrier to include: planter sized 36" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$614.21
CS2-PB-R-4830		CS2 Pre-Cast Concrete Planter 48" x 30" RND	CS2 Design pre-cast concrete round planter barrier to include: planter sized 48" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$842.72
CS2-PB-R-4836		CS2 Pre-Cast Concrete Planter 48" x 36" RND	CS2 Design pre-cast concrete round planter barrier to include: planter sized 48" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$964.84
CS2-PB-R-6036		CS2 Pre-Cast Concrete Planter 60" x 36" RND	CS2 Design pre-cast concrete round planter barrier to include: planter sized 60" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,280.40
CS2-PB-R-7236		CS2 Pre-Cast Concrete Planter 72" x 36" RND	CS2 Design pre-cast concrete round planter barrier to include: planter sized 72" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$2,040.91
CS4-PB-S-4830		CS4 Pre-Cast Concrete Planter 48" x 30" SQ	CS4 Design pre-cast concrete square planter barrier to include: planter sized 48" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,111.13
CS4-PB-S-6036		CS4 Pre-Cast Concrete Planter 60" x 36" SQ	CS4 Design pre-cast concrete square planter barrier to include: planter sized 60" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,695.11
CS6-PB-R-7230		CS6 Pre-Cast Concrete Planter 72" x 30" RND	CS6 Design pre-cast concrete round planter barrier to include: planter sized 72" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,883.73
CS6-PB-S-7230		CS6 Pre-Cast Concrete Planter 72" x 30" SQ	CS6 Design pre-cast concrete square planter barrier to include: planter sized 72" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,913.95
CS7-PB-R-3636		CS7 Pre-Cast Concrete Planter 36" x 36" RND	CS7 Design pre-cast concrete round planter barrier to include: planter sized 36" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$743.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CS7-PB-RECT-364836	Part Number	CS7 Pre-Cast Concrete Planter 36" x 48" x 36"	CS7 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 48" long x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$820.96
CS7-PB-RECT-366036		CS7 Pre-Cast Concrete Planter 36" x 60" x 36"	CS7 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 60" long x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,285.24
CS7-PB-RECT-367236		CS7 Pre-Cast Concrete Planter 36" x 72" x 36"	CS7 Design pre-cast concrete rectangular planter barrier to include: planter sized 36" wide x 72" long x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,319.09
CS7-PB-S-3636		Planter/CS7 Planter Barrier/Square/36"x36"	CS7 Design pre-cast concrete square planter barrier to include: planter sized 36" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$897.13
CS7-PB-S-4836		CS7 Pre-Cast Concrete Planter 48" x 36" SQ	CS7 Design pre-cast concrete square planter barrier to include: planter sized 48" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,273.15
CS7-PB-S-6036		CS7 Pre-Cast Concrete Planter 60" x 36" SQ	CS7 Design pre-cast concrete square planter barrier to include: planter sized 60" wide x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,691.49
CS9-PB-R-4830		CS9 Pre-Cast Concrete Planter 48" x 30" RND	CS9 Design pre-cast concrete round planter barrier to include: planter sized 48" wide x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$923.73
PB-MONO		Upgrade to Monolithic Design for Pre Cast Concrete Planter	Upgrade to monolithic design for pre-cast concrete planter to include: filling the planter with concrete at the factory in order to add more weight to the planter (allows for shallow planting only).	#VALUE!
PB-TSERT		Insert for Pre-Cast Concrete Planter	Insert for pre-cast concrete planter to include: a threaded insert cast into the pre- cast concrete planter barrier for receiving a bolt/eye hook (bolt/eye hook furnished/installed by others).	\$24.10
Architectural Pre-	Cast Concrete Securi	ty Bollards		
CS11-SB-R-F-1030	GS-01-CS11-SB-R-F-1030	CS11 Pre-Cast Concrete Bollard 10" x 30" RND	CS11 Design pre-cast concrete round fixed bollard to include: bollard sized 10" in diameter x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$270.83
CS11-SB-R-F-1036	GS-01-CS11-SB-R-F-1036	CS11 Pre-Cast Concrete Bollard 10" x 36" RND	CS11 Design pre-cast concrete round fixed bollard to include: bollard sized 10" in diameter x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$292.59
CS16-SB-R-F-2430	GS-01-CS16-SB-R-F-2430	CS16 Pre-Cast Concrete Bollard 24" x 30" RND	CS16 Design pre-cast concrete round fixed bollard to include: bollard sized 24" in diameter x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$557.38
CS20-SB-R-F-1230		CS20 Pre-Cast Concrete Bollard 12" x 30" RND	CS20 Design pre-cast concrete round fixed bollard to include: bollard sized 12" in diameter x 30" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$317.98
CS20-SB-R-F-2436		CS20 Pre-Cast Concrete Bollard 24" x 36" RND	CS20 Design pre-cast concrete round fixed bollard to include: bollard sized 24" in diameter x 36" high, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$585.19
SB-CABLE		Pre-Cast Concrete Bollard Hole	Pre-cast concrete bollard hole to include: a hole cast into the pre-cast concrete bollard for allowing cable/chain to pass through (cable/chain by others).	\$23.84
SB-TSERT		Insert for Pre-Cast Concrete Bollard	Insert for pre-cast concrete bollard to include: a threaded insert cast into the pre- cast concrete bollard for receiving a bolt/eye hook (bolt/eye hook furnished/installed by others).	\$24.10
Architectural Pre-	Cast Concrete Securi	ity Spheres		
CS21-SS-R-36		CS21 Pre-Cast Concrete Sphere 36" Diam	CS21 Design pre-cast concrete round sphere to include: sphere sized 36" in diameter, set on a 4" thick pre-cast concrete base or no base at all, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$839.09
CS21-SS-R-48		CS21 Pre-Cast Concrete Sphere 48" Diam	CS21 Design pre-cast concrete round sphere to include: sphere sized 48" in diameter, set on a 4" thick pre-cast concrete base or no base at all, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,047.05
SS-CABLE		Pre-Cast Concrete Sphere Hole	Pre-cast concrete sphere hole to include: a hole cast into the pre-cast concrete sphere for allowing cable/chain to pass through (cable/chain by others).	\$23.84

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number	Part Number			
SS-TSERT		Insert for Pre-Cast Concrete Sphere	Insert for pre-cast concrete sphere to include: a threaded insert cast inot the pre-	\$24.10
			cast concrete sphere for receiving a bolt/eye hook (bolt/eye hook furnished/installed	
			by others).	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number	Part Number -Cast Concrete Secu	rity Malle		
CS22-SW-30IA	GS-01-CS22-SW-30IA		CS22 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° inside angle for the	\$503.58
			CS22 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	·
CS22-SW-30OA	GS-01-CS22-SW-30OA	Pre-Cast Concrete Wall Angle Section	CS22 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° outside angle for the CS22 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS22-SW-45IA	GS-01-CS22-SW-45IA	Pre-Cast Concrete Wall Angle Section	CS22 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° inside angle for the CS22 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS22-SW-45OA	GS-01-CS22-SW-45OA	Pre-Cast Concrete Wall Angle Section	CS22 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° outside angle for the CS22 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS22-SW-8		CS22 Pre-Cast Concrete 8' Wall Section	CS22 Design pre-cast concrete 8' wall section to include: wall sized 8' wide, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$683.12
CS22-SW-90IA	GS-01-CS22-SW-90IA	Pre-Cast Concrete Wall Angle Section	CS22 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° inside angle for the CS22 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS22-SW-90OA	GS-01-CS22-SW-90OA	Pre-Cast Concrete Wall Angle Section	CS22 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° outside angle for the CS22 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS22-SW-AS		CS22 Pre-Cast Concrete Angle Section	CS22 Pre-cast concrete angle section to include: 30 degree, 45 degree, or 90 degree inside or outside angle section for CS22 design pre-cast concrete wall.	\$478.79
CS22-SW-FE		CS22 Pre-Cast Concrete Finished End	CS22 Design pre-cast concrete finished end to include: finished end (right side or left side) for CS22 design pre-cast concrete wall.	\$119.20
CS22-SW-LSFE	GS-01-CS22-SW-LSFE	Pre-Cast Concrete Wall Finished End	CS22 Design Pre-Cast Concrete Wall Barrier Option: This is a left side finished end for the CS22 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS22-SW-RSFE	GS-01-CS22-SW-RSFE	Pre-Cast Concrete Wall Finished End	CS22 Design Pre-Cast Concrete Wall Barrier Option: This is a right side finished end for the CS22 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS23-SW-12		CS23 Pre-Cast Concrete 12' Wall Section	CS23 Design pre-cast concrete 12' wall section to include: wall sized 12' wide, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,026.50
CS23-SW-30IA	GS-01-CS23-SW-30IA	Pre-Cast Concrete Wall Angle Section	CS23 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° inside angle for the CS23 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS23-SW-30OA	GS-01-CS23-SW-30OA	Pre-Cast Concrete Wall Angle Section	CS23 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° outside angle for the CS23 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS23-SW-45IA	GS-01-CS23-SW-45IA	Pre-Cast Concrete Wall Angle Section	CS23 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° inside angle for the CS23 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CS23-SW-45OA	Part Number GS-01-CS23-SW-45OA	Pre-Cast Concrete Wall Angle Section	CS23 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° outside angle for	\$503.58
C323-3W-43OA	U3-01-0223-3W-430A	The cast concrete wan Angre Section	the CS23 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$303.36
CS23-SW-8		CS23 Pre-Cast Concrete 8' Wall Section	CS23 Design pre-cast concrete 8' wall section to include: wall sized 8' wide, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$683.12
CS23-SW-90IA	GS-01-CS23-SW-90IA	Pre-Cast Concrete Wall Angle Section	CS23 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° inside angle for the CS23 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS23-SW-90OA	GS-01-CS23-SW-90OA	Pre-Cast Concrete Wall Angle Section	CS23 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° outside angle for the CS23 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS23-SW-AS		CS23 Pre-Cast Concrete Angle Section	CS23 Pre-cast concrete angle section to include: 30 degree, 45 degree, or 90 degree inside or outside angle section for CS23 design pre-cast concrete wall.	\$478.79
CS23-SW-FE		CS23 Pre-Cast Concrete Finished End	CS23 Design pre-cast concrete finished end to include: finished end (right side or left side) for CS23 design pre-cast concrete wall.	\$119.20
CS23-SW-LSFE	GS-01-CS23-SW-LSFE	Pre-Cast Concrete Wall Finished End	CS23 Design Pre-Cast Concrete Wall Barrier Option: This is a left side finished end for the CS23 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS23-SW-RSFE	GS-01-CS23-SW-RSFE	Pre-Cast Concrete Wall Finished End	CS23 Design Pre-Cast Concrete Wall Barrier Option: This is a right side finished end for the CS23 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS24-SW-30IA	GS-01-CS24-SW-30IA	Pre-Cast Concrete Wall Angle Section	CS24 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° inside angle for the CS24 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS24-SW-30OA	GS-01-CS24-SW-30OA	Pre-Cast Concrete Wall Angle Section	CS24 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° outside angle for the CS24 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS24-SW-45IA	GS-01-CS24-SW-45IA	Pre-Cast Concrete Wall Angle Section	CS24 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° inside angle for the CS24 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS24-SW-45OA	GS-01-CS24-SW-45OA	Pre-Cast Concrete Wall Angle Section	CS24 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° outside angle for the CS24 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS24-SW-8		CS24 Pre-Cast Concrete 8' Wall Section	CS24 Design pre-cast concrete 8' wall section to include: wall sized 8' wide, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$753.25
CS24-SW-90IA	GS-01-CS24-SW-90IA	Pre-Cast Concrete Wall Angle Section	CS24 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° inside angle for the CS24 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS24-SW-90OA	GS-01-CS24-SW-90OA	Pre-Cast Concrete Wall Angle Section	CS24 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° outside angle for the CS24 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS24-SW-AS		CS24 Pre-Cast Concrete Angle Section	CS24 Pre-cast concrete angle section to include: 30 degree, 45 degree, or 90 degree inside or outside angle section for CS24 design pre-cast concrete wall.	\$478.79

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CS24-SW-FE	Part Number	CS24 Pre-Cast Concrete Finished End	CS24 Design pre-cast concrete finished end to include: finished end (right side or left side) for CS24 design pre-cast concrete wall.	\$119.20
CS24-SW-LSFE	GS-01-CS24-SW-LSFE	Pre-Cast Concrete Wall Finished End	CS24 Design Pre-Cast Concrete Wall Barrier Option: This is a left side finished end for the CS24 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS24-SW-RSFE	GS-01-CS24-SW-RSFE	Pre-Cast Concrete Wall Finished End	CS24 Design Pre-Cast Concrete Wall Barrier Option: This is a right side finished end for the CS24 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS25-SW-30IA	GS-01-CS25-SW-30IA	Pre-Cast Concrete Wall Angle Section	CS25 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° inside angle for the CS25 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS25-SW-30OA	GS-01-CS25-SW-30OA	Pre-Cast Concrete Wall Angle Section	CS25 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° outside angle for the CS25 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS25-SW-45IA	GS-01-CS25-SW-45IA	Pre-Cast Concrete Wall Angle Section	CS25 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° inside angle for the CS25 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS25-SW-45OA	GS-01-CS25-SW-45OA	Pre-Cast Concrete Wall Angle Section	CS25 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° outside angle for the CS25 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS25-SW-8		CS25 Pre-Cast Concrete 8' Wall Section	CS25 Design pre-cast concrete 8' wall section to include: wall sized 8' wide, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$724.23
CS25-SW-90IA	GS-01-CS25-SW-90IA	Pre-Cast Concrete Wall Angle Section	CS25 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° inside angle for the CS25 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS25-SW-90OA	GS-01-CS25-SW-900A	Pre-Cast Concrete Wall Angle Section	CS25 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° outside angle for the CS25 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS25-SW-AS		CS25 Pre-Cast Concrete Angle Section	CS25 Pre-cast concrete angle section to include: 30 degree, 45 degree, or 90 degree inside or outside angle section for CS25 design pre-cast concrete wall.	\$478.79
CS25-SW-FE		CS25 Pre-Cast Concrete Finished End	CS25 Design pre-cast concrete finished end to include: finished end (right side or left side) for CS25 design pre-cast concrete wall.	\$119.20
CS25-SW-LSFE	GS-01-CS25-SW-LSFE	Pre-Cast Concrete Wall Finished End	CS25 Design Pre-Cast Concrete Wall Barrier Option: This is a left side finished end for the CS25 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS25-SW-RSFE	GS-01-CS25-SW-RSFE	Pre-Cast Concrete Wall Finished End	CS25 Design Pre-Cast Concrete Wall Barrier Option: This is a right side finished end for the CS25 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS26-SW-12		CS26 Pre-Cast Concrete 12' Wall Section	CS26 Design pre-cast concrete 12' wall section to include: wall sized 12' wide, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,085.74
CS26-SW-30IA	GS-01-CS26-SW-30IA	Pre-Cast Concrete Wall Angle Section	CS26 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° inside angle for the CS26 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CS26-SW-30OA	Part Number GS-01-CS26-SW-30OA	Pre-Cast Concrete Wall Angle Section	CS26 Design Pre-Cast Concrete Wall Barrier Option: This is a 30° outside angle for the CS26 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS26-SW-4		CS26 Pre-Cast Concrete 4' Wall Section	CS26 Design pre-cast concrete 4' wall section to include: wall sized 4' wide, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$361.51
CS26-SW-45IA	GS-01-CS26-SW-45IA	Pre-Cast Concrete Wall Angle Section	CS26 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° inside angle for the CS26 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS26-SW-45OA	GS-01-CS26-SW-450A	Pre-Cast Concrete Wall Angle Section	CS26 Design Pre-Cast Concrete Wall Barrier Option: This is a 45° outside angle for the CS26 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS26-SW-8		CS26 Pre-Cast Concrete 8' Wall Section	CS26 Design pre-cast concrete 8' wall section to include: wall sized 8' wide, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$724.23
CS26-SW-90IA	GS-01-CS26-SW-90IA	Pre-Cast Concrete Wall Angle Section	CS26 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° inside angle for the CS26 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS26-SW-900A	GS-01-CS26-SW-90OA	Pre-Cast Concrete Wall Angle Section	CS26 Design Pre-Cast Concrete Wall Barrier Option: This is a 90° outside angle for the CS26 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$503.58
CS26-SW-AS		CS26 Pre-Cast Concrete Angle Section	CS26 Pre-cast concrete angle section to include: 30 degree, 45 degree, or 90 degree inside or outside angle section for CS26 design pre-cast concrete wall.	\$478.79
CS26-SW-FE		CS26 Pre-Cast Concrete Finished End	CS26 Design pre-cast concrete finished end to include: finished end (right side or left side) for CS26 design pre-cast concrete wall.	\$119.20
CS26-SW-LSFE	GS-01-CS26-SW-LSFE	Pre-Cast Concrete Wall Finished End	CS26 Design Pre-Cast Concrete Wall Barrier Option: This is a left side finished end for the CS26 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS26-SW-RSFE	GS-01-CS26-SW-RSFE	Pre-Cast Concrete Wall Finished End	CS26 Design Pre-Cast Concrete Wall Barrier Option: This is a right side finished end for the CS26 design wall. This wall end is steel reinforced and available in a wide array of colors and finishes. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$125.22
CS32-ASW-8		CS32 Pre-Cast Concrete 8' x 8' Wall Section	CS32 Pre-cast concrete 8' x 8' wall section to include: "Alaska" wall design, wall sized 8' wide x 8' high, flat ends, steel reinforced, and available in a wide array of colors and finishes. Please note that freight is not included in the unit price.	\$1,932.09
SW-CABLE		Pre-Cast Concrete Wall Hole	Pre-cast concrete wall hole to include: a hole cast into the pre-cast concrete wall for allowing cable/chain to pass through (cable/chain by others).	\$23.84
SW-TSERT		Insert for Pre-Cast Concrete Wall	Insert for pre-cast concrete wall to include: a threaded insert cast inot the pre-cast concrete wall for receiving a bolt/eye hook (bolt/eye hook furnished/installed by others).	\$24.10
Jersey Walls and	Planter Wall Barriers	S		
CS27-JW-12-FCB	GS-01-CS27-JW-12-FCB	CS27 Flame Cut Black Std 12' Jersey Wall Barrier	CS27 Design flame cut black standard 12' jersey wall barrier to include: sized 12' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut black concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,112.90
CS27-JW-12-FCP	GS-01-CS27-JW-12-FCP	CS27 Flame Cut Pink Std 12' Jersey Wall Barrier	CS27 Design flame cut pink standard 12' jersey wall barrier to include: sized 12' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut pink concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,112.90
		_1	1	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CS27-JW-12-PCB	Part Number GS-01-CS27-JW-12-PCB	CS27 Pre-Cast Brick Std 12' Jersey Wall Barrier	CS27 Design pre-cast brick standard 12' jersey wall barrier to include: sized 12' long; patented interlocking JJ Hooks connection system; steel reinforced and pre-cast concrete brick finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,572.19
CS27-JW-12-PCG	GS-01-CS27-JW-12-PCG	CS27 Pentagon Concrete Std 12' Jersey Wall Barrier	CS27 Design Pentagon concrete standard 12' jersey wall barrier to include: sized 12' long; patented interlocking JJ Hooks connection system; steel reinforced and Pentagon concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,572.19
CS27-JW-12-STF		CS27 Standard 12' Jersey Wall Barrier	CS27 Design standard 12' jersey wall barrier to include: wall sized 12' long, steel reinforced, and standard concrete color and finish. Please note that freight is not included in the unit price.	\$570.56
CS28-JW-8-FCB	GS-01-CS28-JW-8-FCB	CS28 Flame Cut Black Std 8' Jersey Wall Barrier	CS28 Design flame cut black standard 8' jersey wall barrier to include: sized 8' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut black concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$953.90
CS28-JW-8-FCP	GS-01-CS28-JW-8-FCP	CS28 Flame Cut Pink Std 8' Jersey Wall Barrier	CS28 Design flame cut pink standard 8' jersey wall barrier to include: sized 8' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut pink concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$953.90
CS28-JW-8-PCB	GS-01-CS28-JW-8-PCB	CS28 Pre-Cast Brick Std 8' Jersey Wall Barrier	CS28 Design pre-cast brick standard 8' jersey wall barrier to include: sized 8' long; patented interlocking JJ Hooks connection system; steel reinforced and pre-cast concrete brick finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,342.53
CS28-JW-8-PCG	GS-01-CS28-JW-8-PCG	CS28 Pentagon Concrete Std 8' Jersey Wall Barrier	CS28 Design Pentagon concrete standard 8' jersey wall barrier to include: sized 8' long; patented interlocking JJ Hooks connection system; steel reinforced and Pentagon concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,342.53
CS28-JW-8-STF		CS28 Standard 8' Jersey Wall Barrier	CS28 Design standard 8' jersey wall barrier to include: wall sized 8' long, steel reinforced, and standard concrete color and finish. Please note that freight is not included in the unit price.	\$494.09
CS29-JW-12-FCB	GS-01-CS29-JW-12-FCB	CS29 Flame Cut Black F-Shape 12' Jersey Wall Barrier	CS29 Design flame cut black F-shape 12' jersey wall barrier to include: sized 12' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut black concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,342.53
CS29-JW-12-FCP	GS-01-CS29-JW-12-FCP	CS29 Flame Cut Pink F-Shape 12' Jersey Wall Barrier	CS29 Design flame cut pink F-shape 12' jersey wall barrier to include: sized 12' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut pink concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,342.53
CS29-JW-12-PCB	GS-01-CS29-JW-12-PCB	CS29 Pre-Cast Brick F-Shape 12' Jersey Wall Barrier	CS29 Design pre-cast brick F-shape 12' jersey wall barrier to include: sized 12' long; patented interlocking JJ Hooks connection system; steel reinforced and pre-cast concrete brick finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,837.15
CS29-JW-12-PCG	GS-01-CS29-JW-12-PCG	CS29 Pentagon Concrete F-Shape 12' Jersey Wall Barrier	CS29 Design Pentagon concrete F-shape 12' jersey wall barrier to include: sized 12' long; patented interlocking JJ Hooks connection system; steel reinforced and Pentagon concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,837.15
CS29-JW-12-STF		CS29 F-Shape 12' Jersey Wall Barrier	CS29 Design F-shape 12' jersey wall barrier to include: wall sized 12' long, steel reinforced, and standard concrete color and finish. Please note that freight is not included in the unit price.	\$626.75
CS30-PWB1-10-BWF	GS-01-CS30-PWB1-10-BWF	CS30 BW Parkway 10' Planter Wall Barrier	CS30 Design BW Parkway 10' planter wall barrier to include: style 1; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and BW Parkway pre-cast concrete stone finish. Please note that freight is not included in the unit price and is an additional charge.	\$2,296.45
CS30-PWB1-10-FCB	GS-01-CS30-PWB1-10-FCB	CS30 Flame Cut Black 10' Planter Wall Barrier	CS30 Design flame cut black 10' planter wall barrier to include: style 1; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut black concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$2,331.77
CS30-PWB1-10-FCP	GS-01-CS30-PWB1-10-FCP	CS30 Flame Cut Pink 10' Planter Wall Barrier	CS30 Design flame cut pink 10' planter wall barrier to include: style 1; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut pink concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$2,331.77

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
CS30-PWB1-10-PCB	GS-01-CS30-PWB1-10-PCB	CS30 Pre-Cast Brick 10' Planter Wall Barrier	CS30 Design pre-cast brick 10' planter wall barrier to include: style 1; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and pre-cast concrete brick finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,757.67
CS30-PWB1-10-PCG	GS-01-CS30-PWB1-10-PCG	CS30 Pentagon Concrete 10' Planter Wall Barrier	CS30 Design Pentagon concrete 10' planter wall barrier to include: style 1; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and Pentagon concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,757.67
CS31-PWB2-10-BWF	GS-01-CS31-PWB2-10-BWF	CS31 BW Parkway 10' Planter Wall Barrier	CS31 Design BW Parkway 10' planter wall barrier to include: style 2; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and BW Parkway pre-cast concrete stone finish. Please note that freight is not included in the unit price and is an additional charge.	\$2,402.44
CS31-PWB2-10-FCB	GS-01-CS31-PWB2-10-FCB	CS31 Flame Cut Black 10' Planter Wall Barrier	CS31 Design flame cut black 10' planter wall barrier to include: style 2; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut black concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$2,402.44
CS31-PWB2-10-FCP	GS-01-CS31-PWB2-10-FCP	CS31 Flame Cut Pink 10' Planter Wall Barrier	CS31 Design flame cut pink 10' planter wall barrier to include: style 2; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and flame cut pink concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$2,402.44
CS31-PWB2-10-PCB	GS-01-CS31-PWB2-10-PCB	CS31 Pre-Cast Brick 10' Planter Wall Barrier	CS31 Design pre-cast brick 10' planter wall barrier to include: style 2; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and pre-cast concrete brick finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,819.50
CS31-PWB2-10-PCG	GS-01-CS31-PWB2-10-PCG	CS31 Pentagon Concrete 10' Planter Wall Barrier	CS31 Design Pentagon concrete 10' planter wall barrier to include: style 2; sized 10' long; patented interlocking JJ Hooks connection system; steel reinforced and Pentagon concrete granite finish. Please note that freight is not included in the unit price and is an additional charge.	\$1,819.50
CS35-JW-8-STF		CS35 F-Shape 8' Jersey Wall Barrier	CS35 Design F-shape 8' jersey wall barrier to include: wall sized 8' long, steel reinforced, and standard concrete color and finish. Please note that freight is not included in the unit price.	\$550.74
JW-ET	GS-01-JW-ET	End Treatment for Jersey Wall	End treatment for jersey wall to include: remove the JJ Hooks system and fill-in the end of the wall with concrete (flat end)	\$88.32
JW-FS	GS-01-JW-FS	Jersey Wall Fork Lift Slot	Jersey Wall Barrier Option: Provide fork lift slots for jersey wall barrier. Price is per each wall barrier.	\$99.75
PWB-ET	GS-01-PWB-ET	End Treatment for Planter Wall Barrier	End treatment for planter wall barrier to include: remove the JJ Hooks system and fill-in the end of the planter wall barrier with concrete (flat end)	\$529.95

Window Film

Manufacturer: Eastman Chemical Company/CP Films

Country of Origin: United States

Point(s) of Production: Martinsville, VA

SIN: 334512

Unit of Measure: Per Each

Fabrication Lead Time: 42 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
Llumar Magnum S				
N1020-SR-PS460100	GS-06-N1020-SR-PS460100	Fragment Retention Film, 4-Mil Tinted	Fragment retention film, 4-mil N1020 dark neutral in color tinted to include: 4-mil thick N1020 dark neutral in color tinted roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$939.97
N1020-SR-PS848100	GS-06-N1020-SR-PS848100	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1020 dark neutral in color tinted to include: 8-mil thick N1020 dark neutral in color tinted roll sized 48" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$931.88
N1020-SR-PS860100	GS-06-N1020-SR-PS860100	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1020 dark neutral in color tinted to include: 8-mil thick N1020 dark neutral in color tinted roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,149.09
N1020-SR-PS87275	GS-06-N1020-SR-PS87275	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1020 dark neutral in color tinted to include: 8-mil thick N1020 dark neutral in color tinted roll sized 72" x 75' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,040.49
N1040-SR-PS460100	GS-06-N1040-SR-PS460100	Fragment Retention Film, 4-Mil Tinted	Fragment retention film, 4-mil N1040 medium neutral in color tinted to include: 4-mil thick N1040 medium neutral in color tinted roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$939.97
N1040-SR-PS848100	GS-06-N1040-SR-PS848100	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1040 medium neutral in color tinted to include: 8-mil thick N1040 medium neutral in color tinted roll sized 48" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$931.88
N1040-SR-PS860100	GS-06-N1040-SR-PS860100	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1040 medium neutral in color tinted to include: 8-mil thick N1040 medium neutral in color tinted roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,149.09
N1040-SR-PS87275	GS-06-N1040-SR-PS87275	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1040 medium neutral in color tinted to include: 8-mil thick N1040 medium neutral in color tinted roll sized 72" x 75' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,040.49
N1050-SR-PS460100	GS-06-N1050-SR-PS460100	Fragment Retention Film, 4-Mil Tinted	Fragment retention film, 4-mil N1050 light neutral in color tinted to include: 4-mil thick N1050 light neutral in color tinted roll sized $60" \times 100'$ and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$939.97
N1050-SR-P5848100	GS-06-N1050-SR-PS848100	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1050 light neutral in color tinted to include: 8-mil thick N1050 light neutral in color tinted roll sized 48" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$931.88

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number N1050-SR-PS860100	Part Number GS-06-N1050-SR-PS860100	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1050 light neutral in color tinted to include: 8-mil thick N1050 light neutral in color tinted roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,149.09
N1050-SR-PS87275	GS-06-N1050-SR-PS87275	Fragment Retention Film, 8-Mil Tinted	Fragment retention film, 8-mil N1050 light neutral in color tinted to include: 8-mil thick N1050 light neutral in color tinted roll sized 72" x 75' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,040.49
NUV-65-SR-PS460100	GS-06-NUV-65-SR-PS460100	Fragment Retention Film, 4-Mil Tinted	Fragment retention film, 4-mil NUV very light neutral in color tinted to include: 4-mil thick NUV very light neutral in color tinted roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,152.64
SCL-SR-P5114875	GS-06-SCL-SR-PS114875	Fragment Retention Film, 11-Mil Clear	Fragment retention film, 11-mil clear to include: 11-mil thick clear roll sized 48" x 75' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$919.41
SCL-SR-PS116075	GS-06-SCL-SR-PS116075	Fragment Retention Film, 11-Mil Clear	Fragment retention film, 11-mil clear to include: 11-mil thick clear roll sized 60" x 75' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,133.51
SCL-SR-PS117275	GS-06-SCL-SR-PS117275	Fragment Retention Film, 11-Mil Clear	Fragment retention film, 11-mil clear to include: 11-mil thick clear roll sized 72" x 75' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,347.63
SCL-SR-PS157275	GS-06-SCL-SR-PS157275	Fragment Retention Film, 15-Mil Clear	Fragment retention film, 15-mil clear to include: 15-mil thick clear roll sized 72" x 75' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$1,822.46
SCL-SR-PS436100	GS-06-SCL-SR-PS436100	Fragment Retention Film, 4-Mil Clear	Fragment retention film, 4-mil clear to include: 4-mil thick clear roll sized 36" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$393.27
SCL-SR-PS448100	GS-06-SCL-SR-PS448100	Fragment Retention Film, 4-Mil Clear	Fragment retention film, 4-mil clear to include: 4-mil thick clear roll sized 48" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$503.39
SCL-SR-PS460100	GS-06-SCL-SR-PS460100	Fragment Retention Film, 4-Mil Clear	Fragment retention film, 4-mil clear to include: 4-mil thick clear roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$613.49

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SCL-SR-PS472100	Part Number GS-06-SCL-SR-PS472100	Fragment Retention Film, 4-Mil Clear	Fragment retention film, 4-mil clear to include: 4-mil thick clear roll sized 72" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$752.63
SCL-SR-PS660100	GS-06-SCL-SR-PS660100	Fragment Retention Film, 6-Mil Clear	Fragment retention film, 6-mil clear to include: 6-mil thick clear roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$758.09
SCL-SR-PS672100	GS-06-SCL-SR-PS672100	Fragment Retention Film, 6-Mil Clear	Fragment retention film, 6-mil clear to include: 6-mil thick clear roll sized 72" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$933.75
SCL-SR-PS736100	GS-06-SCL-SR-P5736100	Fragment Retention Film, 7-Mil Clear	Fragment retention film, 7-mil clear to include: 7-mil thick clear roll sized 36" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$478.27
SCL-SR-PS748100	GS-06-SCL-SR-PS748100	Fragment Retention Film, 7-Mil Clear	Fragment retention film, 7-mil clear to include: 7-mil thick clear roll sized 48" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$616.71
SCL-SR-P5760100	GS-06-SCL-SR-PS760100	Fragment Retention Film, 7-Mil Clear	Fragment retention film, 7-mil clear to include: 7-mil thick clear roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$755.15
SCL-SR-PS772100	GS-06-SCL-SR-P5772100	Fragment Retention Film, 7-Mil Clear	Fragment retention film, 7-mil clear to include: 7-mil thick clear roll sized 72" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$685.93
SCL-SR-PS836100	GS-06-SCL-SR-P5836100	Fragment Retention Film, 8-Mil Clear	Fragment retention film, 8-mil clear to include: 8-mil thick clear roll sized 36" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$551.26
SCL-SR-PS848100	GS-06-SCL-SR-PS848100	Fragment Retention Film, 8-Mil Clear	Fragment retention film, 8-mil clear to include: 8-mil thick clear roll sized 48" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$714.02
SCL-SR-PS860100	GS-06-SCL-SR-P5860100	Fragment Retention Film, 8-Mil Clear	Fragment retention film, 8-mil clear to include: 8-mil thick clear roll sized 60" x 100' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$876.78
SCL-SR-PS87275	GS-06-SCL-SR-PS87275	Fragment Retention Film, 8-Mil Clear	Fragment retention film, 8-mil clear to include: 8-mil thick clear roll sized 72" x 75' and made with layers of polyester film bonded by special adhesives (this performance characteristic helps hold fractured shards of glass together which reduces personal injury, property damage and downtime caused by a breach of the building envelope)	\$795.40

Gates and Gate Operators

Manufacturer: Hy Security Gate, Inc.

Country of Origin: United States

Point(s) of Production: Kent, WA

SIN: 334290L

Unit of Measure: Per Each

Fabrication Lead Time: 42 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer Part Number	Contractor Part Number	r Product Name	Product Description	GSA Price
HydraLift Operators	contractor rare ramber	Troduct Nume	Troubet Beschption	GSATTICC
HydraSwing 150	GS-35-HS-150	HydraSwing 150	Linear swing gate actuator for the heaviest gates. Gracefully cycle an extremely heavy, up to 15,000 lb (6,804 kg) gate leaf in 20-30 seconds.* Maximum single leaf gate length is 40 ft (12 m). A separate HydraSupply enclosure containing Smart Touch Controller and hydraulic power unit is remotely located, up to 100 ft, from the gate. Note: See FACT SHEET for installation requirements. Includes Parts: HSG 150 Drive Unit / HSG 150 Power Unit	\$20,258.46
HydraSwing 40	GS-35-HS-40	HydraSwing 40	Linear actuator for heavy swing gates and swing gates subject to peak wind loads. Gracefully cycle up to 4,000 lb (1,814 kg) gate leaf in 15-20 seconds.* Maximum single leaf gate length 24 ft (7.3 m). A separate HydraSupply enclosure containing Smart Touch Controller and hydraulic power unit is remotely located, up to 100 ft, from the gate. Note: See FACT SHEET for installation requirements. Includes Parts: HSG 40 Drive Unit / HSG 40 Power Unit	\$13,487.27
HydraSwing 40 Twin	GS-35-HS-40-TWIN	HydraSwing 40 Twin	Choose HydraSwing twin models for bi-parting site applications. Reduce cost of operator and installation with only one power unit and one control unit for the twin operators. Simplifies wiring and installation. Cycle up to 4,000 lb / 16 ft gate leaf in 15-20 seconds.* (1,814 kg / 5 m). Note: See FACT SHEET for installation requirements. Includes Parts: HSG 40 Twin 1 Drive Unit / HSG 40 Twin 2 Drive Unit / HSG 40 Twin Power Unit	\$20,540.32
HydraSwing 40F	GS-35-HS-40-F	HydraSwing 40F	FAST linear actuator moves large, heavy swing gates and swing gates subject to peak wind loads. Gracefully cycle up to 4,000 lb (1,814 kg) gate leaf in 10-15 seconds.* Maximum single leaf gate length is 16 ft (5 m). A separate HydraSupply enclosure containing Smart Touch Controller and hydraulic power unit is remotely located, up to 100 ft, from the gate. Note: See FACT SHEET for installation requirements. Includes Parts: HSG 40F Drive Unit / HSG 40F Power Unit	\$14,118.08
HydraSwing 40F Twin	GS-35-HS-40-F-TWIN	HydraSwing 40F Twin	Choose HydraSwing twin models for bi-parting site applications. Reduce cost of operator and installation with only one power unit and one control unit for the twin operators. Simplifies wiring and installation. Cycle up to 4,000 lb / 16 ft per gate leaf in 10-15 seconds (1,814 kg / 5 m).* Note: See FACT SHEET for installation requirements. Includes Parts: HSG 40F Twin Drive Unit 1 / HSG 40F Twin Drive Unit 2 / HSG 40F Twin Power Unit	\$21,827.49
HydraSwing 80F	GS-35-HS-80-F	HydraSwing 80F	FAST linear swing gate actuator for very heavy gates. Gracefully cycle a very heavy, up to 8,000 lb (3,629 kg) gate leaf in 15-25 seconds.* Maximum single leaf gate length is 30 ft (9 m). A separate HydraSupply enclosure containing Smart Touch Controller and hydraulic power unit is remotely located, up to 100 ft, from the gate. Note: See FACT SHEET for installation requirements. Includes Parts: HSG 80F Drive Unit / HSG 80 Power Unit	\$17,323.21
HydraLift Options		•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•
MX000871	GS-35-MX000871	Anchor Bolt Cages, Pair	Two anchor bolt cages and installation hardware, all HydraLift models	\$2,384.28
MX000999	GS-35-MX000999	Photo Eye Kit, Reflective, 40 ft, 24VDC	Reflective photo eye kit, 40 ft range, AC or 24VDC, includes reflector, mounting bracket and hardware	\$246.65
Modular Options				
AC Power Supply	GS-35-AC	AC Power Supply w/Hylnverter AC	UPS backup for ALL HySecurity Variable Frequency (VF) operators including SlideDriver VF2/3, HydraSwing and StrongArmCrash. ALL 1 hp or less AC hydraulic operators which run on single phase, 208/230V including SlideDriver 15 & 40, StrongArm hydraulic, SwingRiser single leaf models. This UPS option will backup most competitor 1 hp, 208/230V operators. NOTE: Use data on specifications table to approximate HyInverter ability to meet other manufacturer's equipment UPS power requirements. HySecurity makes no warranty that AC power supply meets other manufacturer equipment requirements for AC UPS battery backup.	\$8,382.87
HS-6-05	GS-35-HS-6-05	HYDRASUPPLY HEATER	HydraSupply Heater with thermostat, 120VAC for SwingRiser, HydraLift or SlideDriver Modular models.	\$485.24
HS-6-06	GS-35-HS-6-06	HYDRASUPPLY HEATER	HydraSupply Heater with thermostat, 240VAC for SwingRiser, HydraLift or SlideDriver Modular models.	\$485.24
HS-6-10	GS-35-HS-6-10	HYDRASUPPLY HEATER	HydraSupply Heater with thermostat, 480VAC for SwingRiser, HydraLift or SlideDriver Modular models.	\$508.61
HS-6-11	GS-35-HS-6-11	HYDRASUPPLY HEATER	HydraSupply Heater with thermostat, 575VAC for SwingRiser, HydraLift or SlideDriver Modular models.	\$520.71
SlideDriver Operators				
222 CE ST	GS-35-SD-40-C	SLIDEDRIVER 40-C GATE OPERATOR	The SlideDriver 40-C Gate Operator, Correctional Facilities model	\$9,387.20
222 CX 1.7 ST	GS-35-SD-30-F-C	SLIDEDRIVER 30-F-C GATE OPERATOR	The SlideDriver 30-C Gate Operator, Correctional Facilities model	\$10,685.74

Monufactures Bank Number	Contractor Port News	Dradust Nove	Dradust Description	GSA Price
Manufacturer Part Number 222 CX3 ST	Contractor Part Number GS-35-SD-50-C	Product Name SlideDriver 50VF2/3-C	Product Description HySecurity correctional facility gate operators come standard with all the software and additional control wiring needed to interface with the many options and interlocks commonly used at correctional facilities. Plus multiple relays, three high security lock options, and an extra heavy 10-gauge steel cover for added protection. Note: See FACT SHEET for more information on Corrections models. See Options & Accessories for high security lock options. HySecurity offers an optional AC Power Supply w/HyInverter AC™ which provides UPS battery backup for 208/230VAC,	\$10,039.44
222 E ST	GS-35-SD-40	SLIDEDRIVER 40 GATE OPERATOR	single-phase AC gate operators The SlideDriver 40 Gate Operator is a continuous duty	\$8,525.54
222 EX 1.7 ST	GS-35-SD-30-F	SLIDEDRIVER 30-F GATE OPERATOR	The SlideDriver 30 Gate Operator is a continuous duty, hydraulic slide gate operator.	\$9,847.46
222 SS ST	GS-35-SD-15	SlideDriver 15	Cycle up to 1,500 lb gate, any length, at 1 ft/s (680 kg / 30 cm/s). Powerful hydraulic motors rotate two compressed polyurethane AdvanceDrive™ wheels, smoothly cycling a rigid drive rail/gate. Note: Order optional XtremeDrive™ System (patent pending) for locations where roll resistant gates or harsh snow and ice conditions risk loss of drive wheel traction. XtremeDrive™ System increases traction with its innovative rack & pinion-like design.	\$7,851.69
222 X1 ST	GS-35-SD-80	SLIDEDRIVER 80 GATE OPERATOR	The SlideDriver 80 Gate Operator is a continuous duty, hydraulic slide gate operator.	\$10,663.17
222 X3 ST	GS-35-SD-50	SlideDriver 50VF2/3	Move a heavy gate SMOOTHLY and FAST, up to 3 ft/s. These operators close gates to a precise point and are extremely easy on gate hardware. SlideDriver VF operators use a variable frequency drive, 8 inch wheels - both wheels driven, and a high flow rate pump to move gates weighing up to 5,000 lb at high speed. Field adjustable Open/Close speeds are 2.2 or 3 ft/s. Emergency Fast Operate at 3 ft/s. (91 cm/s) Listed and restricted to UL 325 usage class III, IV due to high speed. HySecurity offers an optional AC Power Supply w/HyInverter AC™ which provides UPS battery backup for 208/230VAC, single-phase AC gate operators.	\$10,603.53
444 CX ST	GS-35-SD-200-C	SLIDEDRIVER 200-C GATE OPERATOR	The SlideDriver 200-C Gate Operator, Correctional Facilities model	\$20,329.03
444 XS ST	GS-35-SD-200	SLIDEDRIVER 200 GATE OPERATOR	The SlideDriver 200 Gate Operator is a continuous duty, hydraulic slide gate operator.	\$21,619.75
SlideDriver 200 UPS	GS-35-SD-200-UPS	SLIDEDRIVER 200-UPS GATE OPERATOR	The SlideDriver 200-UPS Gate Operator is a continuous duty, hydraulic slide gate operator Includes Parts: 444 DX ST / DCPS-150	\$28,318.40
SlideDriver 30F UPS	GS-35-SD-30-F-UPS	SLIDEDRIVER 30-F-UPS GATE OPERATOR	The SlideDriver 30-F-UPS Gate Operator is a continuous duty Includes Parts: 222 DX 1.7 ST / DCPS-120	\$16,464.83
SlideDriver 30F-C UPS	GS-35-SD-30-F-C-UPS	SLIDEDRIVER 30-F-C-UPS GATE OPERATOR	SlideDriver 30-F-C-UPS Gate Operator Correctional Facilities model Includes Parts: 222 DCX 1.7 ST / DCPS-120	\$17,228.87
SlideDriver 30F-CM	GS-35-SD-30-F-CM	SLIDEDRIVER 30-F-CM GATE OPERATOR	The SlideDriver 30-F-CM Modular Gate Operator Correctional Facilities model Includes Parts: 333 CX 1.7 / 333 CX ST	\$12,728.93
SlideDriver 30F-M	GS-35-SD-30-F-M	SLIDEDRIVER 30-F-M GATE OPERATOR	The SlideDriver 30-F-M Modular Gate Operator is continuous duty Includes Parts: 333 EX ST / 333 EX 1.7	\$12,219.61
SlideDriver 30F-M UPS	GS-35-SD-30-F-M-UPS	SLIDEDRIVER 30-F-M-UPS GATE OPERATOR	SlideDriver 30-F-M-UPS Modular Gate Operator is continuous duty w/ full functionality during AC power outage using DC power from batteries. Includes Parts: 333 DX 1.7 / 333 DX ST / DCPS-120	\$18,191.44
SlideDriver 40 UPS	GS-35-SD-40-UPS	SLIDEDRIVER 40-UPS GATE OPERATOR	The SlideDriver 40-UPS Gate Operator is a continuous duty Includes Parts: 222 DE ST / DCPS-60	\$15,141.47
SlideDriver 40-C UPS	GS-35-SD-40-C-UPS	SLIDEDRIVER 40-C-UPS GATE OPERATOR	SlideDriver 40-C-UPS Gate Operator Correctional Facilities model Includes Parts: 222 DCE ST / DCPS-60	\$15,903.87
SlideDriver 40-CM	GS-35-SD-40-CM	SLIDEDRIVER 40-CM GATE OPERATOR	The SlideDriver 40-CM Modular Gate Operator Correctional Facilities model	\$12,416.72
SlideDriver 40-M	GS-35-SD-40-M	SLIDEDRIVER 40-M GATE OPERATOR	The SlideDriver 40-M Modular Gate Operator Includes Parts: 333 E / 333 E ST	\$10,914.50
SlideDriver 40-M UPS	GS-35-SD-40-M-UPS	SLIDEDRIVER 40-M-UPS GATE OPERATOR	SlideDriver 40M-UPS Modular Gate Operator is continuous duty w/full function during AC power outage w/DC power batteries. Includes Parts: 333 DE / 333 DE ST / DCPS-60	\$17,727.95

		5 1 1 1		
Manufacturer Part Number SlideDriver 50VF2/3-CM	Contractor Part Numbe GS-35-SD-50-CM	SlideDriver 50VF2/3-CM	Product Description HySecurity correctional facility gate operators come standard with all the software and additional control wiring needed to interface with the many options and interlocks commonly used at correctional facilities. The motor, hydraulic pump, and electric controls are located in a remote enclosure to accommodate unique mounting, high security, environmental concerns or sites requiring quiet operation. In an emergency situation, press and hold button for Emergency Fast Operate at 3.3 ft/s. Note: See Modular installation notes on FACT SHEET HySecurity offers an optional AC Power Supply w/HyInverter AC™ which provides UPS battery backup for 208/230VAC, single-phase AC gate operators Includes Parts: 333 CX3 / 333 CX3 ST	GSA Price \$14,228.49
SlideDriver 50VF2/3-M	GS-35-SD-50-M	SlideDriver 50VF2/3-M	Modular operators locate motor, hydraulic pump, and electric controls in a remote enclosure to accommodate unique mounting, high security or sites requiring quiet operation. Operator closes gate to a precise point and is extremely easy on gate hardware. In an emergency situation, press and hold button for Emergency Fast Close at 3.3 ft/s. Note: See FACT SHEET for more information on Modular models, and Modular installation notes. HySecurity offers an optional AC Power Supply w/HyInverter AC™ which provides UPS battery backup for 208/230VAC, single-phase AC gate operators. Includes Parts: 333 X3 / 333 X3 ST	
SlideDriver 80 UPS	GS-35-SD-80-UPS	SLIDEDRIVER 80-UPS GATE OPERATOR	The SlideDriver 80-UPS Gate Operator is a continuous duty Includes Parts: 222 DX1 ST / DCPS-120	\$16,823.12
SlideDriver 80-C UPS	GS-35-SD-80-C-UPS	SLIDEDRIVER 80-C-UPS GATE OPERATOR	The SlideDriver 80-C-UPS Gate Operator Correctional Facilities model Includes Parts: 222 DCX1 ST / DCPS-120	\$17,565.02
SlideDriver 80-M	GS-35-SD-80-M	SLIDEDRIVER 80-M GATE OPERATOR	The SlideDriver 80-M Modular Gate Operator is a continuous duty Includes Parts: 333 X1 / 333 X1 ST	\$13,119.98
SlideDriver 80-M UPS	GS-35-SD-80-M-UPS	SLIDEDRIVER 80-M-UPS GATE OPERATOR	SlideDriver 80-M-UPS Modular Gate Operator is continuous duty w/full function during AC power outage using DC batteries. Includes Parts: 333 DX1 / 333 DX1 ST / DCPS-120	\$19,905.39
SlideDriver Options				
MX3887	GS-35-MX3887	Drive Rail, Aluminum, Non-Grooved, Flanged, 14 ft	Aluminum drive rail, non-grooved, flanged, 14 ft length. Note: Roll pins are required to splice aluminum drive rail. Non-grooved drive rail required for Solenoid Deadbolt Lock option.	\$326.45
MX3990	GS-35-MX3990	Photo Eye Kit, Through Beam, 65 ft	Wired through beam photo eye kit with 65 ft max range limit, wired, 6- 35VDC, 12-24VAC. Mounting bracket and hardware included.	\$165.24
MX4621	GS-35-MX4621	Detector, Vehicle, Hy5B™	Improved loop detector module with digital interface to Smart Touch or Smart DC board. Compatible with Hy5A. Automatically sets sensitivity. Automatically compensates for gate movement. Advanced loop diagnostics.	\$137.53
SD-6-00	GS-35-SD-6-00	SLIDEDRIVER HEATER	SlideDriver Heater with thermostat, 120VAC.	\$485.24
SD-6-01	GS-35-SD-6-01	SLIDEDRIVER HEATER	SlideDriver Heater with thermostat, 208 or 240VAC.	\$485.24
SD-6-02	GS-35-SD-6-02	SLIDEDRIVER HEATER	SlideDriver Heater with thermostat, 480VAC, includes relay.	\$508.61
SD-6-03	GS-35-SD-6-03	SLIDEDRIVER HEATER	SlideDriver Heater with thermostat, 575VAC, includes relay.	\$531.99
SD-C-04	GS-35-SD-C-04	XtremeDrive System, 6 inch	6 inch diameter Xtreme drive wheel. Note: XtremeDrive rack sold separately	\$142.67
SD-C-05	GS-35-SD-C-05	XtremeDrive System, 8 inch	8 inch diameter Xtreme drive wheel. Note: XtremeDrive rack sold separately	\$167.66
SlideSmart Operators			<u>'</u>	
SlideSmart DC 10F	GS-35-SS-DC-10-F	SlideSmart DC 10F	Cycle up to 1,000 lb, 40 ft gate (453 kg/12 m). Set Open/Close speed independently - adjustable 1.75, 2 or 2.25 ft/s. Electromechanical, UPS battery backed up, FAST slide gate operator designed for millions of low maintenance cycles. Optional rodent barrier. UL Usage Class III & IV (Commercial and Industrial Applications) only.** Note: Operator price includes 30 ft (9 m) of #40, corrosion resistant roller chain and two steel gate mounting brackets.	\$2,235.61

Manufacturer Part Number SlideSmart DC 15	Contractor Part Numbi GS-35-SS-DC-15	er Product Name SlideSmart DC 15	Product Description Cycle up to 1,500 lb, 40 ft gate (680 kg/12 m). Set Open/Close speed independently - adjustable 0.75, 1 or 1.25 ft/s. No heater required unless temperatures drop below -13F (-25C). The low flex, zinc-plated chassis provides superior corrosion protection. Operator features an attractive, tight fitting, key locked, fade resistant cover. Optional rodent barrier. **Speed setting cannot be configured to exceed 1 ft/s for Class I and II usage.safety. Note: Operator price includes 30 ft (9 m) of #40, corrosion resistant roller chain and two steel gate mounting brackets.	GSA Price \$2,384.13
SlideSmart HD25	GS-35-SS-DC-HD25	SlideSmart DC HD25	Heavy duty HD25 cycles up to 2,500 lb/50 ft gate (1,134 kg/15 m). Open/Close speed set independently, choose 0.75, 1 or 1.25 ft/s (23, 30 or 38 cm/s)* Robust zinc rich primer chassis with black powder coated steel cover. Pad or post mount. *Speed setting cannot be configured to exceed 1 ft/s for Class I and II usage. Note: Operator price includes 30 ft (9 m) of #40, corrosion resistant roller chain and two steel gate mounting brackets.	\$2,627.09
SlideSmart HD30	GS-35-SSDC-HD30	SlideSmart DC HD30	Heavy duty HD30 cycles up to 3,000 lb/50 ft gate (1,361 kg/15 m). Open/Close speed set independently, choose 0.75, 1 or 1.25 ft/s (23, 30 or 38 cm/s)* Robust zinc rich primer chassis with black powder coated steel cover. Pad or post mount. *Speed setting cannot be configured to exceed 1 ft/s for Class I and II usage. Note: Operator price includes 30 ft (9 m) of #40, corrosion resistant roller chain and two steel gate mounting brackets.	\$2,917.87
SlideSmart Solar DCS 10F	GS-35-SSS-10-F	SlideSmart DCS 10F Solar	Operate your energy efficient SlideSmart DCS with a solar panel.† The MPPT solar battery charger regulator is integrated into the Smart DC controller, making installation as simple as connecting two wires. In locations with adequate sunshine, two 8Ah batteries provide up to 1,000 ft (453 m) of gate travel per day. Upgrade to 50Ah batteries with the Extended Battery Backup Kit option for sites requiring more than 1,500 ft of gate travel per day and/or sites in less sunny climates. UL 325 Usage Class III & IV (Commercial and Industrial Applications) only. Note: Operator price includes 30 ft (9 m) of #40, corrosion resistant roller chain and two steel gate mounting brackets. † 40W minimum 24VDC solar panel (or two 12V panels	\$2,448.04
SlideSmart Solar DCS 15	GS-35-SSS-15	SlideSmart DCS 15 Solar	Operate your energy efficient SlideSmart DCS with a solar panel.† The MPPT solar battery charger regulator is integrated into the Smart DC controller, making installation as simple as connecting two wires. In locations with adequate sunshine, two 8Ah batteries provide up to 1,500 ft (457 m) of gate travel per day. Upgrade to 50Ah batteries with the Extended Battery Backup Kit option for sites requiring more than 1,500 ft of gate travel per day and/or sites in less sunny climates. UL 325 Usage Class III & IV (Commercial and Industrial Applications) only. Note: Operator price includes 30 ft (9 m) of #40, corrosion resistant roller chain and two steel gate mounting brackets. † 40W minimum 24VDC solar panel (or two 12V panels in series), not included but required for solar	\$2,040.82
SlideSmart Options			operation.	
HTG 320-2 ST	GS-35-SA-14F	STRONGARM 14F BARRIER ARM OPERATOR	The StrongArm 14F hydraulic Traffic Barrier Arm Operator	\$7,958.89
HTG 320-3 ST	GS-35-SA-20	STRONGARM 20 BARRIER ARM OPERATOR	The StrongArm 20 hydraulic Traffic Barrier Arm Operator	\$7,958.89
HTG 320-6 ST	GS-35-SA-28	STRONGARM 28 BARRIER ARM OPERATOR	The StrongArm 28 hydraulic Traffic Barrier Arm Operator	\$8,596.47
HTG 320-8 ST	GS-35-SA-36	STRONGARM 36 BARRIER ARM OPERATOR	The StrongArm 36 hydraulic Traffic Barrier Arm Operator	\$10,072.34
StrongArm 14F UPS	GS-35-SA-14F-UPS	STRONGARM 14F-UPS BARRIER ARM OPERATOR	StrongArm 14F-UPS hydraulic Traffic Barrier Arm Operator is for sites demanding ultra high reliability & low maintenance, heavy arms, or to manage traffic driving through wide opening. Includes Parts: HTG 320-2 DC ST / DCPS-60	\$14,692.19
StrongArm 20 UPS	GS-35-SA-20-UPS	STRONGARM 20-UPS BARRIER ARM OPERATOR	StrongArm 20-UPS hydraulic Traffic Barrier Arm Operator is for sites demanding ultra high reliability & low maintenance, heavy arms or to manage traffic driving through wide opening. Includes Parts: HTG 320-3 DC ST / DCPS-60	\$14,831.23
StrongArm 28 UPS	GS-35-SA-28-UPS	STRONGARM 28-UPS BARRIER ARM OPERATOR	StrongArm 28-UPS hydraulic Traffic Barrier Arm Operator is for sites demanding ultra high reliability & low maintenance, heavy arms, or to manage traffic driving through wide opening. Includes Parts: HTG 320-6 DC ST / DCPS-60	\$15,468.82
StrongArm 36 UPS	GS-35-SA-36-UPS	STRONGARM 36-UPS BARRIER ARM OPERATOR	StrongArm 36-UPS hydraulic Traffic Barrier Arm Operator is for sites demanding ultra high reliability & low maintenance, heavy arms or to manage traffic driving through wide opening. Includes Parts: HTG 320-8 DC ST / DCPS-60	\$16,785.83
StrongArm Options				

Manufacturer Part Numbe			Product Description	GSA Price
MX002557	GS-35-MX002557	Anchor and Template Kit, M30	Anchor and template kit used for embedding into the concrete foundation anchoring the StrongArm M30 Pivot and Catch Post. Includes templates to insure critical alignment between the two posts, steel anchor plates and 20 bolts with nuts and washers.	\$851.99
MX3030	GS-35-MX3030	Anchor and Template Kit, M50	Anchor and template kit used for embedding into the concrete foundation anchoring the StrongArm M50 Pivot and Catch Post. Includes templates to insure critical alignment between the two posts, steel anchor plates and 20 bolts with nuts and washers.	\$1,135.72
MX3490	GS-35-MX3490	HyNet™ Gateway SFP 4/1	Network attached accessory for communicating gate system and accessory status in real time via Ethernet/fiber. Note: Ships with one interconnect harness (MX3857).	\$562.62
SA-5-01	GS-35-SA-5-01	STRONGARM BARRIER ARM, ALUMINUM	StrongArm Barrier Arm, side mount, aluminum, 2" x 5" x 10' long. Can be used on any StrongArm model. No counterweights required for side mounted arm options. Handing is field selectable for left or right.	\$496.52
SA-5-05	GS-35-SA-5-05	STRONGARM BARRIER ARM, ALUMINUM	StrongArm Barrier Arm, side mount, aluminum, 2" x 5" x 18' long. Requires StrongArm Model 20 or larger. No counterweights required for side mounted arm options. Handing is field selectable for left or right.	\$744.79
SA-5-06	GS-35-SA-5-06	STRONGARM BARRIER ARM, FIBERGLASS	StrongArm Barrier Arm, side mount, fiberglass, 1-3/4" x 4-1/2" x 10' long. Can be used on any StrongArm model. No counterweights required for side mounted arm options. Handing is field selectable for left or right.	\$602.92
SA-5-09	GS-35-SA-5-09	STRONGARM BARRIER ARM, FIBERGLASS	StrongArm Barrier Arm, side mount, fiberglass, 1-3/4" x 4-1/2" x 16" long. Requires StrongArm Model 20 or larger. No counterweights required for side mounted arm options. Handing is field selectable for left or right.	\$968.87
SA-5-11	GS-35-SA-5-11	STRONGARM BARRIER ARM, WOOD	StrongArm Barrier Arm, side mount, wood 1" x 6" x 10' long. Can be used on any StrongArm model. No counterweights required for side mounted arm options. Handing is field selectable for left or right.	\$472.34
SA-5-13	GS-35-SA-5-13	STRONGARM BARRIER ARM, WOOD	StrongArm Barrier Arm, side mount, wood 1" x 6" x 14' long. Can be used on any StrongArm model. No counterweights required for side mounted arm options. Handing is field selectable for left or right.	\$496.52
SA-5-14	GS-35-SA-5-14	STRONGARM BARRIER ARM, DOUBLE WOOD	StrongArm Barrier Arm, side mount, wood 1" x 6" x 14' long. Can be used on any StrongArm model. No counterweights required for side mounted arm options. Double arm, mounts from both sides.	\$839.09
SA-5-15	GS-35-SA-5-15	STRONGARM BARRIER ARM, ALUMINUM	StrongArm Barrier Arm, yoke mount, aluminum, 2" x 5" x 10' long. Can be used on any StrongArm model. Center yoke mounted arms.	\$1,146.20
SA-5-20	GS-35-SA-5-20	STRONGARM BARRIER ARM, ALUMINUM	StrongArm Barrier Arm, yoke mount, aluminum, 2" x 5" x 20' long. Requires StrongArm Model 20 or larger. Center yoke mounted arms. 2 counterweights required.	\$2,019.95
SA-5-22	GS-35-SA-5-22	STRONGARM BARRIER ARM, ALUMINUM	StrongArm Barrier Arm, yoke mount, aluminum, 2" x 5" x 24' long. Requires StrongArm Model 28 or 36. Center yoke mounted arms. 6 counterweights required.	\$2,350.43
SA-5-23	GS-35-SA-5-23	STRONGARM ARM, ALUMINUM/ FIBERGLASS	StrongArm Barrier Arm, yoke mount, aluminum/ fiberglass, single, 2" x 5" x 26' long.	\$3,000.10
SA-5-28	GS-35-SA-5-28	STRONGARM ARM, ALUMINUM/ FIBERGLASS	StrongArm Barrier Arm, yoke mount, aluminum/ fiberglass, single, 2" x 5" x 36' long, includes guy cable kit.	\$6,152.54
SA-5-29	GS-35-SA-5-29	STRONGARM BARRIER ARM, FIBERGLASS	StrongArm Barrier Arm, yoke mount, fiberglass, 1-3/4" x 4-1/2" x 10' long.	\$1,322.72
SA-5-32	GS-35-SA-5-32	STRONGARM BARRIER ARM, FIBERGLASS	StrongArm Barrier Arm, yoke mount, fiberglass, 1-3/4" x 4-1/2" x 16' long.	\$1,441.21
SA-6-00	GS-35-SA-6-00	STRONGARM HEATER	StrongArm Heater with thermostat, 120VAC.	\$485.24
SA-6-01	GS-35-SA-6-01	STRONGARM HEATER	StrongArm Heater with thermostat, 240VAC.	\$485.24
SA-6-02	GS-35-SA-6-02	STRONGARM HEATER	StrongArm Heater with thermostat, 480VAC.	\$508.61
StrongArmPark Opera				
StrongArmPark DC 10	GS-35-SAP-DC-10	StrongArmPark DC 10	Cycle up to 10 ft (3 m) arms, starting and stopping gracefully with three field-adjustable Open/Close speeds: 1.5/2/2.5 seconds. Use HySecurity articulating arms for site clearance issues such as underground parking garages. Note: Standard aluminum arm bracket ships with operator. See "StrongArmPark DC Options & Accessories" for available arm configurations.	\$3,135.52

Name of Street and Don't Name have	Courtment on Don't November	Dun dunt Name	Doesdood Doessinking	CCA Duise
Manufacturer Part Number StrongArmPark DC 14	Contractor Part Number GS-35-SAP-DC-14	Product Name StrongArmPark DC 14	Product Description Counterbalance spring allows for cycling arms greater than 10 ft up to 14 ft (3 to 4.3 m). Arms start and stop gracefully with three field adjustable Open/Close speeds: 2.5/3/3.5 seconds. Use HySecurity articulating arms for site clearance issues such as underground parking garages. Note: Standard aluminum arm bracket ships with operator. See "StrongArmPark DC Options & Accessories" for available arm configurations.	GSA Price \$3,320.91
StrongArmPark Solar DCS 10	GS-35-SAP-DCS-10	StrongArmPark DCS 10	Operate the energy efficient StrongArmPark DCS 10 with a 24VDC solar panel.† The voltage regulator is inherent to the Smart DC controller. Installation is as simple as connecting two wires. The HySecurity designed intelligent three stage charging system monitors battery condition to maximize battery life. See FACT SHEET for more information on Solar models. Note: Standard aluminum arm bracket ships with operator. See "StrongArmPark DC Options & Accessories" for available arm configurations. † 40W minimum 24VDC solar panel (or two 12V - 20W panels wired in series), not included but required for solar operation.	\$2,655.39
StrongArmPark Solar DCS 14	GS-35-SAP-DCS-14	StrongArmPark DCS 14	Operate energy efficient StrongArmPark DCS 14 with a 24VDC solar panel.† The voltage regulator is inherent to the Smart DC controller. Installation is as simple as connecting two wires. The HySecurity designed intelligent three stage charging system monitors battery condition to maximize battery life. Counterbalance spring allows for cycling arms greater than 10 ft up to 14 ft. See FACT SHEET for more information on Solar models. Note: Standard aluminum arm bracket ships with operator. See "StrongArmPark DC Options & Accessories" for available arm configurations. † 40W minimum 24VDC solar panel (or two 12V - 20W panels wired in series), not included but required for solar operation.	\$2,822.77
SwingRiser Operators				
SwingRiser 14	GS-35-SR-14	SWINGRISER 14 SWING GATE OPERATOR	The SwingRiser 14 Swing Gate Operator is the fastest continuous duty, single post, swing gate operator. Includes Parts: HRG 220-A ST / HRG 220 POST	\$17,124.39
SwingRiser 14 UPS	GS-35-SR-14-UPS	SWINGRISER 14-UPS SWING GATE OPERATOR	The SwingRiser 14-UPS Swing Gate Operator is the fastest continuous duty, single post, swing gate operator. Includes Parts: HRG 220-A DC ST / HRG 220 POST / DCPS-60	\$23,932.30
SwingRiser 14-Twin	GS-35-SR-14-TWIN	SWINGRISER 14-TWIN SWING GATE OPERATOR	The SwingRiser 14-Twin Swing Gate Operator is the fastest continuous duty, twin post, swing gate operator. Includes Parts: HRG 222-A ST / HRG 222 POST 1 / HRG 222 POST 2	\$30,154.13
SwingRiser 14-Twin UPS	GS-35-SR-14-TWIN-UPS	SWINGRISER 14-TWIN-UPS GATE OPERATOR	The SwingRiser 14-Twin-UPS Swing Gate Operator is the fastest continuous duty, twin post, swing gate operator. Includes Parts: HRG 222-A DC ST / HRG 222 POST 1 / HRG 222 POST 2 / DCPS-120	\$36,962.04
SwingRiser 19	GS-35-SR-19	SWINGRISER 19 SWING GATE OPERATOR	The SwingRiser 19 Swing Gate Operator is a continuous duty, single post, swing gate operator. Includes Parts: HRG 220-B ST / HRG 220 POST	\$17,486.10
SwingRiser 19 UPS	GS-35-SR-19-UPS	SWINGRISER 19-UPS SWING GATE OPERATOR	The SwingRiser 19-UPS Swing Gate Operator is a continuous duty, single post, swing gate operator. Includes Parts: HRG 220-B DC ST / HRG 220 POST / DCPS-60	\$24,294.02
SwingRiser 19-Twin	GS-35-SR-19-TWIN	SWINGRISER 19-TWIN SWING GATE OPERATOR	The SwingRiser 19-Twin Swing Gate Operator is a continuous duty, twin post, swing gate operator. Includes Parts: HRG 222 POST 1 / HRG 222 POST 2 / HRG 222-B ST	\$31,252.85
SwingRiser 19-Twin UPS	GS-35-SR-19-TWIN-UPS	SWINGRISER 19-TWIN-UPS GATE OPERATOR	The SwingRiser 19-Twin-UPS Swing Gate Operator is a continuous duty, twin post, swing gate operator. Includes Parts: HRG 222-B DC ST / HRG 222 POST 1 / HRG 222 POST 2 / DCPS-120	\$38,060.76
SwingRiser 30	GS-35-SR-30	SWINGRISER 30 SWING GATE OPERATOR	The SwingRiser 30 Swing Gate Operator is a continuous duty, single post, heavy gate, swing gate operator. Includes Parts: HRG 220-C ST / HRG 220 POST	\$18,235.09
SwingRiser 30 UPS	GS-35-SR-30-UPS	SWINGRISER 30-UPS SWING GATE OPERATOR	The SwingRiser 30-UPS Swing Gate Operator is a continuous duty, single post, heavy gate, swing gate operator. Includes Parts: HRG 220-C DC ST / HRG 220 POST / DCPS-60	\$25,043.00

Manufacturer Part Number SwingRiser 30-Twin	Contractor Part Number GS-35-SR-30-TWIN	Product Name SWINGRISER 30-TWIN SWING GATE OPERATOR	Product Description The SwingRiser 30-Twin Swing Gate Operator is a continuous duty, twin post, heavy gate, swing gate operator. Includes Parts: HRG 222-C ST / HRG 222 POST 1 / HRG 222 POST 2	GSA Price \$31,966.70
SwingRiser 30-Twin UPS	GS-35-SR-30-TWIN-UPS	SWINGRISER 30-TWIN-UPS GATE OPERATOR	The SwingRiser 30-Twin-UPS Swing Gate Operator is a continuous duty, twin post, heavy gate, swing gate operator. Includes Parts: HRG 222-C DC ST / HRG 222 POST 1 / HRG 222 POST 2 / DCPS-120	\$38,774.61
SwingSmart Operators				
SwingSmart DC 20	GS-35-DC-20	SWINGSMART GATE OPERATOR	SwingSmart DC-20 Gate Operator is an electro-mechanical, pad-mounted swing gate operator w/ DC battery backup for residential, comercial and industrial applications.	\$2,623.19
SwingSmart Solar DCS 20	GS-35-DCS-20	SWINGSMART SOLAR GATE OPERATOR	The SwingSmart DCS Solar Gate Operator is a solar ready electro- mechanical, pad-mounted swing gate operator with DC battery backup for residential, comercial and industrial applications.	\$2,838.38

Guard Booths

Manufacturer: Par-Kut International, Inc.

Country of Origin: United States

Point(s) of Production: Harrison Township, MI

SIN: 334512

Unit of Measure: Per Each

Fabrication Lead Time: 28 – 98 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Guard Booth - Door	Part Number r Lock Options			
HBL-Model 1010	GS-02-HBL-Model 1010	Hook-Bolt Lock-Std Slide Door-Model 1010	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 1010 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 105	GS-02-HBL-Model 105	Hook-Bolt Lock-Std Slide Door-Model 105	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 105 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 106	GS-02-HBL-Model 106	Hook-Bolt Lock-Std Slide Door-Model 106	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 106 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 108	GS-02-HBL-Model 108	Hook-Bolt Lock-Std Slide Door-Model 108	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 108 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 1210	GS-02-HBL-Model 1210	Hook-Bolt Lock-Std Slide Door-Model 1210	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 1210 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 125	GS-02-HBL-Model 125	Hook-Bolt Lock-Std Slide Door-Model 125	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 125 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 125R	GS-02-HBL-Model 125R	Hook-Bolt Lock-Std Slide Door-Model 125R	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 125R Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HBL-Model 127R	Part Number GS-02-HBL-Model 127R	Hook-Bolt Lock-Std Slide Door-Model 127R	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 127R Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 128	GS-02-HBL-Model 128	Hook-Bolt Lock-Std Slide Door-Model 128	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 128 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 2010	GS-02-HBL-Model 2010	Hook-Bolt Lock-Std Slide Door-Model 2010	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 2010 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 44	GS-02-HBL-Model 44	Hook-Bolt Lock-Std Sliding Door-Model 44	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 44 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 54	GS-02-HBL-Model 54	Hook-Bolt Lock-Std Sliding Door-Model 54	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 54 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 64	GS-02-HBL-Model 64	Hook-Bolt Lock-Std Sliding Door-Model 64	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 64 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 65	GS-02-HBL-Model 65	Hook-Bolt Lock-Std Sliding Door-Model 65	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 65 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HBL-Model 66	Part Number GS-02-HBL-Model 66	Hook-Bolt Lock-Std Slide Door-Model 66	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 66 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 74	GS-02-HBL-Model 74	Hook-Bolt Lock-Std Sliding Door-Model 74	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 474 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 75	GS-02-HBL-Model 75	Hook-Bolt Lock-Std Sliding Door-Model 75	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 75 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 84	GS-02-HBL-Model 84	Hook-Bolt Lock-Std Sliding Door-Model 84	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 84 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 85	GS-02-HBL-Model 85	Hook-Bolt Lock-Std Sliding Door-Model 85	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 85 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 86	GS-02-HBL-Model 86	Hook-Bolt Lock-Std Slide Door-Model 86	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 86 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 88	GS-02-HBL-Model 88	Hook-Bolt Lock-Std Slide Door-Model 88	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 88 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
HBL-Model 95	GS-02-HBL-Model 95	Hook-Bolt Lock-Std Sliding Door-Model 95	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 95 Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HBL-Model 95R	Part Number GS-02-HBL-Model 95R	Hook-Bolt Lock-Std Slide Door-Model 95R	The Hook-Bolt Lock Option for an Aluminum Sliding Door for a Model 95R Booth. This option upgrades the standard hook bolt type lock on an aluminum sliding door to an Adam Rite hook bolt lock for higher security. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
MORTLOCK-Model 1010	GS-02-MORTLOCK-Model 1010	Mortise Lock-Steel Swing Door-Model 1010	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 1010 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 105	GS-02-MORTLOCK-Model 105	Mortise Lock-Steel Swing Door-Model 105	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 105 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 106	GS-02-MORTLOCK-Model 106	Mortise Lock-Steel Swing Door-Model 106	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 106 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 108	GS-02-MORTLOCK-Model 108	Mortise Lock-Steel Swing Door-Model 108	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 108 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 1210	GS-02-MORTLOCK-Model 1210	Mortise Lock-Steel Swing Door-Model 1210	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 1210 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number MORTLOCK-Model 125	Part Number GS-02-MORTLOCK-Model 125	Mortise Lock-Steel Swing Door-Model 125	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 125 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 125R	GS-02-MORTLOCK-Model 125R	Mortise Lock-Steel Swing Door-Model 125R	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 125R Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 127R	GS-02-MORTLOCK-Model 127R	Mortise Lock-Steel Swing Door-Model 127R	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 127R Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 128	GS-02-MORTLOCK-Model 128	Mortise Lock-Steel Swing Door-Model 128	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 128 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 1466R	GS-02-MORTLOCK-Model 1466R	Mortise Lock-Steel Swing Door-# 1466RHC	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 1466RHC Booth. This option upgrades the standard key in lock with a lever handle to a mortise deadbolt. This is available with a lever handle due to ADA requirements, on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number MORTLOCK-Model 2010	Part Number GS-02-MORTLOCK-Model 2010	Mortise Lock-Steel Swing Door-Model 2010	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 2010 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 44	GS-02-MORTLOCK-Model 44	Mortise Lock-Steel Swing Door-Model 44	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 44 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 54	GS-02-MORTLOCK-Model 54	Mortise Lock-Steel Swing Door-Model 54	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 54 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 64	GS-02-MORTLOCK-Model 64	Mortise Lock-Steel Swing Door-Model 64	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 64 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 65	GS-02-MORTLOCK-Model 65	Mortise Lock-Steel Swing Door-Model 65	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 65 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number MORTLOCK-Model 66	Part Number GS-02-MORTLOCK-Model 66	Mortise Lock-Steel Swing Door-Model 66	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 66 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 74	GS-02-MORTLOCK-Model 74	Mortise Lock-Steel Swing Door-Model 74	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 74 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 75	GS-02-MORTLOCK-Model 75	Mortise Lock-Steel Swing Door-Model 75	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 75 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 75HC	GS-02-MORTLOCK-Model 75HC	Mortise Lock-Steel Swing Door-Model 75HC	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 75HC Booth. This option upgrades the standard key in lock with a lever handle to a mortise deadbolt. This is available with a lever handle due to ADA requirements, on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 84	GS-02-MORTLOCK-Model 84	Mortise Lock-Steel Swing Door-Model 84	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 84 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
MORTLOCK-Model 85	GS-02-MORTLOCK-Model 85	Mortise Lock-Steel Swing Door-Model 85	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 85 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 86	GS-02-MORTLOCK-Model 86	Mortise Lock-Steel Swing Door-Model 86	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 86 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 88	GS-02-MORTLOCK-Model 88	Mortise Lock-Steel Swing Door-Model 88	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 88 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 95	GS-02-MORTLOCK-Model 95	Mortise Lock-Steel Swing Door-Model 95	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 95 Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85
MORTLOCK-Model 95R	GS-02-MORTLOCK-Model 95R	Mortise Lock-Steel Swing Door-Model 95R	The Mortise Lockset (Deadbolt) Option for Steel Swing Door for a Model 95R Booth. This option upgrades the standard key in lock with a knob handle to a mortise deadbolt. This is available with either a knob or lever handle on the inside and outside. The lockset has keyed entry on the outside, and a thumb turn on the inside. This optional upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$479.85

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Guard Booth - Door	Part Number Ontions			
2ND24"UL1/3STSLD-Model 44	GS-02-2ND24"UL1/3STSLD-Model 44	2nd 24" BR Sliding Door UL 1/3-Model 44	The 2nd 24" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 44 Booth option. This option adds a 2nd 24" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND25"STSLD-Model 54	GS-02-2ND25"STSLD-Model 54	2nd 25" Steel Sliding Door-Model 54	The 2nd 25" Steel Sliding Door for a Model 54 Booth option. This option adds a 2nd 25" steel sliding door to the booth. This door will include a half vision lite, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,187.66
2ND25"STSLD-Model 64	GS-02-2ND25"STSLD-Model 64	2nd 25" Steel Sliding Door-Model 64	The 2nd 25" Steel Sliding Door for a Model 64 Booth option. This option adds a 2nd 25" steel sliding door to the booth. This door will include a half vision lite, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,187.66
2ND25"STSLD-Model 65	GS-02-2ND25"STSLD-Model 65	2nd 25" Steel Sliding Door-Model 65	The 2nd 25" Steel Sliding Door for a Model 66 Booth option. This option adds a 2nd 25" steel sliding door to the booth. This door will include a half vision lite, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,187.66
2ND25"STSLD-Model 66	GS-02-2ND25"STSLD-Model 66	2nd 25" Steel Sliding Door-Model 66	The 2nd 25" Steel Sliding Door for a Model 66 Booth option. This option adds a 2nd 25" steel sliding door to the booth. This door will include a half vision lite, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,187.66
2ND25"STSLD-Model 74	GS-02-2ND25"STSLD-Model 74	2nd 25" Steel Sliding Door-Model 74	The 2nd 25" Steel Sliding Door for a Model 74 Booth option. This option adds a 2nd 25" steel sliding door to the booth. This door will include a half vision lite, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,187.66

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND25"STSLD-Model 75	Part Number GS-02-2ND25"STSLD-Model 75	2nd 25" Steel Sliding Door-Model 75	The 2nd 25" Steel Sliding Door for a Model 75 Booth option. This option adds a 2nd 25" steel sliding door to the booth. This door will include a half vision lite, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,187.66
2ND25"STSLD-Model 95R	GS-02-2ND25"STSLD-Model 95R	2nd 25" Steel Sliding Door-Model 95R	The 2nd 25" Steel Sliding Door for a Model 95R Booth option. This option adds a 2nd 25" steel sliding door to the booth. This door will include a half vision lite, heavy duty tracks and trolleys, Adams Rite M51850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,187.66
2ND25"UL1/3STSLD-Model 54	GS-02-2ND25"UL1/3STSLD-Model 54	2nd 25" BR Sliding Door UL 1/3-Model 54	The 2nd 25" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 54 Booth option. This option adds a 2nd 25" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. This option will require that the counter be notched out on both sides to allow for full operation of both sliding doors. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND25"UL1/3STSLD-Model 64	GS-02-2ND25"UL1/3STSLD-Model 64	2nd 25" BR Sliding Door UL 1/3-Model 64	The 2nd 25" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 54 Booth option. This option adds a 2nd 25" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. This option will require that the counter be notched out on both sides to allow for full operation of both sliding doors. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND25"UL1/3STSLD-Model 65	GS-02-2ND25"UL1/3STSLD-Model 65	2nd 25" BR Sliding Door UL 1/3-Model 65	The 2nd 25" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 65 Booth option. This option adds a 2nd 25" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND25"UL1/3STSLD-Model 66	GS-02-2ND25"UL1/3STSLD-Model 66	2nd 30" BR Sliding Door UL 1/3-Model 66	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 66 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. This option will require that the counter be notched out on both sides to allow for full operation of both sliding doors. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND25"UL1/3STSLD-Model 74	GS-02-2ND25"UL1/3STSLD-Model 74	2nd 25" BR Sliding Door UL 1/3-Model 74	The 2nd 25" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 54 Booth option. This option adds a 2nd 25" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. This option will require that the counter be notched out on both sides to allow for full operation of both sliding doors. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND25"UL1/3STSLD-Model 75	GS-02-2ND25"UL1/3STSLD-Model 75	2nd 25" BR Sliding Door UL 1/3-Model 75	The 2nd 25" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 75 Booth option. This option adds a 2nd 25" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 1010	GS-02-2ND30"UL1/3STSLD-Model 1010	2nd 30" BR Slide Door UL 1/3-Model 1010	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 1010 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite M51850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 105	GS-02-2ND30"UL1/3STSLD-Model 105	2nd 30" BR Sliding Door UL 1/3-Model 105	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 105 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND30"UL1/3STSLD-Model 106	Part Number GS-02-2ND30"UL1/3STSLD-Model 106	2nd 30" BR Sliding Door UL 1/3-Model 106	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 106 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 108	GS-02-2ND30"UL1/3STSLD-Model 108	2nd 30" BR Sliding Door UL 1/3-Model 108	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 108 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 1210	GS-02-2ND30"UL1/3STSLD-Model 1210	2nd 30" BR Slide Door UL 1/3-Model 1210	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 1210 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 125	GS-02-2ND30"UL1/3STSLD-Model 125	2nd 30" BR Sliding Door UL 1/3-Model 125	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 125 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 125R	GS-02-2ND30"UL1/3STSLD-Model 125R	2nd 30" BR Slide Door UL 1/3-Model 125R	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 125R Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND30"UL1/3STSLD-Model 127R	Part Number GS-02-2ND30"UL1/3STSLD-Model 127R	2nd 30" BR Slide Door UL 1/3-Model 127R	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 127R Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 128	GS-02-2ND30"UL1/3STSLD-Model 128	2nd 30" BR Slide Door UL 1/3-Model 128	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 128 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite M51850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 2010	GS-02-2ND30"UL1/3STSLD-Model 2010	2nd 30" BR Slide Door UL 1/3-Model 2010	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 2010 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 86	GS-02-2ND30"UL1/3STSLD-Model 86	2nd 30" BR Sliding Door UL 1/3-Model 86	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 86 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62
2ND30"UL1/3STSLD-Model 88	GS-02-2ND30"UL1/3STSLD-Model 88	2nd 30" BR Sliding Door UL 1/3-Model 88	The 2nd 30" UL Level 1 or 3 Bullet Resistant Steel Sliding Door for a Model 88 Booth option. This option adds a 2nd 30" UL Level 1 or UL Level 3 bullet resistant steel sliding door to the booth. This door will include a half vision lite with UL Level 1 or UL Level 3 bullet resistant glazing, heavy duty tracks and trolleys, Adams Rite MS1850 hook bolt type lock and full weatherstripping. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,182.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"STSWD-Model 1010	Part Number GS-02-2ND36"STSWD-Model 1010	2nd 36" Steel Swing Door-Model 1010	The 2nd 36" Steel Swing Door for a Model 1010 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 105	GS-02-2ND36"STSWD-Model 105	2nd 36" Steel Swing Door-Model 105	The 2nd 36" Steel Swing Door for a Model 105 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 106	GS-02-2ND36"STSWD-Model 106	2nd 36" Steel Swing Door-Model 106	The 2nd 36" Steel Swing Door for a Model 106 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 108	GS-02-2ND36"STSWD-Model 108	2nd 36" Steel Swing Door-Model 108	The 2nd 36" Steel Swing Door for a Model 108 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 1210	GS-02-2ND36"STSWD-Model 1210	2nd 36" Steel Swing Door-Model 1210	The 2nd 36" Steel Swing Door for a Model 1210 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"STSWD-Model 125	Part Number GS-02-2ND36"STSWD-Model 125	2nd 36" Steel Swing Door-Model 125	The 2nd 36" Steel Swing Door for a Model 125 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 125R	GS-02-2ND36"STSWD-Model 125R	2nd 36" Steel Swing Door-Model 125R	The 2nd 36" Steel Swing Door for a Model 125R Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 127R	GS-02-2ND36"STSWD-Model 127R	2nd 36" Steel Swing Door-Model 127R	The 2nd 36" Steel Swing Door for a Model 127R Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 128	GS-02-2ND36"STSWD-Model 128	2nd 36" Steel Swing Door-Model 128	The 2nd 36" Steel Swing Door for a Model 128 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 1466R	GS-02-2ND36"STSWD-Model 1466R	2nd 36" Steel Swing Door-Model 1466RHC	The 2nd 36" Steel Swing Door for a Model 1466RHC Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"STSWD-Model 2010	Part Number GS-02-2ND36"STSWD-Model 2010	2nd 36" Steel Swing Door-Model 2010	The 2nd 36" Steel Swing Door for a Model 2010 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 74	GS-02-2ND36"STSWD-Model 74	2nd 36" Steel Swing Door-Model 74	The 2nd 36" Steel Swing Door for a Model 74 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 75	GS-02-2ND36"STSWD-Model 75	2nd 36" Steel Swing Door-Model 75	The 2nd 36" Steel Swing Door for a Model 75 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 75HC	GS-02-2ND36"STSWD-Model 75HC	2nd 36" Steel Swing Door-Model 75HC	The 2nd 36" Steel Swing Door for a Model 75HC Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 84	GS-02-2ND36"STSWD-Model 84	2nd 36" Steel Swing Door-Model 84	The 2nd 36" Steel Swing Door for a Model 84 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"STSWD-Model 85	Part Number GS-02-2ND36"STSWD-Model 85	2nd 36" Steel Swing Door-Model 85	The 2nd 36" Steel Swing Door for a Model 85 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 86	GS-02-2ND36"STSWD-Model 86	2nd 36" Steel Swing Door-Model 86	The 2nd 36" Steel Swing Door for a Model 86 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 88	GS-02-2ND36"STSWD-Model 88	2nd 36" Steel Swing Door-Model 88	The 2nd 36" Steel Swing Door for a Model 88 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"STSWD-Model 95	GS-02-2ND36"STSWD-Model 95	2nd 36" Steel Swing Door-Model 95	The 2nd 36" Steel Swing Door for a Model 95 Booth option. This option adds a 2nd 36" steel swing door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,683.88
2ND36"UL1/3STSWD-Model 1010	GS-02-2ND36"UL1/3STSWD-Model 1010	2nd 36" BR Swing Door UL 1/3-Model 1010	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 1010 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"UL1/3STSWD-Model 105	Part Number GS-02-2ND36"UL1/3STSWD-Model 105	2nd 36" BR Swing Door UL 1/3-Model 105	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 105 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 106	GS-02-2ND36"UL1/3STSWD-Model 106	2nd 36" BR Swing Door UL 1/3-Model 106	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 106 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 108	GS-02-2ND36"UL1/3STSWD-Model 108	2nd 36" BR Swing Door UL 1/3-Model 108	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 108 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 1210	GS-02-2ND36"UL1/3STSWD-Model 1210	2nd 36" BR Swing Door UL 1/3-Model 1210	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 1210 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 125	GS-02-2ND36"UL1/3STSWD-Model 125	2nd 36" BR Swing Door UL 1/3-Model 125	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 125 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"UL1/3STSWD-Model 125R	Part Number GS-02-2ND36"UL1/3STSWD-Model 125R	2nd 36" BR Swing Door UL 1/3-Model 125R	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 125R Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 127R	GS-02-2ND36"UL1/3STSWD-Model 127R	2nd 36" BR Swing Door UL 1/3-Model 127R	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 127R Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 128	GS-02-2ND36"UL1/3STSWD-Model 128	2nd 36" BR Swing Door UL 1/3-Model 128	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 128 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 1466R	GS-02-2ND36"UL1/3STSWD-Model 1466R	2nd 36" BR Swing Door UL 1/3 #1466RHC	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 1466RHC Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 2010	GS-02-2ND36"UL1/3STSWD-Model 2010	2nd 36" BR Swing Door UL 1/3-Model 2010	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 2010 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"UL1/3STSWD-Model 74	Part Number GS-02-2ND36"UL1/3STSWD-Model 74	2nd 36" BR Swing Door UL 1/3-Model 74	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 74 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 75	GS-02-2ND36"UL1/3STSWD-Model 75	2nd 36" BR Swing Door UL 1/3-Model 65	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 65 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 75HC	GS-02-2ND36"UL1/3STSWD-Model 75HC	2nd 36" BR Swing Door UL 1/3-Model 75HC	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 75HC Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 84	GS-02-2ND36"UL1/3STSWD-Model 84	2nd 36" BR Swing Door UL 1/3-Model 84	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 84 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 85	GS-02-2ND36"UL1/3STSWD-Model 85	2nd 36" BR Swing Door UL 1/3-Model 75	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 75 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"UL1/3STSWD-Model 86	Part Number GS-02-2ND36"UL1/3STSWD-Model 86	2nd 36" BR Swing Door UL 1/3-Model 86	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 86 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 88	GS-02-2ND36"UL1/3STSWD-Model 88	2nd 36" BR Swing Door UL 1/3-Model 88	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 88 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL1/3STSWD-Model 95	GS-02-2ND36"UL1/3STSWD-Model 95	2nd 36" BR Swing Door UL 1/3-Model 85	The 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door for a Model 85 Booth option. This option adds a 2nd 36" UL Level 1 or UL Level 3 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,801.01
2ND36"UL4STSWD-Model 1010	GS-02-2ND36"UL4STSWD-Model 1010	2nd 36" BR Swing Door UL 4-Model 1010	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 1010 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 105	GS-02-2ND36"UL4STSWD-Model 105	2nd 36" BR Swing Door UL 4-Model 105	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 105 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"UL4STSWD-Model 106	Part Number GS-02-2ND36"UL4STSWD-Model 106	2nd 36" BR Swing Door UL 4-Model 106	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 106 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 108	GS-02-2ND36"UL4STSWD-Model 108	2nd 36" BR Swing Door UL 4-Model 108	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 108 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 1210	GS-02-2ND36"UL4STSWD-Model 1210	2nd 36" BR Swing Door UL 4-Model 1210	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 1210 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 125	GS-02-2ND36"UL4STSWD-Model 125	2nd 36" BR Swing Door UL 4-Model 125	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 125 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 125R	GS-02-2ND36"UL4STSWD-Model 125R	2nd 36" BR Swing Door UL 4-Model 125R	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 125R Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"UL4STSWD-Model 127R	Part Number GS-02-2ND36"UL4STSWD-Model 127R	2nd 36" BR Swing Door UL 4-Model 127R	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 127R Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 128	GS-02-2ND36"UL4STSWD-Model 128	2nd 36" BR Swing Door UL 4-Model 128	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 128 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 1466R	GS-02-2ND36"UL4STSWD-Model 1466R	2nd 36" BR Swing Door UL 4 #1466RHC	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 1466RHC Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 2010	GS-02-2ND36"UL4STSWD-Model 2010	2nd 36" BR Swing Door UL 4-Model 2010	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 2010 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 74	GS-02-2ND36"UL4STSWD-Model 74	2nd 36" BR Swing Door UL 4-Model 74	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 74 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"UL4STSWD-Model 75	Part Number GS-02-2ND36"UL4STSWD-Model 75	2nd 36" BR Swing Door UL 4-Model 75	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 75 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 75HC	GS-02-2ND36"UL4STSWD-Model 75HC	2nd 36" BR Swing Door UL 4-Model 75HC	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 75HC Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 84	GS-02-2ND36"UL4STSWD-Model 84	2nd 36" BR Swing Door UL 4-Model 84	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 84 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 85	GS-02-2ND36"UL4STSWD-Model 85	2nd 36" BR Swing Door UL 4-Model 85	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 85 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 86	GS-02-2ND36"UL4STSWD-Model 86	2nd 36" BR Swing Door UL 4-Model 86	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 86 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 2ND36"UL4STSWD-Model 88	Part Number GS-02-2ND36"UL4STSWD-Model 88	2nd 36" BR Swing Door UL 4-Model 88	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 88 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
2ND36"UL4STSWD-Model 95	GS-02-2ND36"UL4STSWD-Model 95	2nd 36" BR Swing Door UL 4-Model 95	The 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door for a Model 95 Booth option. This option adds a 2nd 36" UL Level 4 Bullet Resistant Steel Swing Door to the booth. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and a continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,876.57
36"STSWD-Model 1010	GS-02-36"STSWD-Model 1010	36" Steel Swing Door UpgModel 1010	The Upgrade to a 36" Steel Swing Door for a Model 1010 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 105	GS-02-36"STSWD-Model 105	36" Steel Swing Door Upgrade-Model 105	The Upgrade to a 36" Steel Swing Door for a Model 105 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 106	GS-02-36"STSWD-Model 106	36" Steel Swing Door Upgrade-Model 106	The Upgrade to a 36" Steel Swing Door for a Model 106 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
36"STSWD-Model 108	GS-02-36"STSWD-Model 108	36" Steel Swing Door Upgrade-Model 108	The Upgrade to a 36" Steel Swing Door for a Model 108 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 1210	GS-02-36"STSWD-Model 1210	36" Steel Swing Door UpgModel 1210	The Upgrade to a 36" Steel Swing Door for a Model 1210 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 125	GS-02-36"STSWD-Model 125	36" Steel Swing Door Upgrade-Model 125	The Upgrade to a 36" Steel Swing Door for a Model 125 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing but hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 125R	GS-02-36"STSWD-Model 125R	36" Steel Swing Door UpgModel 125R	The Upgrade to a 36" Steel Swing Door for a Model 125R Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 127R	GS-02-36"STSWD-Model 127R	36" Steel Swing Door UpgModel 127R	The Upgrade to a 36" Steel Swing Door for a Model 127R Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
36"STSWD-Model 128	GS-02-36"STSWD-Model 128	36" Steel Swing Door Upgrade-Model 128	The Upgrade to a 36" Steel Swing Door for a Model 128 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 2010	GS-02-36"STSWD-Model 2010	36" Steel Swing Door UpgModel 2010	The Upgrade to a 36" Steel Swing Door for a Model 2010 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 54	GS-02-36"STSWD-Model 54	36" Steel Swing Door Upgrade-Model 54	The Upgrade to a 36" Steel Swing Door for a Model 54 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 64	GS-02-36"STSWD-Model 64	36" Steel Swing Door Upgrade-Model 64	The Upgrade to a 36" Steel Swing Door for a Model 64 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 65	GS-02-36"STSWD-Model 65	36" Steel Swing Door Upgrade-Model 65	The Upgrade to a 36" Steel Swing Door for a Model 65 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 36"STSWD-Model 66	Part Number GS-02-36"STSWD-Model 66	36" Steel Swing Door Upgrade-Model 66	The Upgrade to a 36" Steel Swing Door for a Model 66 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 74	GS-02-36"STSWD-Model 74	36" Steel Swing Door Upgrade-Model 74	The Upgrade to a 36" Steel Swing Door for a Model 74 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 75	GS-02-36"STSWD-Model 75	36" Steel Swing Door Upgrade-Model 75	The Upgrade to a 36" Steel Swing Door for a Model 75 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 84	GS-02-36"STSWD-Model 84	36" Steel Swing Door Upgrade-Model 84	The Upgrade to a 36" Steel Swing Door for a Model 84 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing but hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 85	GS-02-36"STSWD-Model 85	36" Steel Swing Door Upgrade-Model 85	The Upgrade to a 36" Steel Swing Door for a Model 85 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing but hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 36"STSWD-Model 86	Part Number GS-02-36"STSWD-Model 86	36" Steel Swing Door Upgrade-Model 86	The Upgrade to a 36" Steel Swing Door for a Model 86 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 88	GS-02-36"STSWD-Model 88	36" Steel Swing Door Upgrade-Model 88	The Upgrade to a 36" Steel Swing Door for a Model 88 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"STSWD-Model 95	GS-02-36"STSWD-Model 95	36" Steel Swing Door Upgrade-Model 95	The Upgrade to a 36" Steel Swing Door for a Model 95 Booth option replaces the standard steel sliding door with a 36" steel swing door. The swing door includes a rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and ball bearing butt hinges. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,017.63
36"UL1/3STSWD-Model 1010	GS-02-36"UL1/3STSWD-Model 1010	UL 1/3 36" BR Swing Door-Model 1010	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 1010 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 105	GS-02-36"UL1/3STSWD-Model 105	UL 1/3 36" BR Steel Swing Door-Model 105	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 105 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 36"UL1/3STSWD-Model 106	Part Number GS-02-36"UL1/3STSWD-Model 106	UL 1/3 36" BR Steel Swing Door-Model 106	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 106 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 108	GS-02-36"UL1/3STSWD-Model 108	UL 1/3 36" BR Steel Swing Door-Model 108	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 108 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 1210	GS-02-36"UL1/3STSWD-Model 1210	UL 1/3 36" BR Swing Door-Model 1210	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 1010 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 125	GS-02-36"UL1/3STSWD-Model 125	UL 1/3 36" BR Steel Swing Door-Model 125	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 125 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 36"UL1/3STSWD-Model 125R	Part Number GS-02-36"UL1/3STSWD-Model 125R	UL 1/3 36" BR Swing Door-Model 125R	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 125R Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 127R	GS-02-36"UL1/3STSWD-Model 127R	UL 1/3 36" BR Swing Door-Model 127R	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 127R Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 128	GS-02-36"UL1/3STSWD-Model 128	UL 1/3 36" BR Steel Swing Door-Model 128	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 128 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 2010	GS-02-36"UL1/3STSWD-Model 2010	UL 1/3 36" BR Swing Door-Model 2010	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 1210 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 36"UL1/3STSWD-Model 44	Part Number GS-02-36"UL1/3STSWD-Model 44	UL 1/3 36" BR Steel Swing Door-Model 44	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 44 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 54	GS-02-36"UL1/3STSWD-Model 54	UL 1/3 36" BR Steel Swing Door-Model 54	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 54 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 64	GS-02-36"UL1/3STSWD-Model 64	UL 1/3 36" BR Steel Swing Door-Model 64	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 64 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 65	GS-02-36"UL1/3STSWD-Model 65	UL 1/3 36" BR Steel Swing Door-Model 65	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 65 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 36"UL1/3STSWD-Model 66	Part Number GS-02-36"UL1/3STSWD-Model 66	UL 1/3 36" BR Steel Swing Door-Model 66	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 66 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 74	GS-02-36"UL1/3STSWD-Model 74	UL 1/3 36" BR Steel Swing Door-Model 74	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 74 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 75	GS-02-36"UL1/3STSWD-Model 75	UL 1/3 36" BR Steel Swing Door-Model 75	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 75 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel swing door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70
36"UL1/3STSWD-Model 84	GS-02-36"UL1/3STSWD-Model 84	UL 1/3 36" BR Steel Swing Door-Model 84	The Upgrade of the Standard UL Level 1 or Level 3 Bullet Resistant Door to a 36" UL Level 1 or Level 3 Bullet Resistant Steel Swing Door for a Model 84 Booth option replaces the standard bullet resistant steel sliding door with a 36" bullet resistant steel sliding door. The swing door includes a half vision light, rim exit device for egress with a lever handle for ingress, as well as a hydraulic closer and continuous hinge. The lock is provided with a standard cylinder, and keyed entry access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,192.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 36"UL1/3STSWD-Model 85	Part Number GS-02-36"UL1/3STSWD-Model 85	UL 1/3 36" BR Steel Swing Door-Model 85	The Upgrade of the Standard UL Level 1 or Level 3	\$1,192.70
			Bullet Resistant Door to a 36" UL Level 1 or Level 3	
			Bullet Resistant Steel Swing Door for a Model 85	
			Booth option replaces the standard bullet resistant	
			steel sliding door with a 36" bullet resistant steel	
			swing door. The swing door includes a half vision	
			light, rim exit device for egress with a lever handle	
			for ingress, as well as a hydraulic closer and	
			continuous hinge. The lock is provided with a	
			standard cylinder, and keyed entry access. This	
			option is an additional cost to the base booth price.	
			Freight NOT included in the item price. Freight is an	
			additional charge and is calculated from the factory	
			to the delivery location.	
36"UL1/3STSWD-Model 86	GS-02-36"UL1/3STSWD-Model 86	UL 1/3 36" BR Steel Swing Door-Model 86	The Upgrade of the Standard UL Level 1 or Level 3	\$1,192.70
			Bullet Resistant Door to a 36" UL Level 1 or Level 3	
			Bullet Resistant Steel Swing Door for a Model 86	
			Booth option replaces the standard bullet resistant	
			steel sliding door with a 36" bullet resistant steel	
			swing door. The swing door includes a half vision	
			light, rim exit device for egress with a lever handle	
			for ingress, as well as a hydraulic closer and	
			continuous hinge. The lock is provided with a	
			standard cylinder, and keyed entry access. This	
			option is an additional cost to the base booth price.	
			Freight NOT included in the item price. Freight is an	
			additional charge and is calculated from the factory	
			to the delivery location.	
36"UL1/3STSWD-Model 88	GS-02-36"UL1/3STSWD-Model 88	UL 1/3 36" BR Steel Swing Door-Model 88	The Upgrade of the Standard UL Level 1 or Level 3	\$1,192.70
			Bullet Resistant Door to a 36" UL Level 1 or Level 3	
			Bullet Resistant Steel Swing Door for a Model 88	
			Booth option replaces the standard bullet resistant	
			steel sliding door with a 36" bullet resistant steel	
			swing door. The swing door includes a half vision	
			light, rim exit device for egress with a lever handle	
			for ingress, as well as a hydraulic closer and	
			continuous hinge. The lock is provided with a	
			standard cylinder, and keyed entry access. This	
			option is an additional cost to the base booth price.	
			Freight NOT included in the item price. Freight is an	
			additional charge and is calculated from the factory	
			to the delivery location.	
36"UL1/3STSWD-Model 95	GS-02-36"UL1/3STSWD-Model 95	UL 1/3 36" BR Steel Swing Door-Model 95	The Upgrade of the Standard UL Level 1 or Level 3	\$1,192.70
			Bullet Resistant Door to a 36" UL Level 1 or Level 3	
			Bullet Resistant Steel Swing Door for a Model 95	
			Booth option replaces the standard bullet resistant	
			steel sliding door with a 36" bullet resistant steel	
			swing door. The swing door includes a half vision	
			light, rim exit device for egress with a lever handle	
			for ingress, as well as a hydraulic closer and	
			continuous hinge. The lock is provided with a	
			standard cylinder, and keyed entry access. This	
			option is an additional cost to the base booth price.	
			Freight NOT included in the item price. Freight is an	
			additional charge and is calculated from the factory	
			to the delivery location.	
			to the delivery location.	
Guard Booth - Ancho	ring Options			

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CONANCL-Model 1010	Part Number GS-02-CONANCL-Model 1010	Concealed Anchor Clips-Model 1010	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 1010 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 105	GS-02-CONANCL-Model 105	Concealed Anchor Clips-Model 105	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 105 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 106	GS-02-CONANCL-Model 106	Concealed Anchor Clips-Model 106	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 106 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 108	GS-02-CONANCL-Model 108	Concealed Anchor Clips-Model 108	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 108 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 1210	GS-02-CONANCL-Model 1210	Concealed Anchor Clips-Model 1210	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 1210 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CONANCL-Model 125	Part Number GS-02-CONANCL-Model 125	Concealed Anchor Clips-Model 125	The Upgrade Standard Anchor Clips to Concealed	\$216.62
CONTACT MODEL 123	do de convince model les	concedica Anenor clips Woder 125	Anchor Clips Option for a Model 125 Booth. This	Ψ210.02
			option replaces the standard anchor clips that are	
			welded onto the exterior of the base of the booth	
			with concealed, interior anchor clips. The interior	
			anchor clips are comprised of channel anchors that	
			are located in the corners of the booth. To conceal	
			the interior anchor clips a section of the flooring is	
			made removable to serve as a cover and to allow	
			access to the clips. This option is an additional cost	
			to the base booth price. Freight NOT included in the	
			item price. Freight is an additional charge and is	
			calculated from the factory to the delivery location.	
CONANCL-Model 125R	GS-02-CONANCL-Model 125R	Concealed Anchor Clips-Model 125R	The Upgrade Standard Anchor Clips to Concealed	\$216.62
		· ·	Anchor Clips Option for a Model 125R Booth. This	
			option replaces the standard anchor clips that are	
			welded onto the exterior of the base of the booth	
			with concealed, interior anchor clips. The interior	
			anchor clips are comprised of channel anchors that	
			are located in the corners of the booth. To conceal	
			the interior anchor clips a section of the flooring is	
			made removable to serve as a cover and to allow	
			access to the clips. This option is an additional cost	
			to the base booth price. Freight NOT included in the	
			item price. Freight is an additional charge and is	
			calculated from the factory to the delivery location.	
CONANCL-Model 127R	GS-02-CONANCL-Model 127R	Concealed Anchor Clips-Model 127R	The Upgrade Standard Anchor Clips to Concealed	\$216.62
CO.W. 1102 W. GGC. 127 W	05 02 0010/11/02 11/04/11 12/11	Consequed / memor emps model 12/11	Anchor Clips Option for a Model 127R Booth. This	Ų210.02
			option replaces the standard anchor clips that are	
			welded onto the exterior of the base of the booth	
			with concealed, interior anchor clips. The interior	
			anchor clips are comprised of channel anchors that	
			are located in the corners of the booth. To conceal	
			the interior anchor clips a section of the flooring is	
			made removable to serve as a cover and to allow	
			access to the clips. This option is an additional cost	
			to the base booth price. Freight NOT included in the	
			item price. Freight is an additional charge and is	
			calculated from the factory to the delivery location.	
CONANCL-Model 128	GS-02-CONANCL-Model 128	Concealed Anchor Clips-Model 128	The Upgrade Standard Anchor Clips to Concealed	\$216.62
			Anchor Clips Option for a Model 128 Booth. This	
			option replaces the standard anchor clips that are	
			welded onto the exterior of the base of the booth	
			with concealed, interior anchor clips. The interior	
			anchor clips are comprised of channel anchors that	
			are located in the corners of the booth. To conceal	
			the interior anchor clips a section of the flooring is	
			made removable to serve as a cover and to allow access to the clips. This option is an additional cost	
			to the base booth price. Freight NOT included in the	
			item price. Freight is an additional charge and is	
			calculated from the factory to the delivery location.	
			·	
CONANCL-Model 1466R	GS-02-CONANCL-Model 1466R	Concealed Anchor Clips-Model 1466RHC	The Upgrade Standard Anchor Clips to Concealed	\$216.62
			Anchor Clips Option for a Model 1466RHC Booth.	
			This option replaces the standard anchor clips that	
			are welded onto the exterior of the base of the	
			booth with concealed, interior anchor clips. The	
			interior anchor clips are comprised of channel	
			anchors that are located in the corners of the booth.	
			To conceal the interior anchor clips a section of the	
			flooring is made removable to serve as a cover and	
			to allow access to the clips. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
1		· · · · · · · · · · · · · · · · · · ·	•	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CONANCL-Model 2010	GS-02-CONANCL-Model 2010	Concealed Anchor Clips-Model 2010	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 2010 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 44	GS-02-CONANCL-Model 44	Concealed Anchor Clips-Model 44	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 44 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 54	GS-02-CONANCL-Model 54	Concealed Anchor Clips-Model 54	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 54 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 64	GS-02-CONANCL-Model 64	Concealed Anchor Clips-Model 64	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 64 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 65	GS-02-CONANCL-Model 65	Concealed Anchor Clips-Model 65	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 65 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CONANCL-Model 66	Part Number GS-02-CONANCL-Model 66	Concealed Anchor Clips-Model 66	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 66 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 74	GS-02-CONANCL-Model 74	Concealed Anchor Clips-Model 74	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 74 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 75	GS-02-CONANCL-Model 75	Concealed Anchor Clips-Model 75	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 75 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 75HC	GS-02-CONANCL-Model 75HC	Concealed Anchor Clips-Model 75HC	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 75HC Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 84	GS-02-CONANCL-Model 84	Concealed Anchor Clips-Model 84	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 84 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CONANCL-Model 85	Part Number GS-02-CONANCL-Model 85	Concealed Anchor Clips-Model 85	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 85 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 86	GS-02-CONANCL-Model 86	Concealed Anchor Clips-Model 86	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 86 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 88	GS-02-CONANCL-Model 88	Concealed Anchor Clips-Model 88	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 88 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 95	GS-02-CONANCL-Model 95	Concealed Anchor Clips-Model 95	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 95 Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
CONANCL-Model 95R Guard Booth - Base	GS-02-CONANCL-Model 95R	Concealed Anchor Clips-Model 95R	The Upgrade Standard Anchor Clips to Concealed Anchor Clips Option for a Model 95R Booth. This option replaces the standard anchor clips that are welded onto the exterior of the base of the booth with concealed, interior anchor clips. The interior anchor clips are comprised of channel anchors that are located in the corners of the booth. To conceal the interior anchor clips a section of the flooring is made removable to serve as a cover and to allow access to the clips. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Model 1010	GS-02-Model 1010	Model 1010 Steel Guard Booth	The Model 1010 Guard Booth is sized 10' wide x 10' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,270.78
Model 105	GS-02-Model 105	Model 105 Steel Guard Booth	The Model 105 Guard Booth is sized 5' wide x 10' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,241.81
Model 106	GS-02-Model 106	Model 106 Steel Guard Booth	The Model 106 Guard Booth is sized 6' wide x 10' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,989.92
Model 108	GS-02-Model 108	Model 108 Steel Guard Booth	The Model 108 Guard Booth is sized 8' wide x 10' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,406.80

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
Model 1210	GS-02-Model 1210	Model 1210 Steel Guard Booth	The Model 1210 Guard Booth is sized 10' wide x 12' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$18,522.67
Model 125	GS-02-Model 125	Model 125 Steel Guard Booth	The Model 125 Guard Booth is sized 5' wide x 12' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,238.04
Model 125R	GS-02-Model 125R	Model 125R Steel Guard Booth	Model 125R Restroom Guard Booth, 5'W x 12'L includes: 3" canopy overhang, 6"H fascia, galv. steel tube frame & wall panels, acrylic epoxy paint in 1 standard color, painted steel counter w/ storage drawer, some operable windows (other windows fixed), glazing 1/8" thick clear glass in anodized alum. window frames, 1 sliding steel door w/ hook bolt lock, 12-space single phase load center w/100 amp main breaker, UL electrical system, 1500 W heater, duplex outlet, interior surface-mounted light fixture w/ lamp & switch, ext. anchor clips, galv. steel treadplate floor painted black, 3'W x 5'L restroom includes: sliding door, coat hook, water closet, toilet paper holder, lavatory, mirror, paper towel dispenser, GFI duplex outlet, surface-mounted light fixture w/ lamp, exhaust fan, wall switch for light & exhaust fan, (1) 2-1/2 gal. point-of-use water heater (fixtures ship loose). Freight NOT included in item price. Freight is add'l charge & is calculated from factory to delivery location.	\$16,430.73

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Model 127R	GS-02-Model 127R	Model 127R Steel Guard Booth	Model 127R Restroom Guard Booth, 7'W x 12'L includes: 3" canopy overhang, 6"H fascia, galv. steel tube frame/wall panels, acrylic epoxy paint in 1 standard color, painted steel counter w/drawer, some operable windows (other windows fixed), glazing 1/8" thick clear glass in anodized alum. window frames, 1 sliding steel door w/hook bolt lock, 12-space single phase load center w/100 amp main breaker, UL electrical system, 1500W heater, duplex outlet, interior surface-mounted light fixture w/lamp & switch, exterior anchor clips, galv. steel treadplate floor painted black, 3'W x 5'L restroom includes: sliding door, coat hook, water closet, toilet paper holder, lavatory, mirror, paper towel dispenser, GFI duplex outlet, surface-mounted light fixture w/ lamp, exhaust fan, wall switch for light & exhaust fan, (1) 2-1/2 gal. point-of-use water heater (fixtures ship loose). Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$18,646.10
Model 128	GS-02-Model 128	Model 128 Steel Guard Booth	The Model 128 Guard Booth is sized 8' wide x 12' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,095.72
Model 1466R	GS-02-Model 1466R	Model 1466RHC Steel Guard Booth	Model 1466RHC ADA Restroom Guard Booth, 6'2"W x 14'6"L includes: 3" canopy overhang; 6"H fascia; galv. steel tube frame/wall panels; acrylic epoxy paint in 1 std. color; painted ADA steel counter w/storage drawer; 1 ADA horizontal-sliding window; some windows operable (others fixed); glazing 1/8" clear glass in anod. alum. frames; swinging steel ADA door; single phase load center w/100 amp main breaker; UL elect. system; 1500W heat w/wall thermostat; 2 duplex outlets; interior surface-mounted light fixture w/ lamp/wall switch; exterior anchor clips; galv. steel treadplate floor painted black, 5'10"W x 7'7"L restroom includes: swinging door, coat hook, water closet, toilet paper holder, SS back splash/grab bars, lavatory, mirror, paper towel dispenser, GFI duplex outlet, combo light/exhaust fan/heater w/ wall switch, (1) 2-1/2 gal. point-of-use water heater (fixtures ship loose). Freight NOT included in item price. Freight is add'l charge & calculated from factory to delivery location.	\$20,623.43

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Model 2010	GS-02-Model 2010	Model 2010 Steel Guard Booth	The Model 2010 Guard Booth is sized 10' wide x 20' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$28,586.90
Model 44	GS-02-Model 44	Model 44 Steel Guard Booth	The Model 44 Guard Booth is sized 4' wide x 4'2" long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 wath heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,018.89
Model 54	GS-02-Model 54	Model 54 Steel Guard Booth	The Model 54 Guard Booth is sized 4' wide x 5' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,809.82
Model 64	GS-02-Model 64	Model 64 Steel Guard Booth	The Model 64 Guard Booth is sized 4' wide x 6' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth) Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,377.83

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Model 65	GS-02-Model 65	Model 65 Steel Guard Booth	The Model 65 Guard Booth is sized 5' wide x 6' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,692.70
Model 66	GS-02-Model 66	Model 66 Steel Guard Booth	The Model 66 Guard Booth is sized 6' wide x 6' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, Ut-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,045.34
Model 74	GS-02-Model 74	Model 74 Steel Guard Booth	The Model 74 Guard Booth is sized 4' wide x 7' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,162.47
Model 75	GS-02-Model 75	Model 75 Steel Guard Booth	The Model 75 Guard Booth is sized 5' wide x 7' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,853.90

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Manufacturer Part Number Model 75HC	GS-02-Model 84	Model 84 Steel Guard Booth	The Model 75HC Handicap Accessible Guard Booth is sized 5'4" wide x 7'6" long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted ADA compliant steel counter with storage drawer, 1 ADA compliant horizontal-sliding window, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 swinging steel ADA compliant door, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surfacemounted light fixture with lamp and wall switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factors to the delivery location. The Model 84 Guard Booth is sized 4' wide x 8' long	\$10,379.09 \$10,379.09
			and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	4 0,004.01
Model 85	GS-02-Model 85	Model 85 Steel Guard Booth	The Model 85 Guard Booth is sized 5' wide x 8' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,206.55
Model 86	GS-02-Model 86	Model 86 Steel Guard Booth	The Model 86 Guard Booth is sized 6' wide x 8' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,585.64

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number Model 88	Part Number GS-02-Model 88	Model 88 Steel Guard Booth	The Model 88 Guard Booth is sized 8' wide x 8' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 wath heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,964.74
Model 95	GS-02-Model 95	Model 95 Steel Guard Booth	The Model 95 Guard Booth is sized 5' wide x 9' long and includes the following: 3" canopy overhang, 6" canopy fascia height, galv. steel tube frame, galv. steel wall panels, acrylic epoxy finish paint in 1 standard color, painted steel counter with storage drawer, some windows to open vertically for ventilation with balance of windows fixed and all windows glazed with 1/8" thick clear glass set in anodized aluminum window frames, 1 sliding steel door with hook bolt type lock, 12-space single phase load center with 100 amp main breaker, UL-labeled electrical system, 1500 watt heater, 1 duplex outlet, 1 interior surface-mounted light fixture with lamp and switch, exterior anchor clips, and galv. steel treadplate floor painted black (base booth). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,557.93
Model 95R	GS-02-Model 95R	Model 95R Steel Guard Booth	Model 95R Restroom Guard Booth, 5'W x 9'L includes: 3" canopy overhang, 6"H fascia, galv. steel tube frame & wall panels, acrylic epoxy paint in 1 standard color, painted steel counter w/ storage drawer, some operable windows (other windows fixed), glazing 1/8" thick clear glass in anodized alum. window frames, 1 sliding steel door w/ hook bolt lock, 12-space single phase load center w/100 amp main breaker, UL electrical system, 1500 W heater, duplex outlet, interior surface-mounted light fixture w/ lamp & switch, ext. anchor clips, galv. steel treadplate floor painted black, 3'W x 5'L restroom includes: sliding door, coat hook, water closet, toilet paper holder, lavatory, mirror, paper towel dispenser, GFI duplex outlet, surface-mounted light fixture w/ lamp, exhaust fan, wall switch for light & exhaust fan, (1) 2-1/2 gal. point-of-use water heater (fixtures ship loose). Freight NOT included in item price. Freight is add'l charge & is calculated from	\$13,270.78
Guard Booth - BR Floo	or Options			
UL1FLOOR-Model 1010	GS-02-UL1FLOOR-Model 1010	UL 1 BR Floor Option - Model 1010 Booth	The UL 1 Bullet Resistant floor Option for a Model 1010 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,685.14

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
UL1FLOOR-Model 105	GS-02-UL1FLOOR-Model 105	UL 1 BR Floor Option for Model 105 Booth	The UL 1 Bullet Resistant floor Option for a Model 105 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,342.57
UL1FLOOR-Model 106	GS-02-UL1FLOOR-Model 106	UL 1 BR Floor Option for Model 106 Booth	The UL 1 Bullet Resistant floor Option for a Model 106 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83
UL1FLOOR-Model 108	GS-02-UL1FLOOR-Model 108	UL 1 BR Floor Option for Model 108 Booth	The UL 1 Bullet Resistant floor Option for a Model 108 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,148.61
UL1FLOOR-Model 1210	GS-02-UL1FLOOR-Model 1210	UL 1 BR Floor Option - Model 1210 Booth	The UL 1 Bullet Resistant floor Option for a Model 1210 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,221.66
UL1FLOOR-Model 125	GS-02-UL1FLOOR-Model 125	UL 1 BR Floor Option for Model 125 Booth	The UL 1 Bullet Resistant floor Option for a Model 125 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1FLOOR-Model 125R	Part Number GS-02-UL1FLOOR-Model 125R	UL 1 BR Floor Option - Model 125R Booth	The UL 1 Bullet Resistant floor Option for a Model 125R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83
UL1FLOOR-Model 127R	GS-02-UL1FLOOR-Model 127R	UL 1 BR Floor Option - Model 127R Booth	The UL 1 Bullet Resistant floor Option for a Model 127R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,255.67
UL1FLOOR-Model 128	GS-02-UL1FLOOR-Model 128	UL 1 BR Floor Option for Model 128 Booth	The UL 1 Bullet Resistant floor Option for a Model 128 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,578.09
UL1FLOOR-Model 1466R	GS-02-UL1FLOOR-Model 1466R	UL 1 BR Floor Option-Model 1466RHC Booth	The UL 1 Bullet Resistant floor Option for a Model 1466RHC Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,255.67
UL1FLOOR-Model 2010	GS-02-UL1FLOOR-Model 2010	UL 1 BR Floor Option - Model 2010 Booth	The UL 1 Bullet Resistant floor Option for a Model 2010 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,370.28

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1FLOOR-Model 44	Part Number GS-02-UL1FLOOR-Model 44	UL 1 BR Floor Option for Model 44 Booth	The UL 1 Bullet Resistant floor Option for a Model 44 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$429.47
UL1FLOOR-Model 54	GS-02-UL1FLOOR-Model 54	UL 1 BR Floor Option for Model 54 Booth	The UL 1 Bullet Resistant floor Option for a Model 54 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$536.52
UL1FLOOR-Model 64	GS-02-UL1FLOOR-Model 64	UL 1 BR Floor Option for Model 64 Booth	The UL 1 Bullet Resistant floor Option for a Model 64 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$644.84
UL1FLOOR-Model 65	GS-02-UL1FLOOR-Model 65	UL 1 BR Floor Option for Model 65 Booth	The UL 1 Bullet Resistant floor Option for a Model 65 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$806.05
UL1FLOOR-Model 66	GS-02-UL1FLOOR-Model 66	UL 1 BR Floor Option for Model 66 Booth	The UL 1 Bullet Resistant floor Option for a Model 66 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$967.25

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1FLOOR-Model 74	Part Number GS-02-UL1FLOOR-Model 74	UL 1 BR Floor Option for Model 74 Booth	The UL 1 Bullet Resistant floor Option for a Model 74 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$751.89
UL1FLOOR-Model 75	GS-02-UL1FLOOR-Model 75	UL 1 BR Floor Option for Model 75 Booth	The UL 1 Bullet Resistant floor Option for a Model 75 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
UL1FLOOR-Model 75HC	GS-02-UL1FLOOR-Model 75HC	UL 1 BR Floor Option - Model 75HC Booth	The UL 1 Bullet Resistant floor Option for a Model 75HC Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
UL1FLOOR-Model 84	GS-02-UL1FLOOR-Model 84	UL 1 BR Floor Option for Model 84 Booth	The UL 1 Bullet Resistant floor Option for a Model 84 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$858.94
UL1FLOOR-Model 85	GS-02-UL1FLOOR-Model 85	UL 1 BR Floor Option for Model 85 Booth	The UL 1 Bullet Resistant floor Option for a Model 85 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,074.31

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
UL1FLOOR-Model 86	GS-02-UL1FLOOR-Model 86	UL 1 BR Floor Option for Model 86 Booth	The UL 1 Bullet Resistant floor Option for a Model 86 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,288.41
UL1FLOOR-Model 88	GS-02-UL1FLOOR-Model 88	UL 1 BR Floor Option for Model 88 Booth	The UL 1 Bullet Resistant floor Option for a Model 88 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,717.88
UL1FLOOR-Model 95	GS-02-UL1FLOOR-Model 95	UL 1 BR Floor Option for Model 95 Booth	The UL 1 Bullet Resistant floor Option for a Model 95 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,207.81
UL1FLOOR-Model 95R	GS-02-UL1FLOOR-Model 95R	UL 1 BR Floor Option - Model 95R Booth	The UL 1 Bullet Resistant floor Option for a Model 95R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,207.81
UL3FLOOR-Model 1010	GS-02-UL3FLOOR-Model 1010	UL 3 BR Floor Option - Model 1010 Booth	The UL 3 Bullet Resistant floor Option for a Model 1010 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,685.14

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
UL3FLOOR-Model 105	GS-02-UL3FLOOR-Model 105	UL 3 BR Floor Option for Model 105 Booth	The UL 3 Bullet Resistant floor Option for a Model 105 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,342.57
UL3FLOOR-Model 106	GS-02-UL3FLOOR-Model 106	UL 3 BR Floor Option for Model 106 Booth	The UL 3 Bullet Resistant floor Option for a Model 106 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83
UL3FLOOR-Model 108	GS-02-UL3FLOOR-Model 108	UL 3 BR Floor Option for Model 108 Booth	The UL 3 Bullet Resistant floor Option for a Model 108 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,148.61
UL3FLOOR-Model 1210	GS-02-UL3FLOOR-Model 1210	UL 3 BR Floor Option - Model 1210 Booth	The UL 3 Bullet Resistant floor Option for a Model 1210 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,221.66
UL3FLOOR-Model 125	GS-02-UL3FLOOR-Model 125	UL 3 BR Floor Option for Model 125 Booth	The UL 3 Bullet Resistant floor Option for a Model 125 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3FLOOR-Model 125R	Part Number GS-02-UL3FLOOR-Model 125R	UL 3 BR Floor Option - Model 125R Booth	The UL 3 Bullet Resistant floor Option for a Model 125R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83
UL3FLOOR-Model 127R	GS-02-UL3FLOOR-Model 127R	UL 3 BR Floor Option - Model 127R Booth	The UL 3 Bullet Resistant floor Option for a Model 127R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,255.67
UL3FLOOR-Model 128	GS-02-UL3FLOOR-Model 128	UL 3 BR Floor Option for Model 128 Booth	The UL 3 Bullet Resistant floor Option for a Model 128 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,578.09
UL3FLOOR-Model 1466R	GS-02-UL3FLOOR-Model 1466R	UL 3 BR Floor Option-Model 1466RHC Booth	The UL 3 Bullet Resistant floor Option for a Model 1466RHC Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,255.67
UL3FLOOR-Model 2010	GS-02-UL3FLOOR-Model 2010	UL 3 BR Floor Option - Model 2010 Booth	The UL 3 Bullet Resistant floor Option for a Model 2010 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,370.28

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3FLOOR-Model 44	Part Number GS-02-UL3FLOOR-Model 44	UL 3 BR Floor Option for Model 44 Booth	The UL 3 Bullet Resistant floor Option for a Model 44 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$429.47
UL3FLOOR-Model 54	GS-02-UL3FLOOR-Model 54	UL 3 BR Floor Option for Model 54 Booth	The UL 3 Bullet Resistant floor Option for a Model 54 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$536.52
UL3FLOOR-Model 64	GS-02-UL3FLOOR-Model 64	UL 3 BR Floor Option for Model 64 Booth	The UL 3 Bullet Resistant floor Option for a Model 64 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$644.84
UL3FLOOR-Model 65	GS-02-UL3FLOOR-Model 65	UL 3 BR Floor Option for Model 65 Booth	The UL 3 Bullet Resistant floor Option for a Model 65 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$806.05
UL3FLOOR-Model 66	GS-02-UL3FLOOR-Model 66	UL 3 BR Floor Option for Model 66 Booth	The UL 3 Bullet Resistant floor Option for a Model 66 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$967.25

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3FLOOR-Model 74	Part Number GS-02-UL3FLOOR-Model 74	UL 3 BR Floor Option for Model 74 Booth	The UL 3 Bullet Resistant floor Option for a Model 74 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$751.89
UL3FLOOR-Model 75	GS-02-UL3FLOOR-Model 75	UL 3 BR Floor Option for Model 75 Booth	The UL 3 Bullet Resistant floor Option for a Model 75 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
UL3FLOOR-Model 75HC	GS-02-UL3FLOOR-Model 75HC	UL 3 BR Floor Option - Model 75HC Booth	The UL 3 Bullet Resistant floor Option for a Model 75HC Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
UL3FLOOR-Model 84	GS-02-UL3FLOOR-Model 84	UL 3 BR Floor Option for Model 84 Booth	The UL 3 Bullet Resistant floor Option for a Model 84 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$858.94
UL3FLOOR-Model 85	GS-02-UL3FLOOR-Model 85	UL 3 BR Floor Option for Model 85 Booth	The UL 3 Bullet Resistant floor Option for a Model 85 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,074.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3FLOOR-Model 86	Part Number GS-02-UL3FLOOR-Model 86	UL 3 BR Floor Option for Model 86 Booth	The UL 3 Bullet Resistant floor Option for a Model 86 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,288.41
UL3FLOOR-Model 88	GS-02-UL3FLOOR-Model 88	UL 3 BR Floor Option for Model 88 Booth	The UL 3 Bullet Resistant floor Option for a Model 88 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,717.88
UL3FLOOR-Model 95	GS-02-UL3FLOOR-Model 95	UL 3 BR Floor Option for Model 95 Booth	The UL 3 Bullet Resistant floor Option for a Model 95 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,207.81
UL3FLOOR-Model 95R	GS-02-UL3FLOOR-Model 95R	UL 3 BR Floor Option - Model 95R Booth	The UL 3 Bullet Resistant floor Option for a Model 95R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,207.81
UL4FLOOR-Model 1010	GS-02-UL4FLOOR-Model 1010	UL 4 BR Floor Option - Model 1010 Booth	The UL 4 Bullet Resistant floor Option for a Model 1010 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,473.55

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4FLOOR-Model 105	Part Number GS-02-UL4FLOOR-Model 105	UL 4 BR Floor Option for Model 105 Booth	The UL 4 Bullet Resistant floor Option for a Model 105 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,736.78
UL4FLOOR-Model 106	GS-02-UL4FLOOR-Model 106	UL 4 BR Floor Option for Model 106 Booth	The UL 4 Bullet Resistant floor Option for a Model 106 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,284.63
UL4FLOOR-Model 108	GS-02-UL4FLOOR-Model 108	UL 4 BR Floor Option for Model 108 Booth	The UL 4 Bullet Resistant floor Option for a Model 108 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,379.09
UL4FLOOR-Model 1210	GS-02-UL4FLOOR-Model 1210	UL 4 BR Floor Option - Model 1210 Booth	The UL 4 Bullet Resistant floor Option for a Model 1210 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,568.01
UL4FLOOR-Model 125	GS-02-UL4FLOOR-Model 125	UL 4 BR Floor Option for Model 125 Booth	The UL 4 Bullet Resistant floor Option for a Model 125 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,284.63

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4FLOOR-Model 125R	Part Number GS-02-UL4FLOOR-Model 125R	UL 4 BR Floor Option - Model 125R Booth	The UL 4 Bullet Resistant floor Option for a Model 125R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,284.63
UL4FLOOR-Model 127R	GS-02-UL4FLOOR-Model 127R	UL 4 BR Floor Option - Model 127R Booth	The UL 4 Bullet Resistant floor Option for a Model 127R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,598.24
UL4FLOOR-Model 128	GS-02-UL4FLOOR-Model 128	UL 4 BR Floor Option for Model 128 Booth	The UL 4 Bullet Resistant floor Option for a Model 128 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,254.41
UL4FLOOR-Model 1466R	GS-02-UL4FLOOR-Model 1466R	UL 4 BR Floor Option-Model 1466RHC Booth	The UL 4 Bullet Resistant floor Option for a Model 1466RHC Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,598.24
UL4FLOOR-Model 2010	GS-02-UL4FLOOR-Model 2010	UL 4 BR Floor Option - Model 2010 Booth	The UL 4 Bullet Resistant floor Option for a Model 2010 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,947.10

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4FLOOR-Model 54	Part Number GS-02-UL4FLOOR-Model 54	UL 4 BR Floor Option for Model 54 Booth	The UL 4 Bullet Resistant floor Option for a Model 54 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,094.46
UL4FLOOR-Model 64	GS-02-UL4FLOOR-Model 64	UL 4 BR Floor Option for Model 64 Booth	The UL 4 Bullet Resistant floor Option for a Model 64 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,313.60
UL4FLOOR-Model 65	GS-02-UL4FLOOR-Model 65	UL 4 BR Floor Option for Model 65 Booth	The UL 4 Bullet Resistant floor Option for a Model 65 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,642.32
UL4FLOOR-Model 66	GS-02-UL4FLOOR-Model 66	UL 4 BR Floor Option for Model 66 Booth	The UL 4 Bullet Resistant floor Option for a Model 66 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,971.03
UL4FLOOR-Model 74	GS-02-UL4FLOOR-Model 74	UL 4 BR Floor Option for Model 74 Booth	The UL 4 Bullet Resistant floor Option for a Model 74 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,532.75

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4FLOOR-Model 75	Part Number GS-02-UL4FLOOR-Model 75	UL 4 BR Floor Option for Model 75 Booth	The UL 4 Bullet Resistant floor Option for a Model 75 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,915.62
UL4FLOOR-Model 75HC	GS-02-UL4FLOOR-Model 75HC	UL 4 BR Floor Option - Model 75HC Booth	The UL 4 Bullet Resistant floor Option for a Model 75HC Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,915.62
UL4FLOOR-Model 84	GS-02-UL4FLOOR-Model 84	UL 4 BR Floor Option for Model 84 Booth	The UL 4 Bullet Resistant floor Option for a Model 84 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,751.89
UL4FLOOR-Model 85	GS-02-UL4FLOOR-Model 85	UL 4 BR Floor Option for Model 85 Booth	The UL 4 Bullet Resistant floor Option for a Model 85 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,188.92
UL4FLOOR-Model 86	GS-02-UL4FLOOR-Model 86	UL 4 BR Floor Option for Model 86 Booth	The UL 4 Bullet Resistant floor Option for a Model 86 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,627.20

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4FLOOR-Model 88	Part Number GS-02-UL4FLOOR-Model 88	UL 4 BR Floor Option for Model 88 Booth	The UL 4 Bullet Resistant floor Option for a Model 88 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,502.52
UL4FLOOR-Model 95	GS-02-UL4FLOOR-Model 95	UL 4 BR Floor Option for Model 95 Booth	The UL 4 Bullet Resistant floor Option for a Model 95 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,463.48
UL4FLOOR-Model 95R	GS-02-UL4FLOOR-Model 95R	UL 4 BR Floor Option - Model 95R Booth	The UL 4 Bullet Resistant floor Option for a Model 95R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,463.48
UL8FLOOR-Model 1010	GS-02-UL8FLOOR-Model 1110	UL 8 BR Floor Option - Model 1010 Booth	The UL 8 Bullet Resistant floor Option for a Model 1010 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,712.85
UL8FLOOR-Model 105	GS-02-UL8FLOOR-Model 105	UL 8 BR Floor Option for Model 105 Booth	The UL 8 Bullet Resistant floor Option for a Model 105 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,356.42

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8FLOOR-Model 106	Part Number GS-02-UL8FLOOR-Model 106	UL 8 BR Floor Option for Model 106 Booth	The UL 8 Bullet Resistant floor Option for a Model 106 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,027.71
UL8FLOOR-Model 108	GS-02-UL8FLOOR-Model 108	UL 8 BR Floor Option for Model 108 Booth	The UL 8 Bullet Resistant floor Option for a Model 108 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,370.28
UL8FLOOR-Model 1210	GS-02-UL8FLOOR-Model 1210	UL 8 BR Floor Option - Model 1210 Booth	The UL 8 Bullet Resistant floor Option for a Model 1210 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,055.42
UL8FLOOR-Model 125	GS-02-UL8FLOOR-Model 125	UL 8 BR Floor Option for Model 125 Booth	The UL 8 Bullet Resistant floor Option for a Model 125 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,027.71
UL8FLOOR-Model 125R	GS-02-UL8FLOOR-Model 125R	UL 8 BR Floor Option - Model 125R Booth	The UL 8 Bullet Resistant floor Option for a Model 125R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,027.71

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8FLOOR-Model 127R	Part Number GS-02-UL8FLOOR-Model 127R	UL 8 BR Floor Option - Model 127R Booth	The UL 8 Bullet Resistant floor Option for a Model 127R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,638.54
UL8FLOOR-Model 128	GS-02-UL8FLOOR-Model 128	UL 8 BR Floor Option for Model 128 Booth	The UL 8 Bullet Resistant floor Option for a Model 128 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,444.58
UL8FLOOR-Model 1466R	GS-02-UL8FLOOR-Model 1466R	UL 8 BR Floor Option-Model 1466RHC Booth	The UL 8 Bullet Resistant floor Option for a Model 1466RHC Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,638.54
UL8FLOOR-Model 2010	GS-02-UL8FLOOR-Model 2010	UL 8 BR Floor Option - Model 2010 Booth	The UL 8 Bullet Resistant floor Option for a Model 2010 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$13,425.69
UL8FLOOR-Model 54	GS-02-UL8FLOOR-Model 54	UL 8 BR Floor Option for Model 54 Booth	The UL 8 Bullet Resistant floor Option for a Model 54 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,342.57

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8FLOOR-Model 64	Part Number GS-02-UL8FLOOR-Model 64	UL 8 BR Floor Option for Model 64 Booth	The UL 8 Bullet Resistant floor Option for a Model 64 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83
UL8FLOOR-Model 65	GS-02-UL8FLOOR-Model 65	UL 8 BR Floor Option for Model 65 Booth	The UL 8 Bullet Resistant floor Option for a Model 65 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,013.85
UL8FLOOR-Model 66	GS-02-UL8FLOOR-Model 66	UL 8 BR Floor Option for Model 66 Booth	The UL 8 Bullet Resistant floor Option for a Model 66 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,416.88
UL8FLOOR-Model 74	GS-02-UL8FLOOR-Model 74	UL 8 BR Floor Option for Model 74 Booth	The UL 8 Bullet Resistant floor Option for a Model 74 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,879.09
UL8FLOOR-Model 75	GS-02-UL8FLOOR-Model 75	UL 8 BR Floor Option for Model 75 Booth	The UL 8 Bullet Resistant floor Option for a Model 75 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,350.13

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8FLOOR-Model 75HC	Part Number GS-02-UL8FLOOR-Model 75HC	UL 8 BR Floor Option - Model 75HC Booth	The UL 8 Bullet Resistant floor Option for a Model 75HC Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,350.13
UL8FLOOR-Model 84	GS-02-UL8FLOOR-Model 84	UL 8 BR Floor Option for Model 84 Booth	The UL 8 Bullet Resistant floor Option for a Model 84 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,148.61
UL8FLOOR-Model 85	GS-02-UL8FLOOR-Model 85	UL 8 BR Floor Option for Model 85 Booth	The UL 8 Bullet Resistant floor Option for a Model 85 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,685.14
UL8FLOOR-Model 86	GS-02-UL8FLOOR-Model 86	UL 8 BR Floor Option for Model 86 Booth	The UL 8 Bullet Resistant floor Option for a Model 86 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,221.66
UL8FLOOR-Model 88	GS-02-UL8FLOOR-Model 88	UL 8 BR Floor Option for Model 88 Booth	The UL 8 Bullet Resistant floor Option for a Model 88 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,295.97

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8FLOOR-Model 95	Part Number GS-02-UL8FLOOR-Model 95	UL 8 BR Floor Option for Model 95 Booth	The UL 8 Bullet Resistant floor Option for a Model 95 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,021.41
UL8FLOOR-Model 95R	GS-02-UL8FLOOR-Model 95R	UL 8 BR Floor Option - Model 95R Booth	The UL 8 Bullet Resistant floor Option for a Model 95R Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,021.41
Guard Booth - BR R	ating Options			
UL1-Model 1010	GS-02-UL1-Model 1010	Model 1010 UL Level 1 BR Upgrade	Upgrade standard Model 1010 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,782.12
UL1-Model 105	GS-02-UL1-Model 105	Model 105 UL Level 1 BR Upgrade	Upgrade standard Model 105 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$13,477.33
UL1-Model 106	GS-02-UL1-Model 106	Model 106 UL Level 1 BR Upgrade	Upgrade standard Model 106 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,138.54
UL1-Model 108	GS-02-UL1-Model 108	Model 108 UL Level 1 BR Upgrade	Upgrade standard Model 108 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$15,459.70
UL1-Model 1210	GS-02-UL1-Model 1210	Model 1210 UL Level 1 BR Upgrade	Upgrade standard Model 1210 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$18,104.53

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1-Model 125	Part Number GS-02-UL1-Model 125	Model 125 UL Level 1 BR Upgrade	Upgrade standard Model 125 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,799.75
UL1-Model 125R	GS-02-UL1-Model 125R	Model 125R UL Level 1 BR Upgrade	Upgrade standard Model 125R Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$13,549.12
UL1-Model 127R	GS-02-UL1-Model 127R	Model 127R UL Level 1 BR Upgrade	Upgrade standard Model 127R Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$15,212.85
UL1-Model 128	GS-02-UL1-Model 128	Model 128 UL Level 1 BR Upgrade	Upgrade standard Model 128 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,782.12
UL1-Model 1466R	GS-02-UL1-Model 1466R	Model 1466RHC UL Level 1 BR Upgrade	Upgrade standard Model 1466RHC Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,510.08
UL1-Model 2010	GS-02-UL1-Model 2010	Model 2010 UL Level 1 BR Upgrade	Upgrade standard Model 2010 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$26,954.66
UL1-Model 44	GS-02-UL1-Model 44	UL Level 1 BR option - Model 44	Upgrade Standard Model 44 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,850.13
UL1-Model 54	GS-02-UL1-Model 54	Model 54 UL Level 1 BR Upgrade	Upgrade standard Model 54 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,511.34

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1-Model 64	Part Number GS-02-UL1-Model 64	Model 64 UL Level 1 BR Upgrade	Upgrade standard Model 64 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,172.54
UL1-Model 65	GS-02-UL1-Model 65	Model 65 UL Level 1 BR Upgrade	Upgrade standard Model 65 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,833.75
UL1-Model 66	GS-02-UL1-Model 66	Model 66 UL Level 1 BR Upgrade	Upgrade standard Model 66 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,494.96
UL1-Model 74	GS-02-UL1-Model 74	Model 74 UL Level 1 BR Upgrade	Upgrade standard Model 64 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,833.75
UL1-Model 75	GS-02-UL1-Model 75	Model 75 UL Level 1 BR Upgrade	Upgrade standard Model 75 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,494.96
UL1-Model 75HC	GS-02-UL1-Model 75HC	Model 75HC UL Level 1 BR Upgrade	Upgrade standard Model 75HC Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,154.91
UL1-Model 84	GS-02-UL1-Model 84	Model 84 UL Level 1 BR Upgrade	Upgrade standard Model 84 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,494.96
UL1-Model 85	GS-02-UL1-Model 85	Model 85 UL Level 1 BR Upgrade	Upgrade standard Model 85 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,154.91

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1-Model 86	Part Number GS-02-UL1-Model 86	Model 86 UL Level 1 BR Upgrade	Upgrade standard Model 86 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,816.12
UL1-Model 88	GS-02-UL1-Model 88	Model 88 UL Level 1 BR Upgrade	Upgrade standard Model 88 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,138.54
UL1-Model 95	GS-02-UL1-Model 95	Model 95 UL Level 1 BR Upgrade	Upgrade standard Model 95 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,816.12
UL1-Model 95R	GS-02-UL1-Model 95R	Model 95R UL Level 1 BR Upgrade	Upgrade standard Model 95R Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 1 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,566.75
UL3-Model 1010	GS-02-UL3-Model 1010	Model 1010 UL Level 3 BR Upgrade	Upgrade standard Model 1010 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$19,880.35
UL3-Model 105	GS-02-UL3-Model 105	Model 105 UL Level 3 BR Upgrade	Upgrade standard Model 105 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$15,801.01
UL3-Model 106	GS-02-UL3-Model 106	Model 106 UL Level 3 BR Upgrade	Upgrade standard Model 106 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,617.13
UL3-Model 108	GS-02-UL3-Model 108	Model 108 UL Level 3 BR Upgrade	Upgrade standard Model 108 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$18,248.11

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3-Model 1210	Part Number GS-02-UL3-Model 1210	Model 1210 UL Level 3 BR Upgrade	Upgrade standard Model 1210 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$21,512.59
UL3-Model 125	GS-02-UL3-Model 125	Model 125 UL Level 3 BR Upgrade	Upgrade standard Model 125 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$17,433.25
UL3-Model 125R	GS-02-UL3-Model 125R	Model 125R UL Level 3 BR Upgrade	Upgrade standard Model 125R Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$15,331.23
UL3-Model 127R	GS-02-UL3-Model 127R	Model 127R UL Level 3 BR Upgrade	Upgrade standard Model 127R Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$17,536.52
UL3-Model 128	GS-02-UL3-Model 128	Model 128 UL Level 3 BR Upgrade	Upgrade standard Model 128 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$19,880.35
UL3-Model 1466R	GS-02-UL3-Model 1466R	Model 1466RHC UL Level 3 BR Upgrade	Upgrade standard Model 1466RHC Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,059.19
UL3-Model 2010	GS-02-UL3-Model 2010	Model 2010 UL Level 3 BR Upgrade	Upgrade standard Model 2010 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$31,602.02
UL3-Model 44	GS-02-UL3-Model 44	Model 44 UL Level 3 BR Upgrade	Upgrade standard Model 44 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,089.42

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3-Model 54	Part Number GS-02-UL3-Model 54	Model 54 UL Level 3 BR Upgrade	Upgrade standard Model 54 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,905.54
UL3-Model 64	GS-02-UL3-Model 64	Model 64 UL Level 3 BR Upgrade	Upgrade standard Model 64 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,721.66
UL3-Model 65	GS-02-UL3-Model 65	Model 65 UL Level 3 BR Upgrade	Upgrade standard Model 65 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,537.78
UL3-Model 66	GS-02-UL3-Model 66	Model 66 UL Level 3 BR Upgrade	Upgrade standard Model 66 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$13,353.90
UL3-Model 74	GS-02-UL3-Model 74	Model 74 UL Level 3 BR Upgrade	Upgrade standard Model 64 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,537.78
UL3-Model 75	GS-02-UL3-Model 75	Model 75 UL Level 3 BR Upgrade	Upgrade standard Model 75 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$13,353.90
UL3-Model 75HC	GS-02-UL3-Model 75HC	Model 75HC UL Level 3 BR Upgrade	Upgrade standard Model 75HC Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,168.77
UL3-Model 84	GS-02-UL3-Model 84	Model 84 UL Level 3 BR Upgrade	Upgrade standard Model 84 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$13,353.90

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3-Model 85	Part Number GS-02-UL3-Model 85	Model 85 UL Level 3 BR Upgrade	Upgrade standard Model 85 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,168.77
UL3-Model 86	GS-02-UL3-Model 86	Model 86 UL Level 3 BR Upgrade	Upgrade standard Model 86 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,984.89
UL3-Model 88	GS-02-UL3-Model 88	Model 88 UL Level 3 BR Upgrade	Upgrade standard Model 88 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,617.13
UL3-Model 95	GS-02-UL3-Model 95	Model 95 UL Level 3 BR Upgrade	Upgrade standard Model 95 Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,984.89
UL3-Model 95R	GS-02-UL3-Model 95R	Model 95R UL Level 3 BR Upgrade	Upgrade standard Model 95R Booth to include Walls, Glazing and (1) Sliding Door constructed from UL Level 3 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,884.13
UL4-Model 1010	GS-02-UL4-Model 1010	Model 1010 UL Level 4 BR Upgrade	Upgrade standard Model 1010 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$28,891.69
UL4-Model 105	GS-02-UL4-Model 105	Model 105 UL Level 4 BR Upgrade	Upgrade standard Model 105 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$22,901.76
UL4-Model 106	GS-02-UL4-Model 106	Model 106 UL Level 4 BR Upgrade	Upgrade standard Model 106 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$24,099.50

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4-Model 108	Part Number GS-02-UL4-Model 108	Model 108 UL Level 4 BR Upgrade	Upgrade standard Model 108 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$26,494.96
UL4-Model 1210	GS-02-UL4-Model 1210	Model 1210 UL Level 4 BR Upgrade	Upgrade standard Model 1210 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$31,287.15
UL4-Model 125	GS-02-UL4-Model 125	Model 125 UL Level 4 BR Upgrade	Upgrade standard Model 125 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$25,297.23
UL4-Model 125R	GS-02-UL4-Model 125R	Model 125R UL Level 4 BR Upgrade	Upgrade standard Model 125R Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$24,161.21
UL4-Model 127R	GS-02-UL4-Model 127R	Model 127R UL Level 4 BR Upgrade	Upgrade standard Model 127R Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$26,866.50
UL4-Model 128	GS-02-UL4-Model 128	Model 128 UL Level 4 BR Upgrade	Upgrade standard Model 128 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$28,891.69
UL4-Model 1466R	GS-02-UL4-Model 1466R	Model 1466RHC UL Level 4 BR Upgrade	Upgrade standard Model 1466RHC Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$26,826.20
UL4-Model 2010	GS-02-UL4-Model 2010	Model 2010 UL Level 4 BR Upgrade	Upgrade standard Model 2010 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$45,802.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4-Model 44	Part Number GS-02-UL4-Model 44	Model 44 UL Level 4 BR Upgrade	Upgrade standard Model 44 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$14,515.11
UL4-Model 54	GS-02-UL4-Model 54	Model 54 UL Level 4 BR Upgrade	Upgrade standard Model 54 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$15,712.85
UL4-Model 64	GS-02-UL4-Model 64	Model 64 UL Level 4 BR Upgrade	Upgrade standard Model 64 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,911.84
UL4-Model 65	GS-02-UL4-Model 65	Model 65 UL Level 4 BR Upgrade	Upgrade standard Model 65 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$18,109.57
UL4-Model 66	GS-02-UL4-Model 66	Model 66 UL Level 4 BR Upgrade	Upgrade standard Model 66 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$19,307.30
UL4-Model 74	GS-02-UL4-Model 74	Model 74 UL Level 4 BR Upgrade	Upgrade standard Model 64 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$18,109.57
UL4-Model 75	GS-02-UL4-Model 75	Model 75 UL Level 4 BR Upgrade	Upgrade standard Model 75 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$19,307.30
UL4-Model 75HC	GS-02-UL4-Model 75HC	Model 75HC UL Level 4 BR Upgrade	Upgrade standard Model 75HC Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$20,505.04

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4-Model 84	Part Number GS-02-UL4-Model 84	Model 84 UL Level 4 BR Upgrade	Upgrade standard Model 84 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$19,307.30
UL4-Model 85	GS-02-UL4-Model 85	Model 85 UL Level 4 BR Upgrade	Upgrade standard Model 85 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$20,505.04
UL4-Model 86	GS-02-UL4-Model 86	Model 86 UL Level 4 BR Upgrade	Upgrade standard Model 86 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$21,702.77
UL4-Model 88	GS-02-UL4-Model 88	Model 88 UL Level 4 BR Upgrade	Upgrade standard Model 88 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$24,099.50
UL4-Model 95	GS-02-UL4-Model 95	Model 95 UL Level 4 BR Upgrade	Upgrade standard Model 95 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$21,702.77
UL4-Model 95R	GS-02-UL4-Model 95R	Model 95R UL Level 4 BR Upgrade	Upgrade standard Model 95R Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 4 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$20,566.75
UL8-Model 1010	GS-02-UL8-Model 1010	Model 1010 UL Level 8 BR Upgrade	Upgrade standard Model 1010 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$35,816.12
UL8-Model 105	GS-02-UL8-Model 105	Model 105 UL Level 8 BR Upgrade	Upgrade standard Model 105 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$28,122.17

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8-Model 106	Part Number GS-02-UL8-Model 106	Model 106 UL Level 8 BR Upgrade	Upgrade standard Model 106 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$29,659.95
UL8-Model 108	GS-02-UL8-Model 108	Model 108 UL Level 8 BR Upgrade	Upgrade standard Model 108 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$32,738.04
UL8-Model 1210	GS-02-UL8-Model 1210	Model 1210 UL Level 8 BR Upgrade	Upgrade standard Model 1210 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$38,892.95
UL8-Model 125	GS-02-UL8-Model 125	Model 125 UL Level 8 BR Upgrade	Upgrade standard Model 125 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$31,198.99
UL8-Model 125R	GS-02-UL8-Model 125R	Model 125R UL Level 8 BR Upgrade	Upgrade standard Model 125R Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$29,551.64
UL8-Model 127R	GS-02-UL8-Model 125R	Model 127R UL Level 8 BR Upgrade	Upgrade standard Model 127R Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$33,079.35
UL8-Model 128	GS-02-UL8-Model 128	Model 128 UL Level 8 BR Upgrade	Upgrade standard Model 128 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$35,816.12
UL8-Model 1466R	GS-02-UL8-Model 1466R	Model 1466RHC UL Level 8 BR Upgrade	Upgrade standard Model 1466RHC Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$35,816.12

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8-Model 2010	Part Number GS-02-UL8-Model 2010	Model 2010 UL Level 8 BR Upgrade	Upgrade standard Model 2010 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$56,243.07
UL8-Model 44	GS-02-UL8-Model 44	Model 44 UL Level 8 BR Upgrade	Upgrade standard Model 44 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$17,350.13
UL8-Model 54	GS-02-UL8-Model 54	Model 54 UL Level 8 BR Upgrade	Upgrade standard Model 54 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$18,889.17
UL8-Model 64	GS-02-UL8-Model 64	Model 64 UL Level 8 BR Upgrade	Upgrade standard Model 64 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$20,428.21
UL8-Model 65	GS-02-UL8-Model 65	Model 65 UL Level 8 BR Upgrade	Upgrade standard Model 65 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$21,965.99
UL8-Model 66	GS-02-UL8-Model 66	Model 66 UL Level 8 BR Upgrade	Upgrade standard Model 66 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$23,505.04
UL8-Model 74	GS-02-UL8-Model 74	Model 74 UL Level 8 BR Upgrade	Upgrade standard Model 64 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$21,965.99
UL8-Model 75	GS-02-UL8-Model 75	Model 75 UL Level 8 BR Upgrade	Upgrade standard Model 75 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$23,505.04

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8-Model 75HC	Part Number GS-02-UL8-Model 75HC	Model 75HC UL Level 8 BR Upgrade	Upgrade standard Model 75HC Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$25,044.08
UL8-Model 84	GS-02-UL8-Model 84	Model 84 UL Level 8 BR Upgrade	Upgrade standard Model 84 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$23,505.04
UL8-Model 85	GS-02-UL8-Model 85	Model 85 UL Level 8 BR Upgrade	Upgrade standard Model 85 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$25,044.08
UL8-Model 86	GS-02-UL8-Model 86	Model 86 UL Level 8 BR Upgrade	Upgrade standard Model 86 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$26,583.12
UL8-Model 88	GS-02-UL8-Model 88	Model 88 UL Level 8 BR Upgrade	Upgrade standard Model 88 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$29,659.95
UL8-Model 95	GS-02-UL8-Model 95	Model 95 UL Level 8 BR Upgrade	Upgrade standard Model 95 Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$26,583.12
UL8-Model 95R Guard Booth - BR I	GS-02-UL8-Model 95R	Model 95R UL Level 8 BR Upgrade	Upgrade standard Model 95R Booth to include Walls, Glazing and (1) Swinging Door constructed from UL Level 8 Bullet Resistant materials - an additional cost to the Base booth price (roof and floor not included in the bullet resistant upgrade - see separate listings below). Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$24,935.77

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1ROOF-Model 1010	Part Number GS-02-UL1ROOF-Model 1010	UL 1 BR Roof Option for Model 1010 Booth	The UL 1 Bullet Resistant Roof Option for a Model 1010 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,221.66
UL1ROOF-Model 105	GS-02-UL1ROOF-Model 105	UL 1 BR Roof Option for Model 105 Booth	The UL 1 Bullet Resistant Roof Option for a Model 105 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83
UL1ROOF-Model 106	GS-02-UL1ROOF-Model 106	UL 1 BR Roof Option for Model 106 Booth	The UL 1 Bullet Resistant Roof Option for a Model 106 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,933.25
UL1ROOF-Model 108	GS-02-UL1ROOF-Model 108	UL 1 BR Roof Option for Model 108 Booth	The UL 1 Bullet Resistant Roof Option for a Model 108 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,578.09
UL1ROOF-Model 1210	GS-02-UL1ROOF-Model 1210	UL 1 BR Roof Option for Model 1210 Booth	The UL 1 Bullet Resistant Roof Option for a Model 1210 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,866.50

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1ROOF-Model 125	Part Number GS-02-UL1ROOF-Model 125	UL 1 BR Roof Option for Model 125 Booth	The UL 1 Bullet Resistant Roof Option for a Model 125 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,933.25
UL1ROOF-Model 125R	GS-02-UL1ROOF-Model 125R	UL 1 BR Roof Option for Model 125R Booth	The UL 1 Bullet Resistant Roof Option for a Model 125R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,933.25
UL1ROOF-Model 127R	GS-02-UL1ROOF-Model 127R	UL 1 BR Roof Option for Model 127R Booth	The UL 1 Bullet Resistant Roof Option for a Model 127R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,706.55
UL1ROOF-Model 128	GS-02-UL1ROOF-Model 128	UL 1 BR Roof Option for Model 128 Booth	The UL 1 Bullet Resistant Roof Option for a Model 128 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,093.20
UL1ROOF-Model 1466R	GS-02-UL1ROOF-Model 1466R	UL 1 BR Roof Option-Model 1466RHC Booth	The UL 1 Bullet Resistant Roof Option for a Model 1466RHC Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,706.55

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1ROOF-Model 2010	Part Number GS-02-UL1ROOF-Model 2010	UL 1 BR Roof Option for Model 2010 Booth	The UL 1 Bullet Resistant Roof Option for a Model 2010 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,444.58
UL1ROOF-Model 44	GS-02-UL1ROOF-Model 44	UL 1 BR Roof Option for a Model 44 Booth	The UL 1 Bullet Resistant Roof Option for a Model 44 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$515.11
UL1ROOF-Model 54	GS-02-UL1ROOF-Model 54	UL 1 BR Roof Option for a Model 54 Booth	The UL 1 Bullet Resistant Roof Option for a Model 54 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$644.84
UL1ROOF-Model 64	GS-02-UL1ROOF-Model 64	UL 1 BR Roof Option for a Model 64 Booth	The UL 1 Bullet Resistant Roof Option for a Model 64 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$773.30
UL1ROOF-Model 65	GS-02-UL1ROOF-Model 65	UL 1 BR Roof Option for a Model 65 Booth	The UL 1 Bullet Resistant Roof Option for a Model 65 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$967.25

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1ROOF-Model 66	Part Number GS-02-UL1ROOF-Model 66	UL 1 BR Roof Option for a Model 66 Booth	The UL 1 Bullet Resistant Roof Option for a Model 66 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,159.95
UL1ROOF-Model 74	GS-02-UL1ROOF-Model 74	UL 1 BR Roof Option for a Model 74 Booth	The UL 1 Bullet Resistant Roof Option for a Model 74 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$903.02
UL1ROOF-Model 75	GS-02-UL1ROOF-Model 75	UL 1 BR Roof Option for a Model 75 Booth	The UL 1 Bullet Resistant Roof Option for a Model 75 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,127.20
UL1ROOF-Model 75HC	GS-02-UL1ROOF-Model 75HC	UL 1 BR Roof Option for Model 75HC Booth	The UL 1 Bullet Resistant Roof Option for a Model 75HC Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,127.20
UL1ROOF-Model 84	GS-02-UL1ROOF-Model 84	UL 1 BR Roof Option for a Model 84 Booth	The UL 1 Bullet Resistant Roof Option for a Model 84 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,030.23

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1ROOF-Model 85	Part Number GS-02-UL1ROOF-Model 85	UL 1 BR Roof Option for a Model 85 Booth	The UL 1 Bullet Resistant Roof Option for a Model 85 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,288.41
UL1ROOF-Model 86	GS-02-UL1ROOF-Model 86	UL 1 BR Roof Option for a Model 86 Booth	The UL 1 Bullet Resistant Roof Option for a Model 86 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,546.60
UL1ROOF-Model 88	GS-02-UL1ROOF-Model 88	UL 1 BR Roof Option for a Model 88 Booth	The UL 1 Bullet Resistant Roof Option for a Model 88 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,062.97
UL1ROOF-Model 95	GS-02-UL1ROOF-Model 95	UL 1 BR Roof Option for a Model 95 Booth	The UL 1 Bullet Resistant Roof Option for a Model 95 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,449.62
UL1ROOF-Model 95R	GS-02-UL1ROOF-Model 95R	UL 1 BR Roof Option for Model 95R Booth	The UL 1 Bullet Resistant Roof Option for a Model 95R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 1 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,449.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3ROOF-Model 1010	Part Number GS-02-UL3ROOF-Model 1010	UL 3 BR Roof Option for Model 1010 Booth	The UL 3 Bullet Resistant Roof Option for a Model 1010 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,221.66
UL3ROOF-Model 105	GS-02-UL3ROOF-Model 105	UL 3 BR Roof Option for Model 105 Booth	The UL 3 Bullet Resistant Roof Option for a Model 105 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83
UL3ROOF-Model 106	GS-02-UL3ROOF-Model 106	UL 3 BR Roof Option for Model 106 Booth	The UL 3 Bullet Resistant Roof Option for a Model 106 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,933.25
UL3ROOF-Model 108	GS-02-UL3ROOF-Model 108	UL 3 BR Roof Option for Model 108 Booth	The UL 3 Bullet Resistant Roof Option for a Model 108 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,578.09
UL3ROOF-Model 1210	GS-02-UL3ROOF-Model 1210	UL 3 BR Roof Option for Model 1210 Booth	The UL 3 Bullet Resistant Roof Option for a Model 1210 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,866.50

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
UL3ROOF-Model 125	GS-02-UL3ROOF-Model 125	UL 3 BR Roof Option for Model 125 Booth	The UL 3 Bullet Resistant Roof Option for a Model 125 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,933.25
UL3ROOF-Model 125R	GS-02-UL3ROOF-Model 125R	UL 3 BR Roof Option for Model 125R Booth	The UL 3 Bullet Resistant Roof Option for a Model 125R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,933.25
UL3ROOF-Model 128	GS-02-UL3ROOF-Model 128	UL 3 BR Roof Option for Model 128 Booth	The UL 3 Bullet Resistant Roof Option for a Model 128 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,093.20
UL3ROOF-Model 1466R	GS-02-UL3ROOF-Model 1466R	UL 3 BR Roof Option-Model 1466RHC Booth	The UL 3 Bullet Resistant Roof Option for a Model 1466RHC Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,706.55
UL3ROOF-Model 2010	GS-02-UL3ROOF-Model 2010	UL 3 BR Roof Option for Model 2010 Booth	The UL 3 Bullet Resistant Roof Option for a Model 2010 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,444.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3ROOF-Model 44	Part Number GS-02-UL3ROOF-Model 44	UL 3 BR Roof Option for a Model 44 Booth	The UL 3 Bullet Resistant Roof Option for a Model 44 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$515.11
UL3ROOF-Model 54	GS-02-UL3ROOF-Model 54	UL 3 BR Roof Option for a Model 54 Booth	The UL 3 Bullet Resistant Roof Option for a Model 54 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$644.84
UL3ROOF-Model 64	GS-02-UL3ROOF-Model 64	UL 3 BR Roof Option for a Model 64 Booth	The UL 3 Bullet Resistant Roof Option for a Model 64 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$773.30
UL3ROOF-Model 65	GS-02-UL3ROOF-Model 65	UL 3 BR Roof Option for a Model 65 Booth	The UL 3 Bullet Resistant Roof Option for a Model 65 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$967.25
UL3ROOF-Model 66	GS-02-UL3ROOF-Model 66	UL 3 BR Roof Option for a Model 66 Booth	The UL 3 Bullet Resistant Roof Option for a Model 66 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,159.95

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3ROOF-Model 74	Part Number GS-02-UL3ROOF-Model 74	UL 3 BR Roof Option for a Model 74 Booth	The UL 3 Bullet Resistant Roof Option for a Model 74 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$903.02
UL3ROOF-Model 75	GS-02-UL3ROOF-Model 75	UL 3 BR Roof Option for a Model 75 Booth	The UL 3 Bullet Resistant Roof Option for a Model 75 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,127.20
UL3ROOF-Model 75HC	GS-02-UL3ROOF-Model 75HC	UL 3 BR Roof Option for Model 75HC Booth	The UL 3 Bullet Resistant Roof Option for a Model 75HC Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,127.20
UL3ROOF-Model 84	GS-02-UL3ROOF-Model 84	UL 3 BR Roof Option for a Model 84 Booth	The UL 3 Bullet Resistant Roof Option for a Model 84 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,030.23
UL3ROOF-Model 85	GS-02-UL3ROOF-Model 85	UL 3 BR Roof Option for a Model 85 Booth	The UL 3 Bullet Resistant Roof Option for a Model 85 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,288.41

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3ROOF-Model 86	Part Number GS-02-UL3ROOF-Model 86	UL 3 BR Roof Option for a Model 86 Booth	The UL 3 Bullet Resistant Roof Option for a Model 86 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,546.60
UL3ROOF-Model 88	GS-02-UL3ROOF-Model 88	UL 3 BR Roof Option for a Model 88 Booth	The UL 3 Bullet Resistant Roof Option for a Model 88 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,062.97
UL3ROOF-Model 95	GS-02-UL3ROOF-Model 95	UL 3 BR Roof Option for a Model 95 Booth	The UL 3 Bullet Resistant Roof Option for a Model 95 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,449.62
UL3ROOF-Model 95R	G5-02-UL3ROOF-Model 95R	UL 3 BR Roof Option for Model 95R Booth	The UL 3 Bullet Resistant Roof Option for a Model 95R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same armor plate P&O material that is included when the option is selected to upgrade the booth wall construction to be Level 3 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,449.62
UL4ROOF-Model 1010	GS-02-UL4ROOF-Model 1010	UL 4 BR Roof Option for Model 1010 Booth	The UL 4 Bullet Resistant Roof Option for a Model 1010 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,568.01

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
UL4ROOF-Model 105	GS-02-UL4ROOF-Model 105	UL 4 BR Roof Option for Model 105 Booth	The UL 4 Bullet Resistant Roof Option for a Model 105 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,284.63
UL4ROOF-Model 106	GS-02-UL4ROOF-Model 106	UL 4 BR Roof Option for Model 106 Booth	The UL 4 Bullet Resistant Roof Option for a Model 106 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,940.81
UL4ROOF-Model 108	GS-02-UL4ROOF-Model 108	UL 4 BR Roof Option for Model 108 Booth	The UL 4 Bullet Resistant Roof Option for a Model 108 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,254.41
UL4ROOF-Model 1210	GS-02-UL4ROOF-Model 1210	UL 4 BR Roof Option for Model 1210 Booth	The UL 4 Bullet Resistant Roof Option for a Model 1210 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,881.61
UL4ROOF-Model 125	GS-02-UL4ROOF-Model 125	UL 4 BR Roof Option for Model 125 Booth	The UL 4 Bullet Resistant Roof Option for a Model 125 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,940.81

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4ROOF-Model 125R	Part Number GS-02-UL4ROOF-Model 125R	UL 4 BR Roof Option for Model 125R Booth	The UL 4 Bullet Resistant Roof Option for a Model 125R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,938.29
UL4ROOF-Model 127R	GS-02-UL4ROOF-Model 127R	UL 4 BR Roof Option for Model 127R Booth	The UL 4 Bullet Resistant Roof Option for a Model 127R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,516.37
UL4ROOF-Model 128	GS-02-UL4ROOF-Model 128	UL 4 BR Roof Option for Model 128 Booth	The UL 4 Bullet Resistant Roof Option for a Model 128 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,306.05
UL4ROOF-Model 1466R	GS-02-UL4ROOF-Model 1466R	UL 4 BR Roof Option-Model 1466RHC Booth	The UL 4 Bullet Resistant Roof Option for a Model 1466RHC Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,516.37
UL4ROOF-Model 2010	GS-02-UL4ROOF-Model 2010	UL 4 BR Roof Option for Model 2010 Booth	The UL 4 Bullet Resistant Roof Option for a Model 2010 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$13,136.02

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4ROOF-Model 54	Part Number GS-02-UL4ROOF-Model 54	UL 4 BR Roof Option for a Model 54 Booth	The UL 4 Bullet Resistant Roof Option for a Model 54 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,313.60
UL4ROOF-Model 64	GS-02-UL4ROOF-Model 64	UL 4 BR Roof Option for a Model 64 Booth	The UL 4 Bullet Resistant Roof Option for a Model 64 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,575.57
UL4ROOF-Model 65	GS-02-UL4ROOF-Model 65	UL 4 BR Roof Option for a Model 65 Booth	The UL 4 Bullet Resistant Roof Option for a Model 65 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,971.03
UL4ROOF-Model 66	GS-02-UL4ROOF-Model 66	UL 4 BR Roof Option for a Model 66 Booth	The UL 4 Bullet Resistant Roof Option for a Model 66 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,365.24
UL4ROOF-Model 74	GS-02-UL4ROOF-Model 74	UL 4 BR Roof Option for a Model 74 Booth	The UL 4 Bullet Resistant Roof Option for a Model 74 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,838.79

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4ROOF-Model 75	Part Number GS-02-UL4ROOF-Model 75	UL 4 BR Roof Option for a Model 75 Booth	The UL 4 Bullet Resistant Roof Option for a Model 75 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,298.49
UL4ROOF-Model 75HC	GS-02-UL4ROOF-Model 75HC	UL 4 BR Roof Option for Model 75HC Booth	The UL 4 Bullet Resistant Roof Option for a Model 75HC Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,298.49
UL4ROOF-Model 84	GS-02-UL4ROOF-Model 84	UL 4 BR Roof Option for a Model 84 Booth	The UL 4 Bullet Resistant Roof Option for a Model 84 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,102.02
UL4ROOF-Model 85	GS-02-UL4ROOF-Model 85	UL 4 BR Roof Option for a Model 85 Booth	The UL 4 Bullet Resistant Roof Option for a Model 85 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,627.20
UL4ROOF-Model 86	GS-02-UL4ROOF-Model 86	UL 4 BR Roof Option for a Model 86 Booth	The UL 4 Bullet Resistant Roof Option for a Model 86 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,152.39

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4ROOF-Model 88	Part Number GS-02-UL4ROOF-Model 88	UL 4 BR Roof Option for a Model 88 Booth	The UL 4 Bullet Resistant Roof Option for a Model 88 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,202.77
UL4ROOF-Model 95	GS-02-UL4ROOF-Model 95	UL 4 BR Roof Option for a Model 95 Booth	The UL 4 Bullet Resistant Roof Option for a Model 95 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,955.92
UL4ROOF-Model 95R	GS-02-UL4ROOF-Model 95R	UL 4 BR Roof Option for Model 95R Booth	The UL 4 Bullet Resistant Roof Option for a Model 95R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 1/4" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 4 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,955.92
UL8ROOF-Model 1010	GS-02-UL8ROOF-Model 1010	UL 8 BR Roof Option for Model 1010 Booth	The UL 8 Bullet Resistant Roof Option for a Model 1010 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,055.42
UL8ROOF-Model 105	G5-02-UL8ROOF-Model 105	UL 8 BR Roof Option for Model 105 Booth	The UL 8 Bullet Resistant floor Option for a Model 105 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,027.71

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8ROOF-Model 106	Part Number GS-02-UL8ROOF-Model 106	UL 8 BR Roof Option for Model 106 Booth	The UL 8 Bullet Resistant Roof Option for a Model 106 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,833.75
UL8ROOF-Model 108	GS-02-UL8ROOF-Model 108	UL 8 BR Roof Option for Model 108 Booth	The UL 8 Bullet Resistant Roof Option for a Model 108 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,444.58
UL8ROOF-Model 1210	GS-02-UL8ROOF-Model 1210	UL 8 BR Roof Option for Model 1210 Booth	The UL 8 Bullet Resistant Roof Option for a Model 1210 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,666.25
UL8ROOF-Model 125	GS-02-UL8ROOF-Model 125	UL 8 BR Roof Option for Model 125 Booth	The UL 8 Bullet Resistant floor Option for a Model 125 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,833.75
UL8ROOF-Model 125R	GS-02-UL8ROOF-Model 125R	UL 8 BR Roof Option for Model 125R Booth	The UL 8 Bullet Resistant Roof Option for a Model 125R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,833.75

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8ROOF-Model 127R	Part Number GS-02-UL8ROOF-Model 127R	UL 8 BR Roof Option for Model 127R Booth	The UL 8 Bullet Resistant Roof Option for a Model 127R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,767.00
UL8ROOF-Model 128	GS-02-UL8ROOF-Model 128	UL 8 BR Roof Option for Model 128 Booth	The UL 8 Bullet Resistant Roof Option for a Model 128 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,733.00
UL8ROOF-Model 1466R	GS-02-UL8ROOF-Model 1466R	UL 8 BR Roof Option-Model 1466RHC Booth	The UL 8 Bullet Resistant Roof Option for a Model 1466RHC Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,767.00
UL8ROOF-Model 2010	GS-02-UL8ROOF-Model 2010	UL 8 BR Roof Option for Model 2010 Booth	The UL 8 Bullet Resistant Roof Option for a Model 2010 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,110.83
UL8ROOF-Model 54	GS-02-UL8ROOF-Model 54	UL 8 BR Roof Option for a Model 54 Booth	The UL 8 Bullet Resistant Roof Option for a Model 54 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,610.83

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8ROOF-Model 64	Part Number GS-02-UL8ROOF-Model 64	UL 8 BR Roof Option for a Model 64 Booth	The UL 8 Bullet Resistant Roof Option for a Model 64 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,933.25
UL8ROOF-Model 65	GS-02-UL8ROOF-Model 65	UL 8 BR Roof Option for a Model 65 Booth	The UL 8 Bullet Resistant Roof Option for a Model 65 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,416.88
UL8ROOF-Model 66	GS-02-UL8ROOF-Model 66	UL 8 BR Roof Option for a Model 66 Booth	The UL 8 Bullet Resistant floor Option for a Model 66 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,900.50
UL8ROOF-Model 74	GS-02-UL8ROOF-Model 74	UL 8 BR Roof Option for a Model 74 Booth	The UL 8 Bullet Resistant Roof Option for a Model 74 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,255.67
UL8ROOF-Model 75	GS-02-UL8ROOF-Model 75	UL 8 BR Roof Option for a Model 75 Booth	The UL 8 Bullet Resistant Roof Option for a Model 75 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,819.90

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8ROOF-Model 75HC	Part Number GS-02-UL8ROOF-Model 75HC	UL 8 BR Roof Option for Model 75HC Booth	The UL 8 Bullet Resistant Roof Option for a Model 75HC Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,819.90
UL8ROOF-Model 84	GS-02-UL8ROOF-Model 84	UL 8 BR Roof Option for a Model 84 Booth	The UL 8 Bullet Resistant Roof Option for a Model 84 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,578.09
UL8ROOF-Model 85	GS-02-UL8ROOF-Model 85	UL 8 BR Roof Option for a Model 85 Booth	The UL 8 Bullet Resistant floor Option for a Model 85 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,221.66
UL8ROOF-Model 86	GS-02-UL8ROOF-Model 86	UL 8 BR Roof Option for a Model 86 Booth	The UL 8 Bullet Resistant Roof Option for a Model 86 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,866.50
UL8ROOF-Model 88	GS-02-UL8ROOF-Model 88	UL 8 BR Roof Option for a Model 88 Booth	The UL 8 Bullet Resistant Roof Option for a Model 88 Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,154.91

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8ROOF-Model 95	Part Number GS-02-UL8ROOF-Model 95	UL 8 BR Roof Option for a Model 95 Booth	The UL 8 Bullet Resistant floor Option for a Model 95 Booth upgrades the standard floor construction to include the addition of bullet resistant armor plate material to the floor of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,624.69
UL8ROOF-Model 95R	GS-02-UL8ROOF-Model 95R	UL 8 BR Roof Option for Model 95R Booth	The UL 8 Bullet Resistant Roof Option for a Model 95R Booth upgrades the standard roof construction to include the addition of bullet resistant armor plate material to the roof of the booth. This is the same 5/16" armor plate material that is included when the option is selected to upgrade the booth wall construction to be Level 8 Bullet Resistant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,624.69
Guard Booth - Canop	y Options			
12"CAN-Model 1010	GS-02-12"CAN-Model 1010	12" Canopy Option for a Model 1010 Booth	The 12" Canopy Option for a Model 1010 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,055.42
12"CAN-Model 105	GS-02-12"CAN-Model 105	12" Canopy Option for a Model 105 Booth	The 12" Canopy Option for a Model 105 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,374.06
12"CAN-Model 106	GS-02-12"CAN-Model 106	12" Canopy Option for a Model 106 Booth	The 12" Canopy Option for a Model 106 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,414.36
12"CAN-Model 108	GS-02-12"CAN-Model 108	12" Canopy Option for a Model 108 Booth	The 12" Canopy Option for a Model 108 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,200.25
12"CAN-Model 1210	GS-02-12"CAN-Model 1210	12" Canopy Option for a Model 1210 Booth	The 12" Canopy Option for a Model 1210 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,671.28
-		+	•	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12"CAN-Model 125	Part Number GS-02-12"CAN-Model 125	12" Canopy Option for a Model 125 Booth	The 12" Canopy Option for a Model 125 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,539.04
12"CAN-Model 125R	GS-02-12"CAN-Model 125R	12" Canopy Option for a Model 125R Booth	The 12" Canopy Option for a Model 125R Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,605.79
12"CAN-Model 127R	GS-02-12"CAN-Model 127R	12" Canopy Option for a Model 127R Booth	The 12" Canopy Option for a Model 127R Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,148.61
12"CAN-Model 128	GS-02-12"CAN-Model 128	12" Canopy Option for a Model 128 Booth	The 12" Canopy Option for a Model 128 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,055.42
12"CAN-Model 1466R	GS-02-12"CAN-Model 1466R	12" Canopy Option - Model 1466RHC Booth	The 12" Canopy Option for a Model 1466RHC Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,148.61
12"CAN-Model 2010	GS-02-12"CAN-Model 2010	12" Canopy Option for a Model 2010 Booth	The 12" Canopy Option for a Model 2010 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,355.16
12"CAN-Model 44	GS-02-12"CAN-Model 44	12" Canopy Option for a Model 44 Booth	The 12" Canopy Option for a Model 44 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$944.58
12"CAN-Model 54	GS-02-12"CAN-Model 54	12" Canopy Option for a Model 54 Booth	The 12" Canopy Option for a Model 54 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$806.05

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12"CAN-Model 64	Part Number GS-02-12"CAN-Model 64	12" Canopy Option for a Model 64 Booth	The 12" Canopy Option for a Model 64 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$656.17
12"CAN-Model 65	GS-02-12"CAN-Model 65	12" Canopy Option for a Model 65 Booth	The 12" Canopy Option for a Model 65 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,012.59
12"CAN-Model 66	GS-02-12"CAN-Model 66	12" Canopy Option for a Model 66 Booth	The 12" Canopy Option for a Model 66 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,125.94
12"CAN-Model 74	GS-02-12"CAN-Model 74	12" Canopy Option for a Model 74 Booth	The 12" Canopy Option for a Model 74 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$996.22
12"CAN-Model 75	GS-02-12"CAN-Model 75	12" Canopy Option for a Model 75 Booth	The 12" Canopy Option for a Model 75 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,162.47
12"CAN-Model 75HC	GS-02-12"CAN-Model 75HC	12" Canopy Option for a Model 75HC Booth	The 12" Canopy Option for a Model 75HC Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,110.83
12"CAN-Model 84	GS-02-12"CAN-Model 84	12" Canopy Option for a Model 84 Booth	The 12" Canopy Option for a Model 84 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,074.31
12"CAN-Model 85	GS-02-12"CAN-Model 85	12" Canopy Option for a Model 85 Booth	The 12" Canopy Option for a Model 85 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,280.86

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12"CAN-Model 86	GS-02-12"CAN-Model 86	12" Canopy Option for a Model 86 Booth	The 12" Canopy Option for a Model 86 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,342.57
12"CAN-Model 88	GS-02-12"CAN-Model 88	12" Canopy Option for a Model 88 Booth	The 12" Canopy Option for a Model 88 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,414.36
12"CAN-Model 95	GS-02-12"CAN-Model 95	12" Canopy Option for a Model 95 Booth	The 12" Canopy Option for a Model 95 Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,342.57
12"CAN-Model 95R	GS-02-12"CAN-Model 95R	12" Canopy Option for a Model 95R Booth	The 12" Canopy Option for a Model 95R Booth increases the length of the standard 3" canopy overhang to 12". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,342.57
6"CAN-Model 1010	GS-02-6"CAN-Model 1010	6" Canopy Option for a Model 1010 Booth	The 6" Canopy Option for a Model 1010 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,130.98
6"CAN-Model 105	GS-02-6"CAN-Model 105	6" Canopy Option for a Model 105 Booth	The 6" Canopy Option for a Model 105 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$418.14
6"CAN-Model 106	GS-02-6"CAN-Model 106	6" Canopy Option for a Model 106 Booth	The 6" Canopy Option for a Model 106 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$397.98
6"CAN-Model 108	GS-02-6"CAN-Model 108	6" Canopy Option for a Model 108 Booth	The 6" Canopy Option for a Model 108 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,069.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 6"CAN-Model 1210	Part Number GS-02-6"CAN-Model 1210	6" Canopy Option for a Model 1210 Booth	The 6" Canopy Option for a Model 1210 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,527.71
6"CAN-Model 125	GS-02-6"CAN-Model 125	6" Canopy Option for a Model 125 Booth	The 6" Canopy Option for a Model 125 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$444.58
6"CAN-Model 125R	GS-02-6"CAN-Model 125R	6" Canopy Option for a Model 125R Booth	The 6" Canopy Option for a Model 125R Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$501.26
6"CAN-Model 127R	GS-02-6"CAN-Model 127R	6" Canopy Option for a Model 127R Booth	The 6" Canopy Option for a Model 127R Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
6"CAN-Model 128	GS-02-6"CAN-Model 128	6" Canopy Option for a Model 128 Booth	The 6" Canopy Option for a Model 128 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,130.98
6"CAN-Model 1466R	GS-02-6"CAN-Model 1466R	6" Canopy Option for Model 1466RHC Booth	The 6" Canopy Option for a Model 1466RHC Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
6"CAN-Model 2010	GS-02-6"CAN-Model 2010	6" Canopy Option for a Model 2010 Booth	The 6" Canopy Option for a Model 2010 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,916.88
6"CAN-Model 44	GS-02-6"CAN-Model 44	6" Canopy Option for a Model 44 Booth	The 6" Canopy Option for a Model 44 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$423.17
	+	+	+	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 6"CAN-Model 54	Part Number GS-02-6"CAN-Model 54	6" Canopy Option for a Model 54 Booth	The 6" Canopy Option for a Model 54 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$221.66
6"CAN-Model 64	GS-02-6"CAN-Model 64	6" Canopy Option for a Model 64 Booth	The 6" Canopy Option for a Model 64 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$175.06
6"CAN-Model 65	GS-02-6"CAN-Model 65	6" Canopy Option for a Model 65 Booth	The 6" Canopy Option for a Model 65 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
6"CAN-Model 66	GS-02-6"CAN-Model 66	6" Canopy Option for a Model 66 Booth	The 6" Canopy Option for a Model 66 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$392.95
6"CAN-Model 74	GS-02-6"CAN-Model 74	6" Canopy Option for a Model 74 Booth	The 6" Canopy Option for a Model 74 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$289.67
6"CAN-Model 75	GS-02-6"CAN-Model 75	6" Canopy Option for a Model 75 Booth	The 6" Canopy Option for a Model 75 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$418.14
6"CAN-Model 75HC	GS-02-6"CAN-Model 75HC	6" Canopy Option for a Model 75HC Booth	The 6" Canopy Option for a Model 75HC Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$329.97
6"CAN-Model 84	GS-02-6"CAN-Model 84	6" Canopy Option for a Model 84 Booth	The 6" Canopy Option for a Model 84 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$309.82

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 6"CAN-Model 85	Part Number GS-02-6"CAN-Model 85	6" Canopy Option for a Model 85 Booth	The 6" Canopy Option for a Model 85 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$449.62
6"CAN-Model 86	GS-02-6"CAN-Model 86	6" Canopy Option for a Model 86 Booth	The 6" Canopy Option for a Model 86 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$381.61
6"CAN-Model 88	GS-02-6"CAN-Model 88	6" Canopy Option for a Model 88 Booth	The 6" Canopy Option for a Model 88 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$397.98
6"CAN-Model 95	GS-02-6"CAN-Model 95	6" Canopy Option for a Model 95 Booth	The 6" Canopy Option for a Model 95 Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$452.14
6"CAN-Model 95R	GS-02-6"CAN-Model 95R	6" Canopy Option for a Model 95R Booth	The 6" Canopy Option for a Model 95R Booth increases the length of the standard 3" canopy overhang to 6". This is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$449.62
Guard Booth - CENT	TRY Options			
CEN-Model 1010	GS-02-CEN-Model 1010	CENTRY Option for a Model 1010 Booth	The CENTRY Option for a Model 1010 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CEN-Model 105	Part Number GS-02-CEN-Model 105	CENTRY Option for a Model 105 Booth	The CENTRY Option for a Model 105 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by additional modifications in the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,474.81
CEN-Model 106	GS-02-CEN-Model 106	CENTRY Option for a Model 106 Booth	The CENTRY Option for a Model 106 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,474.81
CEN-Model 108	GS-02-CEN-Model 108	CENTRY Option for a Model 108 Booth	The CENTRY Option for a Model 108 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,474.81
CEN-Model 1210	GS-02-CEN-Model 1210	CENTRY Option for a Model 1210 Booth	The CENTRY Option for a Model 1210 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CEN-Model 125	Part Number GS-02-CEN-Model 125	CENTRY Option for a Model 125 Booth	The CENTRY Option for a Model 125 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,474.81
CEN-Model 125R	GS-02-CEN-Model 125R	CENTRY Option for a Model 125R Booth	The CENTRY Option for a Model 125R booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,474.81
CEN-Model 127R	GS-02-CEN-Model 127R	CENTRY Option for a Model 127R Booth	The CENTRY Option for a Model 127R booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73
CEN-Model 128	GS-02-CEN-Model 128	CENTRY Option for a Model 128 Booth	The CENTRY Option for a Model 128 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
CEN-Model 1466R	GS-02-CEN-Model 1466R	CENTRY Option for a Model 1466RHC Booth	The CENTRY Option for a Model 1466RHC booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73
CEN-Model 2010	GS-02-CEN-Model 2010	CENTRY Option for a Model 2010 Booth	The CENTRY Option for a Model 2010 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73
CEN-Model 54	GS-02-CEN-Model 54	CENTRY Option for a Model 54 Booth	The CENTRY Option for a Model 54 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
CEN-Model 64	GS-02-CEN-Model 64	CENTRY Option for a Model 64 Booth	The CENTRY Option for a Model 64 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CEN-Model 65	Part Number GS-02-CEN-Model 65	CENTRY Option for a Model 65 Booth	The CENTRY Option for a Model 65 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
CEN-Model 66	GS-02-CEN-Model 66	CENTRY Option for a Model 66 Booth	The CENTRY Option for a Model 66 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
CEN-Model 74	GS-02-CEN-Model 74	CENTRY Option for a Model 74 Booth	The CENTRY Option for a Model 74 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by additing 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
CEN-Model 75	GS-02-CEN-Model 75	CENTRY Option for a Model 75 Booth	The CENTRY Option for a Model 75 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
CEN-Model 75HC	GS-02-CEN-Model 75HC	CENTRY Option for a Model 75HC Booth	The CENTRY Option for a Model 75HC booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
CEN-Model 84	GS-02-CEN-Model 84	CENTRY Option for a Model 84 Booth	The CENTRY Option for a Model 84 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
CEN-Model 85	GS-02-CEN-Model 85	CENTRY Option for a Model 85 Booth	The CENTRY Option for a Model 85 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
CEN-Model 86	GS-02-CEN-Model 86	CENTRY Option for a Model 86 Booth	The CENTRY Option for a Model 86 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CEN-Model 88	Part Number GS-02-CEN-Model 88	CENTRY Option for a Model 88 Booth	The CENTRY Option for a Model 88 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,474.81
CEN-Model 95	GS-02-CEN-Model 95	CENTRY Option for a Model 95 Booth	The CENTRY Option for a Model 95 booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
CEN-Model 95R	GS-02-CEN-Model 95R	CENTRY Option for a Model 95R Booth	The CENTRY Option for a Model 95R booth modifies the standard booth to the CENTRY premium design. This premium design offers a change to the standard rectangular booth by adding 3" radius corners to the booth and its canopy. Additional modifications in the CENTRY design are: a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CENTRY design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,253.15
		Guard Booth - CURVUE Options		
1/2CURVUE-Model 105	GS-02-1/2CURVUE-Model 105	1/2 CURVUE Option for a Model 105 Booth	The HALF CURVUE Option for a Model 105 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 1/2CURVUE-Model 106	GS-02-1/2CURVUE-Model 106	1/2 CURVUE Option for a Model 106 Booth	The HALF CURVUE Option for a Model 106 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
1/2CURVUE-Model 125	GS-02-1/2CURVUE-Model 125	1/2 CURVUE Option for a Model 125 Booth	The HALF CURVUE Option for a Model 125 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
1/2CURVUE-Model 125R	GS-02-1/2CURVUE-Model 125R	1/2 CURVUE Option for a Model 125R Booth	The HALF CURVUE Option for a Model 125R booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
1/2CURVUE-Model 64	GS-02-1/2CURVUE-Model 64	1/2 CURVUE Option for a Model 64 Booth	The HALF CURVUE Option for a Model 64 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Due to the size requirements of a HALF CURVUE booth, the length of this booth will need to be extended to 6'4" to allow for full operation of the sliding steel door. Freight NOT included in the item	\$2,468.51

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
1/2CURVUE-Model 74	GS-02-1/2CURVUE-Model 74	1/2 CURVUE Option for a Model 74 Booth	The HALF CURVUE Option for a Model 74 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
1/2CURVUE-Model 75	GS-02-1/2CURVUE-Model 75	1/2 CURVUE Option for a Model 75 Booth	The HALF CURVUE Option for a Model 75 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
1/2CURVUE-Model 75HC	GS-02-1/2CURVUE-Model 75HC	1/2 CURVUE Option for a Model 75HC Booth	The HALF CURVUE Option for a Model 75HC booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
1/2CURVUE-Model 84	GS-02-1/2CURVUE-Model 84	1/2 CURVUE Option for a Model 84 Booth	The HALF CURVUE Option for a Model 84 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 1/2CURVUE-Model 85	Part Number GS-02-1/2CURVUE-Model 85	1/2 CURVUE Option for a Model 85 Booth	The HALF CURVUE Option for a Model 85 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
1/2CURVUE-Model 95	GS-02-1/2CURVUE-Model 95	1/2 CURVUE Option for a Model 95 Booth	The HALF CURVUE Option for a Model 95 booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
1/2CURVUE-Model 95R	GS-02-1/2CURVUE-Model 95R	1/2 CURVUE Option for a Model 95R Booth	The HALF CURVUE Option for a Model 95R booth modifies the standard booth to the HALF CURVUE premium design. The main feature of the HALF CURVUE premium design is the unique rounded front end of the booth. Additional modifications in the HALF CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved front end of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the HALF CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,468.51
CURVUE-Model 105	GS-02-CURVUE-Model 105	CURVUE Option for a Model 105 Booth	The CURVUE Option for a Model 105 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number CURVUE-Model 106	GS-02-CURVUE-Model 106	CURVUE Option for a Model 106 Booth	The CURVUE Option for a Model 106 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73
CURVUE-Model 125	GS-02-CURVUE-Model 125	CURVUE Option for a Model 125 Booth	The CURVUE Option for a Model 125 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73
CURVUE-Model 125R	GS-02-CURVUE-Model 125R	CURVUE Option for a Model 125R Booth	The CURVUE Option for a Model 125R booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73
CURVUE-Model 74	GS-02-CURVUE-Model 74	CURVUE Option for a Model 74 Booth	The CURVE Option for a Model 74 booth modifies the standard booth to the CURVE premium design. The main feature of the CURVE premium design is the unique rounded ends of the booth. Additional modifications in the CURVE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 74 CURVE, a swinging steel door upgrade is required. The upgrade to the CURVE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73

Part Number	Contractor	Product Name	Product Description	GSA Price
Part Number CURVUE-Model 75	Part Number GS-02-CURVUE-Model 75	CURVUE Option for a Model 75 Booth	The CURVUE Option for a Model 75 booth modifies the standard booth to the CURVUE premium design.	\$3,697.73
			The main feature of the CURVUE premium design is	
			the unique rounded ends of the booth. Additional	
			modifications in the CURVUE design are: a flush	
			fascia that extends 11" above the window line; 3/16"	
			clear polycarbonate glazing in the curved ends of the	
			booth; a recessed counter mounted 32" above the	
			floor; a two-lamp surface mounted light fixture with	
			an acrylic lens and a wall switch; and the upgrade	
			from aluminum window framing to painted steel	
			window framing. Due to the size limitations of the	
			Model 75 CURVUE, a swinging steel door upgrade is	
			required. The upgrade to the CURVUE design is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
CURVUE-Model 84	GS-02-CURVUE-Model 84	CUDVILE Option for a Model 94 Booth	delivery location.	¢2 607 72
CORVOE-IVIOGEI 84	G3-02-CORVOE-IVIOGEI 84	CURVUE Option for a Model 84 Booth	The CURVUE Option for a Model 84 booth modifies the standard booth to the CURVUE premium design.	\$3,697.73
			The main feature of the CURVUE premium design is	
			the unique rounded ends of the booth. Additional	
			modifications in the CURVUE design are: a flush	
			fascia that extends 11" above the window line; 3/16"	
			clear polycarbonate glazing in the curved ends of the	
			booth; a recessed counter mounted 32" above the	
			floor; a two-lamp surface mounted light fixture with	
			an acrylic lens and a wall switch; and the upgrade	
			from aluminum window framing to painted steel	
			window framing. The upgrade to the CURVUE design	
			is an additional cost to the base booth price. Freight	
			NOT included in the item price. Freight is an	
			additional charge and is calculated from the factory	
			to the delivery location.	
CURVUE-Model 85	GS-02-CURVUE-Model 85	CURVUE Option for a Model 85 Booth	The CURVUE Option for a Model 85 booth modifies	\$3,697.73
			the standard booth to the CURVUE premium design.	
			The main feature of the CURVUE premium design is	
			the unique rounded ends of the booth. Additional	
			modifications in the CURVUE design are: a flush	
			fascia that extends 11" above the window line; 3/16"	
			clear polycarbonate glazing in the curved ends of the	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional	
			clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT	
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design.	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16"	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item pice. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an	\$3,697.73
CURVUE-Model 95	GS-02-CURVUE-Model 95	CURVUE Option for a Model 95 Booth	clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 85 CURVUE, a swinging steel door upgrade is required. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The CURVUE Option for a Model 95 booth modifies the standard booth to the CURVUE premium design. The main feature of the CURVUE premium design. The main feature of the CURVUE premium design is the unique rounded ends of the booth. Additional modifications in the CURVUE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the CURVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory	\$3,697.73

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLDUPO-Model 1010	Part Number GS-02-ADDTLDUPO-Model 1010	Additional Duplex Outlet-Model 1010	The Additional Duplex Outlet Option for a Model 1010 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 105	GS-02-ADDTLDUPO-Model 105	Additional Duplex Outlet-Model 105	The Additional Duplex Outlet Option for a Model 105 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 106	GS-02-ADDTLDUPO-Model 106	Additional Duplex Outlet-Model 106	The Additional Duplex Outlet Option for a Model 106 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 108	GS-02-ADDTLDUPO-Model 108	Additional Duplex Outlet-Model 108	The Additional Duplex Outlet Option for a Model 108 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 1210	GS-02-ADDTLDUPO-Model 1210	Additional Duplex Outlet-Model 1210	The Additional Duplex Outlet Option for a Model 1210 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 125	GS-02-ADDTLDUPO-Model 125	Additional Duplex Outlet-Model 125	The Additional Duplex Outlet Option for a Model 125 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLDUPO-Model 125R	Part Number GS-02-ADDTLDUPO-Model 125R	Additional Duplex Outlet-Model 125R	The Additional Duplex Outlet Option for a Model 125R Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 127R	GS-02-ADDTLDUPO-Model 127R	Additional Duplex Outlet-Model 127R	The Additional Duplex Outlet Option for a Model 127R Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 128	GS-02-ADDTLDUPO-Model 128	Additional Duplex Outlet-Model 128	The Additional Duplex Outlet Option for a Model 128 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 1466R	GS-02-ADDTLDUPO-Model 1466R	Additional Duplex Outlet-Model 1466RHC	The Additional Duplex Outlet Option for a Model 1466RHC Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 2010	GS-02-ADDTLDUPO-Model 2010	Additional Duplex Outlet-Model 2010	The Additional Duplex Outlet Option for a Model 2010 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 44	GS-02-ADDTLDUPO-Model 44	Additional Duplex Outlet-Model 44	The Additional Duplex Outlet Option for a Model 44 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
ADDTLDUPO-Model 54	GS-02-ADDTLDUPO-Model 54	Additional Duplex Outlet-Model 54	The Additional Duplex Outlet Option for a Model 54 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 64	GS-02-ADDTLDUPO-Model 64	Additional Duplex Outlet-Model 64	The Additional Duplex Outlet Option for a Model 64 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 65	GS-02-ADDTLDUPO-Model 65	Additional Duplex Outlet-Model 65	The Additional Duplex Outlet Option for a Model 65 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 66	GS-02-ADDTLDUPO-Model 66	Additional Duplex Outlet-Model 66	The Additional Duplex Outlet Option for a Model 66 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 74	GS-02-ADDTLDUPO-Model 74	Additional Duplex Outlet-Model 74	The Additional Duplex Outlet Option for a Model 74 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 75	GS-02-ADDTLDUPO-Model 75	Additional Duplex Outlet-Model 75	The Additional Duplex Outlet Option for a Model 75 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLDUPO-Model 75HC	Part Number GS-02-ADDTLDUPO-Model 75HC	Additional Duplex Outlet-Model 75HC	The Additional Duplex Outlet Option for a Model 75HC Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 84	GS-02-ADDTLDUPO-Model 84	Additional Duplex Outlet-Model 84	The Additional Duplex Outlet Option for a Model 84 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 85	GS-02-ADDTLDUPO-Model 85	Additional Duplex Outlet-Model 85	The Additional Duplex Outlet Option for a Model 85 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 86	GS-02-ADDTLDUPO-Model 86	Additional Duplex Outlet-Model 86	The Additional Duplex Outlet Option for a Model 86 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the base booth is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 88	GS-02-ADDTLDUPO-Model 88	Additional Duplex Outlet-Model 88	The Additional Duplex Outlet Option for a Model 88 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
ADDTLDUPO-Model 95	GS-02-ADDTLDUPO-Model 95	Additional Duplex Outlet-Model 95	The Additional Duplex Outlet Option for a Model 95 Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLDUPO-Model 95R	Part Number GS-02-ADDTLDUPO-Model 95R	Additional Duplex Outlet-Model 95R	The Additional Duplex Outlet Option for a Model 95R Booth. This option provides for the addition of interior duplex electrical outlets to the booth. The first duplex outlet is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option for additional outlets is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$113.35
DPJ-Model 1010	GS-02-DPJ-Model 1010	Data Jack Option-Model 1010 Booth	The Data Jack Option for a Model 1010 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 105	GS-02-DPJ-Model 105	Data Jack Option-Model 105 Booth	The Data Jack Option for a Model 105 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 106	GS-02-DPJ-Model 106	Data Jack Option-Model 106 Booth	The Data Jack Option for a Model 106 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 108	GS-02-DPJ-Model 108	Data Jack Option-Model 108 Booth	The Data Jack Option for a Model 108 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 1210	GS-02-DPJ-Model 1210	Data Jack Option-Model 1210 Booth	The Data Jack Option for a Model 1210 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 125	GS-02-DPJ-Model 125	Data Jack Option-Model 125 Booth	The Data Jack Option for a Model 125 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 125R	GS-02-DPJ-Model 125R	Data Jack Option-Model 125R Booth	The Data Jack Option for a Model 125R Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 127R	GS-02-DPJ-Model 127R	Data Jack Option-Model 127R Booth	The Data Jack Option for a Model 127R Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number DPJ-Model 128	Part Number GS-02-DPJ-Model 128	Data Jack Option-Model 128 Booth	The Data Jack Option for a Model 128 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 1466R	GS-02-DPJ-Model 1466R	Data Jack Option-Model 1466RHC Booth	The Data Jack Option for a Model 1466RHC Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 2010	GS-02-DPJ-Model 2010	Data Jack Option-Model 2010 Booth	The Data Jack Option for a Model 2010 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 44	GS-02-DPJ-Model 44	Data Jack Option-Model 44 Booth	The Data Jack Option for a Model 44 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 54	GS-02-DPJ-Model 54	Data Jack Option-Model 54 Booth	The Data Jack Option for a Model 54 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 64	GS-02-DPJ-Model 64	Data Jack Option-Model 64 Booth	The Data Jack Option for a Model 64 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 65	GS-02-DPJ-Model 65	Data Jack Option-Model 65 Booth	The Data Jack Option for a Model 65 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 66	GS-02-DPJ-Model 66	Data Jack Option-Model 66 Booth	The Data Jack Option for a Model 66 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 74	GS-02-DPJ-Model 74	Data Jack Option-Model 74 Booth	The Data Jack Option for a Model 74 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 75	GS-02-DPJ-Model 75	Data Jack Option-Model 75 Booth	The Data Jack Option for a Model 75 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number DPJ-Model 75HC	Part Number GS-02-DPJ-Model 75HC	Data Jack Option-Model 75HC Booth	The Data Jack Option for a Model 75HC Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 84	GS-02-DPJ-Model 84	Data Jack Option-Model 84 Booth	The Data Jack Option for a Model 84 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 85	GS-02-DPJ-Model 85	Data Jack Option-Model 85 Booth	The Data Jack Option for a Model 85 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 86	GS-02-DPJ-Model 86	Data Jack Option-Model 86 Booth	The Data Jack Option for a Model 86 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 88	GS-02-DPJ-Model 88	Data Jack Option-Model 88 Booth	The Data Jack Option for a Model 88 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 95	GS-02-DPJ-Model 95	Data Jack Option-Model 95 Booth	The Data Jack Option for a Model 95 Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
DPJ-Model 95R	GS-02-DPJ-Model 95R	Data Jack Option-Model 95R Booth	The Data Jack Option for a Model 95R Booth. This option adds a single Data Jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
GEN-Model 44	GS-02-GEN-Model 44	4KW Generator-Trailer Mounted Model 44	The 4KW Yamaha Generator Option for Trailer Mounted Booth for a Model 44 Booth. This option adds a 4KW Yamaha gasoline powered generator for use as a power source for this booth. The generator is mounted on the bed of the trailer, and is connected to the booth by a power cord. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,149.87
GEN-Model 64	GS-02-GEN-Model 64	4KW Generator-Trailer Mounted Model 64	The 4KW Yamaha Generator Option for Trailer Mounted Booth for a Model 64 Booth. This option adds a 4KW Yamaha gasoline powered generator for use as a power source for this booth. The generator is mounted on the bed of the trailer, and is connected to the booth by a power cord. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,149.87

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number GEN-Model 65	Part Number GS-02-GEN-Model 65	4KW Generator-Trailer Mounted Model 65	The 4KW Yamaha Generator Option for Trailer Mounted Booth for a Model 65 Booth. This option adds a 4KW Yamaha gasoline powered generator for use as a power source for this booth. The generator is mounted on the bed of the trailer, and is connected to the booth by a power cord. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,149.87
GEN-Model 86	GS-02-GEN-Model 86	4KW Generator-Trailer Mounted Model 86	The 4KW Yamaha Generator Option for Trailer Mounted Booth for a Model 86 Booth. This option adds a 4KW Yamaha gasoline powered generator for use as a power source for this booth. The generator is mounted on the bed of the trailer, and is connected to the booth by a power cord. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,149.87
QUADO-Model 1010	GS-02-QUADO-Model 1010	Quad Outlet Option-Model 1010 Booth	The Quad Outlet Option for a Model 1010 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 105	GS-02-QUADO-Model 105	Quad Outlet Option-Model 105 Booth	The Quad Outlet Option for a Model 105 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 106	GS-02-QUADO-Model 106	Quad Outlet Option-Model 106 Booth	The Quad Outlet Option for a Model 106 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 108	GS-02-QUADO-Model 108	Quad Outlet Option-Model 108 Booth	The Quad Outlet Option for a Model 108 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 1210	GS-02-QUADO-Model 1210	Quad Outlet Option-Model 1210 Booth	The Quad Outlet Option for a Model 1210 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 125	GS-02-QUADO-Model 125	Quad Outlet Option-Model 125 Booth	The Quad Outlet Option for a Model 125 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number QUADO-Model 125R	Part Number GS-02-QUADO-Model 125R	Quad Outlet Option-Model 125R Booth	The Quad Outlet Option for a Model 125R Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 127R	GS-02-QUADO-Model 127R	Quad Outlet Option-Model 127R Booth	The Quad Outlet Option for a Model 127R Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 128	GS-02-QUADO-Model 128	Quad Outlet Option-Model 128 Booth	The Quad Outlet Option for a Model 128 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 1466R	GS-02-QUADO-Model 1466R	Quad Outlet Option-Model 1466RHC Booth	The Quad Outlet Option for a Model 1466RHC Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 2010	GS-02-QUADO-Model 2010	Quad Outlet Option-Model 2010 Booth	The Quad Outlet Option for a Model 2010 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 44	GS-02-QUADO-Model 44	Quad Outlet Option-Model 44 Booth	The Quad Outlet Option for a Model 44 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 54	GS-02-QUADO-Model 54	Quad Outlet Option-Model 54 Booth	The Quad Outlet Option for a Model 54 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 64	GS-02-QUADO-Model 64	Quad Outlet Option-Model 64 Booth	The Quad Outlet Option for a Model 64 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 65	GS-02-QUADO-Model 65	Quad Outlet Option-Model 65 Booth	The Quad Outlet Option for a Model 65 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number QUADO-Model 66	Part Number GS-02-QUADO-Model 66	Quad Outlet Option-Model 66 Booth	The Quad Outlet Option for a Model 66 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 74	GS-02-QUADO-Model 74	Quad Outlet Option-Model 74 Booth	The Quad Outlet Option for a Model 74 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 75	GS-02-QUADO-Model 75	Quad Outlet Option-Model 75 Booth	The Quad Outlet Option for a Model 75 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 75HC	GS-02-QUADO-Model 75HC	Quad Outlet Option-Model 75HC Booth	The Quad Outlet Option for a Model 75HC Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 84	GS-02-QUADO-Model 84	Quad Outlet Option-Model 84 Booth	The Quad Outlet Option for a Model 84 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 85	GS-02-QUADO-Model 85	Quad Outlet Option-Model 85 Booth	The Quad Outlet Option for a Model 85 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 86	GS-02-QUADO-Model 86	Quad Outlet Option-Model 86 Booth	The Quad Outlet Option for a Model 86 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 88	GS-02-QUADO-Model 88	Quad Outlet Option-Model 88 Booth	The Quad Outlet Option for a Model 88 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number QUADO-Model 95	Part Number GS-02-QUADO-Model 95	Quad Outlet Option-Model 95 Booth	The Quad Outlet Option for a Model 95 Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
QUADO-Model 95R	GS-02-QUADO-Model 95R	Quad Outlet Option-Model 95R Booth	The Quad Outlet Option for a Model 95R Booth. This option adds a Quad electrical outlet to the booth, in addition to the standard duplex electrical outlet. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$123.43
TJ-Model 1010	GS-02-TJ-Model 1010	Telephone Jack Option-Model 1010 Booth	The Telephone Jack Option for a Model 1010 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 105	GS-02-TJ-Model 105	Telephone Jack Option-Model 105 Booth	The Telephone Jack Option for a Model 105 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 106	GS-02-TJ-Model 106	Telephone Jack Option-Model 106 Booth	The Telephone Jack Option for a Model 106 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 108	GS-02-TJ-Model 108	Telephone Jack Option-Model 108 Booth	The Telephone Jack Option for a Model 108 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 1210	GS-02-TJ-Model 1210	Telephone Jack Option-Model 1210 Booth	The Telephone Jack Option for a Model 1210 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 125	GS-02-TJ-Model 125	Telephone Jack Option-Model 125 Booth	The Telephone Jack Option for a Model 125 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number TJ-Model 125R	Part Number GS-02-TJ-Model 125R	Telephone Jack Option-Model 125R Booth	The Telephone Jack Option for a Model 125R Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 127R	GS-02-TJ-Model 127R	Telephone Jack Option-Model 127R Booth	The Telephone Jack Option for a Model 127R Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 128	GS-02-TJ-Model 128	Telephone Jack Option-Model 128 Booth	The Telephone Jack Option for a Model 128 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 1466R	GS-02-TJ-Model 1466R	Telephone Jack Option-Model 1466RHC	The Telephone Jack Option for a Model 1466RHC Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 2010	GS-02-TJ-Model 2010	Telephone Jack Option-Model 2010 Booth	The Telephone Jack Option for a Model 2010 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 44	GS-02-TJ-Model 44	Telephone Jack Option-Model 44 Booth	The Telephone Jack Option for a Model 44 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 54	GS-02-TJ-Model 54	Telephone Jack Option-Model 54 Booth	The Telephone Jack Option for a Model 54 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 64	GS-02-TJ-Model 64	Telephone Jack Option-Model 64 Booth	The Telephone Jack Option for a Model 64 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 65	GS-02-TJ-Model 65	Telephone Jack Option-Model 65 Booth	The Telephone Jack Option for a Model 65 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 66	GS-02-TJ-Model 66	Telephone Jack Option-Model 66 Booth	The Telephone Jack Option for a Model 66 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number TJ-Model 74	Part Number GS-02-TJ-Model 74	Telephone Jack Option-Model 74 Booth	The Telephone Jack Option for a Model 74 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 75	GS-02-TJ-Model 75	Telephone Jack Option-Model 75 Booth	The Telephone Jack Option for a Model 75 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 75HC	GS-02-TJ-Model 75HC	Telephone Jack Option-Model 75HC Booth	The Telephone Jack Option for a Model 75HC Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 84	GS-02-TJ-Model 84	Telephone Jack Option-Model 84 Booth	The Telephone Jack Option for a Model 84 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 85	GS-02-TJ-Model 85	Telephone Jack Option-Model 85 Booth	The Telephone Jack Option for a Model 85 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 86	GS-02-TJ-Model 86	Telephone Jack Option-Model 86 Booth	The Telephone Jack Option for a Model 86 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 88	GS-02-TJ-Model 88	Telephone Jack Option-Model 88 Booth	The Telephone Jack Option for a Model 88 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 95	GS-02-TJ-Model 95	Telephone Jack Option-Model 95 Booth	The Telephone Jack Option for a Model 95 Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24
TJ-Model 95R	GS-02-TJ-Model 95R	Telephone Jack Option-Model 95R Booth	The Telephone Jack Option for a Model 95R Booth. This option adds a single telephone jack with a conduit to the interior of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$98.24

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
ELV-Model 44	GS-02-ELV-Model 44	Elevation Option for a Model 44 Booth	The Elevation Option for a Model 44 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 44 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The bolts for attaching the booth and steps to the stand are included. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. This option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,675.06
ELV-Model 64	GS-02-ELV-Model 64	Elevation Option for a Model 64 Booth	The Elevation Option for a Model 64 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 64 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The bolts for attaching the booth and steps to the stand are included. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. This option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,304.79
ELV-Model 65	GS-02-ELV-Model 65	Elevation Option for a Model 65 Booth	The Elevation Option for a Model 65 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 65 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The bolts for attaching the booth and steps to the stand are included. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. This option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,418.14

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ELV-Model 86	Part Number GS-02-ELV-Model 86	Elevation Option for a Model 86 Booth	The Elevation Option for a Model 86 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 86 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The bolts for attaching the booth and steps to the stand are included. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. This option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,769.52
UL1ELV-Model 44	GS-02-UL1ELV-Model 44	Elevation Option-model 44 UL 1 BR Booth	The Elevation Option for a UL Level 1 Bullet Resistant Model 44 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 44 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 1 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,423.17
UL1ELV-Model 64	GS-02-UL1ELV-Model 64	Elevation Option-model 64 UL 1 BR Booth	The Elevation Option for a UL Level 1 Bullet Resistant Model 64 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 64 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 1 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,229.22

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1ELV-Model 65	Part Number GS-02-UL1ELV-Model 65	Elevation Option-model 65 UL 1 BR Booth	The Elevation Option for a UL Level 1 Bullet Resistant Model 65 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 65 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 1 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,379.09
UL1ELV-Model 86	GS-02-UL1ELV-Model 86	Elevation Option-model 86 UL 1 BR Booth	The Elevation Option for a UL Level 1 Bullet Resistant Model 86 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 86 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 1 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,822.42
UL3ELV-Model 44	GS-02-UL3ELV-Model 44	Elevation Option-model 44 UL 3 BR Booth	The Elevation Option for a UL Level 3 Bullet Resistant Model 44 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 44 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 3 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,423.17

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3ELV-Model 64	Part Number GS-02-UL3ELV-Model 64	Elevation Option-model 64 UL 3 BR Booth	The Elevation Option for a UL Level 3 Bullet Resistant Model 64 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 64 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 3 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,229.22
UL3ELV-Model 65	GS-02-UL3ELV-Model 65	Elevation Option-model 65 UL 3 BR Booth	The Elevation Option for a UL Level 3 Bullet Resistant Model 65 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 65 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 3 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,379.09
UL3ELV-Model 86	GS-02-UL3ELV-Model 86	Elevation Option-model 86 UL 3 BR Booth	The Elevation Option for a UL Level 3 Bullet Resistant Model 86 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 86 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 3 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,822.42

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4ELV-Model 44	GS-02-UL4ELV-Model 44	Elevation Option-model 44 UL 4 BR Booth	The Elevation Option for a UL Level 4 Bullet Resistant Model 44 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 44 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 4 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,423.17
UL4ELV-Model 64	GS-02-UL4ELV-Model 64	Elevation Option-model 64 UL 4 BR Booth	The Elevation Option for a UL Level 4 Bullet Resistant Model 64 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 64 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 4 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,229.22
UL4ELV-Model 65	GS-02-UL4ELV-Model 65	Elevation Option-model 65 UL 4 BR Booth	The Elevation Option for a UL Level 4 Bullet Resistant Model 65 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 65 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 4 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,379.09

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4ELV-Model 86	Part Number GS-02-UL4ELV-Model 86	Elevation Option-model 86 UL 4 BR Booth	The Elevation Option for a UL Level 4 Bullet Resistant Model 86 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 86 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 4 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,822.42
UL8ELV-Model 44	GS-02-UL8ELV-Model 44	Elevation Option-model 44 UL 8 BR Booth	The Elevation Option for a UL Level 8 Bullet Resistant Model 44 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 44 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 8 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,423.17
UL8ELV-Model 64	GS-02-UL8ELV-Model 64	Elevation Option-model 64 UL 8 BR Booth	The Elevation Option for a UL Level 8 Bullet Resistant Model 64 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 64 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 8 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,229.22

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8ELV-Model 65	Part Number GS-02-UL8ELV-Model 65	Elevation Option-model 65 UL 8 BR Booth	The Elevation Option for a UL Level 8 Bullet Resistant Model 65 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 65 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 8 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,379.09
UL8ELV-Model 86	GS-02-UL8ELV-Model 86	Elevation Option-model 86 UL 8 BR Booth	The Elevation Option for a UL Level 8 Bullet Resistant Model 86 Booth includes the addition of a 48" high stand for the mounting of the booth. The stand is designed to include an 18" grip strut porch/landing, 1" safety rails that are approx. 3'6" high, and grip strut steps with hand rails. The Model 86 booth, the stand and the steps will be shipped as 3 pieces and will require that they be bolted together in the field. The anchor bolts to secure the stand and steps to the foundation will be by others. This option will also modify the standard booth to include a pipe chase as the service entrance into the booth, and an insulated base. If this option is selected the option to upgrade the floor of the booth to UL Level 8 bullet resistance will also be added to the base price. The Elevation option is an additional cost to the base booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,822.42
Guard Booth - Exteri	or Wall Options			
FABV-Model 1010	GS-02-FABV-Model 1010	Factory Applied Brick Veneer-Model 1010	The Factory Applied Brick Veneer Option for a Model 1010 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,163.73
FABV-Model 105	GS-02-FABV-Model 105	Factory Applied Brick Veneer - Model 105	The Factory Applied Brick Veneer Option for a Model 105 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,872.80

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FABV-Model 106	Part Number GS-02-FABV-Model 106	Factory Applied Brick Veneer - Model 106	The Factory Applied Brick Veneer Option for a Model 106 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,130.98
FABV-Model 108	GS-02-FABV-Model 108	Factory Applied Brick Veneer - Model 108	The Factory Applied Brick Veneer Option for a Model 108 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,647.36
FABV-Model 1210	GS-02-FABV-Model 1210	Factory Applied Brick Veneer-Model 1210	The Factory Applied Brick Veneer Option for a Model 1210 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,680.10
FABV-Model 125	GS-02-FABV-Model 125	Factory Applied Brick Veneer - Model 125	The Factory Applied Brick Veneer Option for a Model 125 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,389.17
FABV-Model 125R	GS-02-FABV-Model 125R	Factory Applied Brick Veneer-Model 125R	The Factory Applied Brick Veneer Option for a Model 125R Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,389.17

Manufacturer Part Number	Contractor	Product Name	Product Description	GSA Price
FABV-Model 127R	Part Number GS-02-FABV-Model 127R	Factory Applied Brick Veneer-Model 127R	The Factory Applied Brick Veneer Option for a Model 127R Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,905.54
FABV-Model 128	GS-02-FABV-Model 128	Factory Applied Brick Veneer - Model 128	The Factory Applied Brick Veneer Option for a Model 128 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,163.73
FABV-Model 1466R	GS-02-FABV-Model 1466R	Factory Applied Brick - Model 1466RHC	The Factory Applied Brick Veneer Option for a Model 1466RHC Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,163.73
FABV-Model 2010	GS-02-FABV-Model 2010	Factory Applied Brick Veneer-Model 2010	The Factory Applied Brick Veneer Option for a Model 2010 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,745.59
FABV-Model 44	GS-02-FABV-Model 44	Factory Applied Brick Veneer - Model 44	The Factory Applied Brick Veneer Option for a Model 44 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,065.49

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FABV-Model 54	Part Number GS-02-FABV-Model 54	Factory Applied Brick Veneer - Model 54	The Factory Applied Brick Veneer Option for a Model 54 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,323.68
FABV-Model 64	GS-02-FABV-Model 64	Factory Applied Brick Veneer - Model 64	The Factory Applied Brick Veneer Option for a Model 64 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,581.86
FABV-Model 65	GS-02-FABV-Model 65	Factory Applied Brick Veneer - Model 65	The Factory Applied Brick Veneer Option for a Model 65 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,840.05
FABV-Model 66	GS-02-FABV-Model 66	Factory Applied Brick Veneer - Model 66	The Factory Applied Brick Veneer Option for a Model 66 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
FABV-Model 74	GS-02-FABV-Model 74	Factory Applied Brick Veneer - Model 74	The Factory Applied Brick Veneer Option for a Model 74 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,840.05

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FABV-Model 75	Part Number GS-02-FABV-Model 75	Factory Applied Brick Veneer - Model 75	The Factory Applied Brick Veneer Option for a Model 75 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
FABV-Model 75HC	GS-02-FABV-Model 75HC	Factory Applied Brick Veneer-Model 75HC	The Factory Applied Brick Veneer Option for a Model 75HC Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,356.42
FABV-Model 84	GS-02-FABV-Model 84	Factory Applied Brick Veneer - Model 84	The Factory Applied Brick Veneer Option for a Model 84 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor baseThe approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
FABV-Model 85	GS-02-FABV-Model 85	Factory Applied Brick Veneer - Model 85	The Factory Applied Brick Veneer Option for a Model 85 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,356.42
FABV-Model 86	GS-02-FABV-Model 86	Factory Applied Brick Veneer - Model 86	The Factory Applied Brick Veneer Option for a Model 86 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,614.61

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FABV-Model 88	GS-02-FABV-Model 88	Factory Applied Brick Veneer - Model 88	The Factory Applied Brick Veneer Option for a Model 88 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,130.98
FABV-Model 95	GS-02-FABV-Model 95	Factory Applied Brick Veneer - Model 95	The Factory Applied Brick Veneer Option for a Model 95 Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,614.61
FABV-Model 95R	GS-02-FABV-Model 95R	Factory Applied Brick Veneer-Model 95R	The Factory Applied Brick Veneer Option for a Model 95R Booth upgrades the exterior of the booth below the window line to provide for a factory installed brick veneer. This upgrade includes a sloped brick top guard, and a brick anchor base. The approx. 1/2" thick brick veneer is adhered to the exterior surface of the booth, and grouted in place, giving the appearance of a full brick exterior. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,614.61
RTBP-Model 1010	GS-02-RTBP-Model 1010	Ready-To-Brick Preparation-Model 1010	The Ready-To-Brick Preparation Option for a Model 1010 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,455.92
RTBP-Model 105	GS-02-RTBP-Model 105	Ready-To-Brick Preparation-Model 105	The Ready-To-Brick Preparation Option for a Model 105 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,094.46

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RTBP-Model 106	Part Number GS-02-RTBP-Model 106	Ready-To-Brick Preparation-Model 106	The Ready-To-Brick Preparation Option for a Model 106 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,167.51
RTBP-Model 108	GS-02-RTBP-Model 108	Ready-To-Brick Preparation-Model 108	The Ready-To-Brick Preparation Option for a Model 108 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,311.08
RTBP-Model 1210	GS-02-RTBP-Model 1210	Ready-To-Brick Preparation-Model 1210	The Ready-To-Brick Preparation Option for a Model 1210 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,600.76
RTBP-Model 125	GS-02-RTBP-Model 125	Ready-To-Brick Preparation-Model 125	The Ready-To-Brick Preparation Option for a Model 125 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,239.29
RTBP-Model 128	GS-02-RTBP-Model 128	Ready-To-Brick Preparation-Model 128	The Ready-To-Brick Preparation Option for a Model 128 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,455.92

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RTBP-Model 2010	Part Number GS-02-RTBP-Model 2010	Ready-To-Brick Preparation-Model 2010	The Ready-To-Brick Preparation Option for a Model 2010 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,178.84
RTBP-Model 44	GS-02-RTBP-Model 44	Ready-To-Brick Preparation-Model 44	The Ready-To-Brick Preparation Option for a Model 44 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$733.00
RTBP-Model 54	GS-02-RTBP-Model 54	Ready-To-Brick Preparation-Model 54	The Ready-To-Brick Preparation Option for a Model 54 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$733.00
RTBP-Model 64	GS-02-RTBP-Model 64	Ready-To-Brick Preparation-Model 64	The Ready-To-Brick Preparation Option for a Model 64 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$733.00
RTBP-Model 65	GS-02-RTBP-Model 65	Ready-To-Brick Preparation-Model 65	The Ready-To-Brick Preparation Option for a Model 65 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$806.05
RTBP-Model 66	GS-02-RTBP-Model 66	Ready-To-Brick Preparation-Model 66	The Ready-To-Brick Preparation Option for a Model 66 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$877.83

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RTBP-Model 74	Part Number GS-02-RTBP-Model 74	Ready-To-Brick Preparation-Model 74	The Ready-To-Brick Preparation Option for a Model 74 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$806.05
RTBP-Model 75	GS-02-RTBP-Model 75	Ready-To-Brick Preparation-Model 75	The Ready-To-Brick Preparation Option for a Model 75 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$877.83
RTBP-Model 75HC	GS-02-RTBP-Model 75HC	Ready-To-Brick Preparation-Model 75HC	The Ready-To-Brick Preparation Option for a Model 75HC Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$949.62
RTBP-Model 84	GS-02-RTBP-Model 84	Ready-To-Brick Preparation-Model 84	The Ready-To-Brick Preparation Option for a Model 84 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$877.83
RTBP-Model 85	GS-02-RTBP-Model 85	Ready-To-Brick Preparation-Model 85	The Ready-To-Brick Preparation Option for a Model 85 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$949.62
RTBP-Model 86	GS-02-RTBP-Model 86	Ready-To-Brick Preparation-Model 86	The Ready-To-Brick Preparation Option for a Model 86 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,022.67

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RTBP-Model 88	Part Number GS-02-RTBP-Model 88	Ready-To-Brick Preparation-Model 88	The Ready-To-Brick Preparation Option for a Model 88 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,167.51
RTBP-Model 95	GS-02-RTBP-Model 95	Ready-To-Brick Preparation-Model 95	The Ready-To-Brick Preparation Option for a Model 95 Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,022.67
RTBP-Model 95R	GS-02-RTBP-Model 95R	Ready-To-Brick Preparation-Model 95R	The Ready-To-Brick Preparation Option for a Model 95R Booth provides a surface on the exterior panels of the booth that will accept the field application of brick. This preparation is done on the surface of the panels below the window line, and includes a sloped brick guard at the top edge, and a 4" wide anchor base. In this option all brick and the application of the brick is by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,051.64
Guard Booth - Floor	ring Options			
INFL-Model 1010	GS-02-INFL-Model 1010	Insulated Floor for Model 1010 Booth	The Insulated Floor Option for a Model 1010 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$746.85
INFL-Model 105	GS-02-INFL-Model 105	Insulated Floor Option-Model 105 Booth	The Insulated Floor Option for a Model 105 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$346.35
INFL-Model 106	GS-02-INFL-Model 106	Insulated Floor Option-Model 106 Booth	The Insulated Floor Option for a Model 106 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$426.95

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number INFL-Model 108	Part Number GS-02-INFL-Model 108	Insulated Floor Option-Model 108 Booth	The Insulated Floor Option for a Model 108 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$586.90
INFL-Model 1210	GS-02-INFL-Model 1210	Insulated Floor for Model 1210 Booth	The Insulated Floor Option for a Model 1210 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$852.64
INFL-Model 125	GS-02-INFL-Model 125	Insulated Floor Option-Model 125 Booth	The Insulated Floor Option for a Model 125 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$426.95
INFL-Model 125R	GS-02-INFL-Model 125R	Insulated Floor for Model 125R Booth	The Insulated Floor Option for a Model 125R Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$455.92
INFL-Model 127R	GS-02-INFL-Model 127R	Insulated Floor for Model 127R Booth	The Insulated Floor Option for a Model 127R Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$668.77
INFL-Model 128	GS-02-INFL-Model 128	Insulated Floor Option-Model 128 Booth	The Insulated Floor Option for a Model 128 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$667.51
INFL-Model 1466R	GS-02-INFL-Model 1466R	Insulated Floor for Model 1466RHC Booth	The Insulated Floor Option for a Model 1466RHC Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$668.77

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Park Number INFL-Model 2010	Part Number GS-02-INFL-Model 2010	Insulated Floor for Model 2010 Booth	The Insulated Floor Option for a Model 2010 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,449.62
INFL-Model 54	GS-02-INFL-Model 54	Insulated Floor Option-Model 54 Booth	The Insulated Floor Option for a Model 54 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$161.21
INFL-Model 64	GS-02-INFL-Model 64	Insulated Floor Option-Model 64 Booth	The Insulated Floor Option for a Model 64 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$180.10
INFL-Model 65	GS-02-INFL-Model 65	Insulated Floor Option-Model 65 Booth	The Insulated Floor Option for a Model 65 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$212.85
INFL-Model 66	GS-02-INFL-Model 66	Insulated Floor Option-Model 66 Booth	The Insulated Floor Option for a Model 66 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$261.96
INFL-Model 74	GS-02-INFL-Model 74	Insulated Floor Option-Model 74 Booth	The Insulated Floor Option for a Model 74 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$211.59
INFL-Model 75	GS-02-INFL-Model 75	Insulated Floor Option-Model 75 Booth	The Insulated Floor Option for a Model 75 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$260.71

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number INFL-Model 75HC	Part Number GS-02-INFL-Model 75HC	Insulated Floor for Model 75HC Booth	The Insulated Floor Option for a Model 75HC Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$311.08
INFL-Model 84	GS-02-INFL-Model 84	Insulated Floor Option-Model 84 Booth	The Insulated Floor Option for a Model 84 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$230.48
INFL-Model 85	GS-02-INFL-Model 85	Insulated Floor Option-Model 85 Booth	The Insulated Floor Option for a Model 85 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$293.45
INFL-Model 86	GS-02-INFL-Model 86	Insulated Floor Option-Model 86 Booth	The Insulated Floor Option for a Model 86 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$345.09
INFL-Model 88	GS-02-INFL-Model 88	Insulated Floor Option-Model 88 Booth	The Insulated Floor Option for a Model 88 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$455.92
INFL-Model 95	GS-02-INFL-Model 95	Insulated Floor Option-Model 95 Booth	The Insulated Floor Option for a Model 95 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$312.34
INFL-Model 95R	GS-02-INFL-Model 95R	Insulated Floor for Model 95R Booth	The Insulated Floor Option for a Model 95R Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of the addition of a 4" fiberglass insulated base under the standard 12 ga. steel treadplate flooring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$346.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PTF-Model 1010	Part Number GS-02-PTF-Model 1010	Plywood and Tile Floor for Model 1010	The Plywood and Tile Floor Option for a Model 1010 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT	\$1,001.26
			included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	
PTF-Model 105	GS-02-PTF-Model 105	Plywood and Tile Floor Option-Model 105	The Plywood and Tile Floor Option for a Model 105 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$761.96
PTF-Model 106	GS-02-PTF-Model 106	Plywood and Tile Floor Option-Model 106	The Plywood and Tile Floor Option for a Model 106 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$823.68
PTF-Model 108	GS-02-PTF-Model 108	Plywood and Tile Floor Option-Model 108	The Plywood and Tile Floor Option for a Model 108 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$896.73
PTF-Model 1210	GS-02-PTF-Model 1210	Plywood and Tile Floor for Model 1210	The Plywood and Tile Floor Option for a Model 1210 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,170.03
PTF-Model 125	GS-02-PTF-Model 125	Plywood and Tile Floor Option-Model 125	The Plywood and Tile Floor Option for a Model 125 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$798.49
PTF-Model 125R	GS-02-PTF-Model 125R	Plywood and Tile Floor for Model 125R	The Plywood and Tile Floor Option for a Model 125R Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$819.90

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PTF-Model 127R	Part Number GS-02-PTF-Model 127R	Plywood and Tile Floor for Model 127R	The Plywood and Tile Floor Option for a Model 127R Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the	\$950.88
PTF-Model 128	GS-02-PTF-Model 128	Plywood and Tile Floor Option-Model 128	delivery location. The Plywood and Tile Floor Option for a Model 128 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$967.25
PTF-Model 1466R	GS-02-PTF-Model 1466R	Plywood and Tile Floor - Model 1466RHC	The Plywood and Tile Floor Option for a Model 1466RHC Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$950.88
PTF-Model 2010	GS-02-PTF-Model 2010	Plywood and Tile Floor for Model 2010	The Plywood and Tile Floor Option for a Model 2010 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the	\$2,085.64
PTF-Model 44	GS-02-PTF-Model 44	Plywood and Tile Floor Option-Model 44	delivery location. The Plywood and Tile Floor Option for a Model 44 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$455.92
PTF-Model 54	GS-02-PTF-Model 54	Plywood and Tile Floor Option-Model 54	The Plywood and Tile Floor Option for a Model 54 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$476.07
PTF-Model 64	GS-02-PTF-Model 64	Plywood and Tile Floor Option-Model 64	The Plywood and Tile Floor Option for a Model 64 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$515.11

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PTF-Model 65	Part Number GS-02-PTF-Model 65	Plywood and Tile Floor Option-Model 65	The Plywood and Tile Floor Option for a Model 65 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional	\$623.43
PTF-Model 66	GS-02-PTF-Model 66	Plywood and Tile Floor Option-Model 66	charge and is calculated from the factory to the delivery location. The Plywood and Tile Floor Option for a Model 66 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional	\$673.80
PTF-Model 74	GS-02-PTF-Model 74	Plywood and Tile Floor Option-Model 74	charge and is calculated from the factory to the delivery location. The Plywood and Tile Floor Option for a Model 74 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the	\$536.52
PTF-Model 75	GS-02-PTF-Model 75	Plywood and Tile Floor Option-Model 75	delivery location. The Plywood and Tile Floor Option for a Model 75 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the	\$647.36
PTF-Model 75HC	GS-02-PTF-Model 75HC	Plywood and Tile Floor for Model 75HC	delivery location. The Plywood and Tile Floor Option for a Model 75HC Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$701.51
PTF-Model 84	GS-02-PTF-Model 84	Plywood and Tile Floor Option-Model 84	The Plywood and Tile Floor Option for a Model 84 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$546.60
PTF-Model 85	GS-02-PTF-Model 85	Plywood and Tile Floor Option-Model 85	The Plywood and Tile Floor Option for a Model 85 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$701.51

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
PTF-Model 86	GS-02-PTF-Model 86	Plywood and Tile Floor Option-Model 86	The Plywood and Tile Floor Option for a Model 86 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$743.07
PTF-Model 88	GS-02-PTF-Model 88	Plywood and Tile Floor Option-Model 88	The Plywood and Tile Floor Option for a Model 88 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$877.83
PTF-Model 95	GS-02-PTF-Model 95	Plywood and Tile Floor Option-Model 95	The Plywood and Tile Floor Option for a Model 95 Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$756.93
PTF-Model 95R	GS-02-PTF-Model 95R	Plywood and Tile Floor for Model 95R	The Plywood and Tile Floor Option for a Model 95R Booth is an upgrade to the standard 12 ga. Steel treadplate flooring in the booth. This flooring option is comprised of an approx. 1/8" VCT tile over 3/4" underlayment. This is then installed on a 10 ga. smooth galvanized steel plate floor. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$756.93
Guard Booth - Glas	s Options			
IGL-Model 1010	GS-02-IGL-Model 1010	Insulated Glazing Option-Model 1010	The Insulated Glas / Glazing Option for a Model 1010 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,487.41
IGL-Model 105	GS-02-IGL-Model 105	Insulated Glazing Option-Model 105	The Insulated Glass/ Glazing Option for a Model 105 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,115.87

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number IGL-Model 106	GS-02-IGL-Model 106	Insulated Glazing Option-Model 106	The Insulated Glass/ Glazing Option for a Model 106 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,190.18
IGL-Model 108	GS-02-IGL-Model 108	Insulated Glazing Option-Model 108	The Insulated Glass/ Glazing Option for a Model 108 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,338.79
IGL-Model 1210	GS-02-IGL-Model 1210	Insulated Glazing Option-Model 1210	The Insulated Glass/ Glazing Option for a Model 1210 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,636.02
IGL-Model 125	GS-02-IGL-Model 125	Insulated Glazing Option-Model 125	The Insulated Glass/ Glazing Option for a Model 125 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,264.48
IGL-Model 125R	GS-02-IGL-Model 125R	Insulated Glazing Option-Model 125R	The Insulated Glass/ Glazing Option for a Model 125R Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,293.45
IGL-Model 127R	GS-02-IGL-Model 127R	Insulated Glazing Option-Model 127R	The Insulated Glass/ Glazing Option for a Model 127R Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,413.10
IGL-Model 128	GS-02-IGL-Model 128	Insulated Glazing Option-Model 128	The Insulated Glass/ Glazing Option for a Model 128 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,487.41

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number IGL-Model 1466R	Part Number GS-02-IGL-Model 1466R	Insulated Glazing Option-Model 1466RHC	The Insulated Glass/ Glazing Option for a Model 1466RHC Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,487.41
IGL-Model 2010	GS-02-IGL-Model 2010	Insulated Glazing Option-Model 2010	The Insulated Glass/ Glazing Option for a Model 2010 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,230.48
IGL-Model 44	GS-02-IGL-Model 44	Insulated Glazing Option-Model 44	The Insulated Glass/ Glazing Option for a Model 44 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$594.46
IGL-Model 54	GS-02-IGL-Model 54	Insulated Glazing Option-Model 54	The Insulated Glass/ Glazing Option for a Model 54 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$668.77
IGL-Model 64	GS-02-IGL-Model 64	Insulated Glazing Option-Model 64	The Insulated Glass/ Glazing Option for a Model 64 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$743.07
IGL-Model 65	GS-02-IGL-Model 65	Insulated Glazing Option-Model 65	The Insulated Glass/ Glazing Option for a Model 65 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$817.38
IGL-Model 66	GS-02-IGL-Model 66	Insulated Glazing Option-Model 66	The Insulated Glass/ Glazing Option for a Model 66 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$891.69

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number IGL-Model 74	Part Number GS-02-IGL-Model 74	Insulated Glazing Option-Model 74	The Insulated Glass/ Glazing Option for a Model 74 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$817.38
IGL-Model 75	GS-02-IGL-Model 75	Insulated Glazing Option-Model 75	The Insulated Glass/ Glazing Option for a Model 75 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$891.69
IGL-Model 75HC	GS-02-IGL-Model 75HC	Insulated Glazing Option-Model 75HC	The Insulated Glass/ Glazing Option for a Model 75HC Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$967.25
IGL-Model 84	GS-02-IGL-Model 84	Insulated Glazing Option-Model 84	The Insulated Glass/ Glazing Option for a Model 84 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$891.69
IGL-Model 85	GS-02-IGL-Model 85	Insulated Glazing Option-Model 85	The Insulated Glass/ Glazing Option for a Model 85 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$967.25
IGL-Model 86	GS-02-IGL-Model 86	Insulated Glazing Option-Model 86	The Insulated Glass/ Glazing Option for a Model 86 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,041.56
IGL-Model 88	GS-02-IGL-Model 88	Insulated Glazing Option-Model 88	The Insulated Glass/ Glazing Option for a Model 88 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,190.18

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number IGL-Model 95	Part Number GS-02-IGL-Model 95	Insulated Glazing Option-Model 95	The Insulated Glass/ Glazing Option for a Model 95 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,041.56
IGL-Model 95R	GS-02-IGL-Model 95R	Insulated Glazing Option-Model 95R	The Insulated Glass/ Glazing Option for a Model 95R Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,070.53
ITINT-Model 1010	GS-02-ITINT-Model 1010	Tinted Insulated Glazing-Model 1010	The Tinted Insulated Glass/ Glazing Option for a Model 1010 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,735.52
ITINT-Model 105	GS-02-ITINT-Model 105	Tinted Insulated Glazing-Model 105	The Tinted Insulated Glass/ Glazing Option for a Model 105 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,301.01
ITINT-Model 106	GS-02-ITINT-Model 106	Tinted Insulated Glazing-Model 106	The Tinted Insulated Glass/ Glazing Option for a Model 106 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,387.91
ITINT-Model 108	GS-02-ITINT-Model 108	Tinted Insulated Glazing-Model 108	The Tinted Insulated Glass/ Glazing Option for a Model 108 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,561.71

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ITINT-Model 1210	GS-02-ITINT-Model 1210	Tinted Insulated Glazing-Model 1210	The Tinted Insulated Glass/ Glazing Option for a Model 1210 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,908.06
ITINT-Model 125	GS-02-ITINT-Model 125	Tinted Insulated Glazing-Model 125	The Tinted Insulated Glass/ Glazing Option for a Model 125 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,474.81
ITINT-Model 125R	GS-02-ITINT-Model 125R	Tinted Insulated Glazing-Model 125R	The Tinted Insulated Glass/ Glazing Option for a Model 125R Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,510.08
ITINT-Model 127R	GS-02-ITINT-Model 127R	Tinted Insulated Glazing-Model 127R	The Tinted Insulated Glass/ Glazing Option for a Model 127R Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,648.61
ITINT-Model 128	GS-02-ITINT-Model 128	Tinted Insulated Glazing-Model 128	The Tinted Insulated Glass/ Glazing Option for a Model 128 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,735.52
ITINT-Model 1466R	GS-02-ITINT-Model 1466R	Tinted Insulated Glazing-Model 1466RHC	The Tinted Insulated Glass/ Glazing Option for a Model 1466RHC Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,735.52

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ITINT-Model 2010	GS-02-ITINT-Model 2010	Tinted Insulated Glazing-Model 2010	The Tinted Insulated Glass/ Glazing Option for a Model 2010 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,602.02
ITINT-Model 44	GS-02-ITINT-Model 44	Tinted Insulated Glazing-Model 44	The Tinted Insulated Glass/ Glazing Option for a Model 44 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$693.95
ITINT-Model 54	GS-02-ITINT-Model 54	Tinted Insulated Glazing-Model 54	The Tinted Insulated Glass/ Glazing Option for a Model 54 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$780.86
ITINT-Model 64	GS-02-ITINT-Model 64	Tinted Insulated Glazing-Model 64	The Tinted Insulated Glass/ Glazing Option for a Model 64 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$867.76
ITINT-Model 65	GS-02-ITINT-Model 65	Tinted Insulated Glazing-Model 65	The Tinted Insulated Glass/ Glazing Option for a Model 65 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$954.66
ITINT-Model 66	GS-02-ITINT-Model 66	Tinted Insulated Glazing-Model 66	The Tinted Insulated Glass/ Glazing Option for a Model 66 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,041.56

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ITINT-Model 74	Part Number GS-02-ITINT-Model 74	Tinted Insulated Glazing-Model 74	The Tinted Insulated Glass/ Glazing Option for a Model 74 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$972.29
ITINT-Model 75	GS-02-ITINT-Model 75	Tinted Insulated Glazing-Model 75	The Tinted Insulated Glass/ Glazing Option for a Model 75 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,041.56
ITINT-Model 75HC	GS-02-ITINT-Model 75HC	Tinted Insulated Glazing-Model 75HC	The Tinted Insulated Glass/ Glazing Option for a Model 75HC Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,127.20
ITINT-Model 84	GS-02-ITINT-Model 84	Tinted Insulated Glazing-Model 84	The Tinted Insulated Glass/ Glazing Option for a Model 84 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,041.56
ITINT-Model 85	GS-02-ITINT-Model 85	Tinted Insulated Glazing-Model 85	The Tinted Insulated Glass/ Glazing Option for a Model 85 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,127.20
ITINT-Model 86	GS-02-ITINT-Model 86	Tinted Insulated Glazing-Model 86	The Tinted Insulated Glass/ Glazing Option for a Model 86 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,214.11

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ITINT-Model 88	GS-02-ITINT-Model 88	Tinted Insulated Glazing-Model 88	The Tinted Insulated Glass/ Glazing Option for a Model 88 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,387.91
ITINT-Model 95	GS-02-ITINT-Model 95	Tinted Insulated Glazing-Model 95	The Tinted Insulated Glass/ Glazing Option for a Model 95 Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,214.11
ITINT-Model 95R	GS-02-ITINT-Model 95R	Tinted Insulated Glazing-Model 95R	The Tinted Insulated Glass/ Glazing Option for a Model 95R Booth is an upgrade to the standard booth. This option replaces the single pane standard tempered safety glass with tinted dual pane glazing in all of the windows. This option also requires that all of the windows be fixed windows. This adds a 44% tint to the insulated glass. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,249.37
TINT-Model 1010	GS-02-TINT-Model 1010	Tinted Glazing Option-Model 1010	The Tinted Glass/ Glazing Option for a Model 1010 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$702.77
TINT-Model 105	GS-02-TINT-Model 105	Tinted Glazing Option-Model 105	The Tinted Glass/ Glazing Option for a Model 105 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$526.45
TINT-Model 106	GS-02-TINT-Model 106	Tinted Glazing Option-Model 106	The Tinted Glass/ Glazing Option for a Model 106 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$561.71
TINT-Model 108	GS-02-TINT-Model 108	Tinted Glazing Option-Model 108	The Tinted Glass/ Glazing Option for a Model 108 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$632.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number TINT-Model 1210	Part Number GS-02-TINT-Model 1210	Tinted Glazing Option-Model 1210	The Tinted Glass/ Glazing Option for a Model 1210 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$772.04
TINT-Model 125	GS-02-TINT-Model 125	Tinted Glazing Option-Model 125	The Tinted Glass/ Glazing Option for a Model 125 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$596.98
TINT-Model 125R	GS-02-TINT-Model 125R	Tinted Glazing Option-Model 125R	The Tinted Glass/ Glazing Option for a Model 125R Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$610.83
TINT-Model 127R	GS-02-TINT-Model 127R	Tinted Glazing Option-Model 127R	The Tinted Glass/ Glazing Option for a Model 127R Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$667.51
TINT-Model 128	GS-02-TINT-Model 128	Tinted Glazing Option-Model 128	The Tinted Glass/ Glazing Option for a Model 128 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$702.77
TINT-Model 1466R	GS-02-TINT-Model 1466R	Tinted Glazing Option-Model 1466RHC	The Tinted Glass/ Glazing Option for a Model 1466RHC Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$702.77
TINT-Model 2010	GS-02-TINT-Model 2010	Tinted Glazing Option-Model 2010	The Tinted Glass/ Glazing Option for a Model 2010 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,052.90

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number TINT-Model 44	Part Number GS-02-TINT-Model 44	Tinted Glazing Option-Model 44	The Tinted Glass/ Glazing Option for a Model 44 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$280.86
TINT-Model 54	GS-02-TINT-Model 54	Tinted Glazing Option-Model 54	The Tinted Glass/ Glazing Option for a Model 54 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$316.12
TINT-Model 64	GS-02-TINT-Model 64	Tinted Glazing Option-Model 64	The Tinted Glass/ Glazing Option for a Model 64 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$351.39
TINT-Model 65	GS-02-TINT-Model 65	Tinted Glazing Option-Model 65	The Tinted Glass/ Glazing Option for a Model 65 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$386.65
TINT-Model 66	GS-02-TINT-Model 66	Tinted Glazing Option-Model 66	The Tinted Glass/ Glazing Option for a Model 66 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$421.91
TINT-Model 74	GS-02-TINT-Model 74	Tinted Glazing Option-Model 74	The Tinted Glass/ Glazing Option for a Model 74 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$386.65

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number TINT-Model 75	Part Number GS-02-TINT-Model 75	Tinted Glazing Option-Model 75	The Tinted Glass/ Glazing Option for a Model 75 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$421.91
TINT-Model 75HC	GS-02-TINT-Model 75HC	Tinted Glazing Option-Model 75HC	The Tinted Glass/ Glazing Option for a Model 75HC Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$455.92
TINT-Model 84	GS-02-TINT-Model 84	Tinted Glazing Option-Model 84	The Tinted Glass/ Glazing Option for a Model 84 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$421.91
TINT-Model 85	GS-02-TINT-Model 85	Tinted Glazing Option-Model 85	The Tinted Glass/ Glazing Option for a Model 85 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$455.92
TINT-Model 86	GS-02-TINT-Model 86	Tinted Glazing Option-Model 86	The Tinted Glass/ Glazing Option for a Model 86 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$491.18
TINT-Model 88	GS-02-TINT-Model 88	Tinted Glazing Option-Model 88	The Tinted Glass/ Glazing Option for a Model 88 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$561.71
TINT-Model 95	GS-02-TINT-Model 95	Tinted Glazing Option-Model 95	The Tinted Glass/ Glazing Option for a Model 95 Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$491.18

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number TINT-Model 95R	Part Number GS-02-TINT-Model 95R	Tinted Glazing Option-Model 95R	The Tinted Glass/ Glazing Option for a Model 95R Booth replaces the standard clear tempered safety glass/glazing with a tinted tempered safety glass/glazing. This provides a 44% tint to the glass/glazing, and applies to all windows and the vision light in the door. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$515.11
Guard Booth - Heatin	g & A/C Options			
11600THRUHVACDELHEATER-Mo	od GS-02-11600THRUHVACDELHEATER-Model 101	(Replace Std Heat w/HVAC-Model 1010	The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 1010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth brice. Freight NOT included in the item price. Freight is an additional charge and is calculated from the	\$1,156.17
			factory to the delivery location.	
	dd GS-02-11600THRUHVACDELHEATER Model 105		The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 105 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,156.17
11600THRUHVACDELHEATER-Mc	dd GS-02-11600THRUHVACDELHEATER-Model 106	Replace Std Heat w/HVAC-Model 106	The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 106 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,156.17

Manufacturer Contractor	Product Name	Product Description	GSA Price
Part Number Part Number 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 108	Replace Std Heat w/HVAC-Model 108	The option to replace the standard heater with an	\$1,156.17
		11,600 BTU Combination Thru-Wall HVAC Unit for a	
		Model 108 Booth. This option adds an	
		11,600/11,400 BTU combination heating and air	
		conditioning unit to the booth. This HVAC unit is	
		mounted thru the wall and is controlled by an integral thermostat control. This unit operates on	
		230/208 volts, and has a heating capacity of	
		3400/2780 Watts. With mechanical controls and a	
		variable setting thermostat, the unit has 2 cooling, 2	
		heating and 2 fan only speeds. This option adds the	
		combination HVAC, and removes the 1500 W	
		standard heater that is included in the base booth.	
		This option is an additional cost to the base booth	
		price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the	
		factory to the delivery location.	
11600THRUHVACDELHEATER-Model 1210	Replace Std Heat w/HVAC-Model 1210	The option to replace the standard heater with an	\$1,156.17
11000 TIMOTO NEBELIE ATEN MODELS OF 11000 TIMOTO NEBELIE ATEN MODEL 121	heplace staticat wytty.c Model 1210	11,600 BTU Combination Thru-Wall HVAC Unit for a	Ç1,130.17
		Model 1210 Booth. This option adds an	
		11,600/11,400 BTU combination heating and air	
		conditioning unit to the booth. This HVAC unit is	
		mounted thru the wall and is controlled by an	
		integral thermostat control. This unit operates on	
		230/208 volts, and has a heating capacity of	
		3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2	
		heating and 2 fan only speeds. This option adds the	
		combination HVAC, and removes the 1500 W	
		standard heater that is included in the base booth.	
		This option is an additional cost to the base booth	
		price. Freight NOT included in the item price. Freight	
		is an additional charge and is calculated from the	
		factory to the delivery location.	
11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 125	Replace Std Heat w/HVAC-Model 125	The option to replace the standard heater with an	\$1,156.17
		11,600 BTU Combination Thru-Wall HVAC Unit for a	
		Model 125 Booth. This option adds an 11,600/11,400 BTU combination heating and air	
		conditioning unit to the booth. This HVAC unit is	
		mounted thru the wall and is controlled by an	
		integral thermostat control. This unit operates on	
		230/208 volts, and has a heating capacity of	
		3400/2780 Watts. With mechanical controls and a	
		variable setting thermostat, the unit has 2 cooling, 2	
		heating and 2 fan only speeds. This option adds the	
		combination HVAC, and removes the 1500 W	
		standard heater that is included in the base booth. This option is an additional cost to the base booth	
		price. Freight NOT included in the item price. Freight	
		is an additional charge and is calculated from the	
		factory to the delivery location.	
11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 125	Replace Std Heat w/HVAC-Model 125R	The option to replace the standard heater with an	\$1,156.17
		11,600 BTU Combination Thru-Wall HVAC Unit for a	
		Model 125R Booth. This option adds an	
		11,600/11,400 BTU combination heating and air	
		conditioning unit to the booth. This HVAC unit is	
		mounted thru the wall and is controlled by an integral thermostat control. This unit operates on	
		230/208 volts, and has a heating capacity of	
		3400/2780 Watts. With mechanical controls and a	
		variable setting thermostat, the unit has 2 cooling, 2	
		heating and 2 fan only speeds. This option adds the	
		combination HVAC, and removes the 1500 W	
		standard heater that is included in the base booth.	
		This option is an additional cost to the base booth	
		price. Freight NOT included in the item price. Freight	
		is an additional charge and is calculated from the	
1	1	factory to the delivery location.	

\$1,156.17 Comparison of the option to replace the canded heater with an all 15,000 THE COMPAND THE PROPERTY AND CONTROL THE CONTROL THE STATE AND CONTROL THE C	Manufacturer Contractor	Product Name	Product Description	GSA Price
Model 1278 Booth. This potion adds an 1.5.001/LGO BIX Commission heating and air conditioning unit to the booth. This high C and is consisted from the early and cartiefly by an 230/200 volts, and has a heating capacity of 300/2700 volts. With the heating capacity of 300/2700 volts of the best booth 100 volts of 300/2700 volts of the best booth 100 volts of 300/2700 volts of the best booth 100 volts of 300/2700 volts of the best booth 100 volts of 300/2700 volts of the best booth 100 volts of 300/2700 volts. With heating capacity of 300/2700 volts. With heating c	Part Number Part Number 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 127	Replace Std Heat w/HVAC-Model 127R	·	\$1,156.17
11,50071-RUINVACDEHEATER-Model 65-02-11600THRUINVACDEHEATER-Model 1450 Replace Stid Heat w/hW/c-Model 1456/htt. 11,50071-RUINVACDEHEATER-Model 65-02-11600THRUINVACDEHEATER-Model 2510 Replace Stid Heat w/hW/c-Model 1456/htt. 11,50071-RUINVACDEHEATER-Model 65-02-11600THRUINVACDEHEATER-Model 2510 Replace Stid Heat w/hW/c-Model 1456/htt. 11,50071-RUINVACDEHEATER-Model 65-02-11600THRUINVACDEHEATER-Model 2510 Replace Stid Heat w/hW/c-Model 1456/htt. 11,50071-RUINVACDEHEATER-Model 1456/htt. 11,50071-RUINVA				
Conditioning with to the booth. This HYMC cast is nowest that the value and as to England the value and the england the value and the value and the value and the combination HYMC, and removes the 1500 W standard heart that is included in the base booth place. Finglish 160 Technical fine in the page to England the value of the			•	
mounted thrus the sail and is controlled by an integral thermostic corror. This unit operates on 250/208 volts, with his charter capacity of 3400/207 Volts. With mechanical control and 2 should be said to the combination of the said to the sai				
Integral thermostat control. This unit operates on 28/00/23/00 Vasts. With mechanical control and a variable setting thermostat count has 2 cooling, 2 and 20/27/00 Vasts. With mechanical control and a variable setting thermostat count in the 32 cooling, 2 and 20/27/00 Vasts. With mechanical control and a variable setting thermostat count in the 32 cooling, 2 and 20/27/00 Vasts. With mechanical control and a variable setting thermostat count in the 32 cooling, 2 and 20/27/00 Vasts. With mechanical control and 32 and				
230/208 wolls, unknown and a hearing expacts of a 3400/2780 Watts. With neclamical control and a 34000HRUHVACDELHEATER-Model 258 Replace Sid Heat w/HVAC-Model 128 Tempton and the combination Phrace and the state of the sear hoods in the sear hood of the search of the sea			•	
3400/2780 WALE. With mechanical control and a variable setting themosty cert links 2 cooling. 2 hearing and 2 fan only speech. This option adds the combination IVIV.4, and the time my loss. Fright is an additional charge and is calculated from the face both, application in the combination in the c			-	
workable senting thermostars, the unit has 2 cooling, 2 heating and 2 fam only species the spot on with the combination PARC, and removes the 1500 VV standard heater that is into spot on add the combination PARC, and removes the 1500 VV standard heater that is included in the base booth, This option is an additional cost to the base booth, price, Fright PADI Trinsculed in the harm price. Fright PADI Trinsculed in the harm price, Fright PADI Trinsculed in the harm price. Fright PADI Trinsculed in the harm price, Fright PADI Trinsculed in the harm price. Fright PADI Trinsculed in the harm price, Fright PADI Trinsculed in the harm price. Fright PADI Trinsculed in the harm price, Fright PADI Trinsculed in the harm price. Fright PADI Trinsculed in the harm price, Fright PADI Trinsculed and an 11,000/114,000 PADI Combination Thru-Wall INVAC Limit for a mining and the price pr			- · · · · ·	
heating and 2 fan only speeds. This option adds the combination FMAC, and not the Sabe booth. This option is an additional to the Sabe booth price. Pregit Mol Total Sabe Booth Price. Pregit M				
combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NDT included in the temp rate. Freight NDT included in the temp rate. Freight NDT included in the temp rate. The price NDT included in the temp rate. Price Price NDT included in the temp rate. Price Price NDT included in the temp rate. Price Price NDT included in the base booth price. Price NDT included in the base booth price. Price NDT included in the base booth price. Price NDT included in the temp rate. Price Price NDT included in the base booth price. Price NDT included in the base booth price. Price NDT included in the temp rate. Price Price NDT included in the temp rate. Price Price NDT included in the base booth price. Price NDT included in the temp rate. Price Price NDT included in the temp rate. Pri				
standard heater that is included in the base booth. This option is an additional chance and to the base booth price. Freight NOT included in the temp rice. Freight NOT included in the temp rice. Preight is an additional chance of a calculated from the factory to the delivery location. 11500THRUHVACDELHEATER-Model CS-02-11600THRUHVACDELHEATER-Model 128 Replace Sid Heat w/HVAC-Model 128 Bioth The options to replace instandard heater with an 11,000 BTL combination Three-Wall HVAC Lists for a consistency of a society of the combination of the				
This coption is an additional cost to the base booth price. Freight NOT included in the Item price. Freight Is an additional charge and is calculated from the factory to the deliberate with an including of the Including Includ			r e	
13500THRUHVACDELHEATER-Model GS-02-11500THRUHVACDELHEATER-Model 128 Replace Stid Heat w/HVAC-Model 128 per option to replace the standard heater with an integral thermostate or the combination heating and air conditioning use its other boards and standard for the standard heater with an integral thermostate control of this surface of the standard heater with an integral thermostate control of this surface of the standard heater with an integral thermostate control of this surface of the standard heater with an integral thermostate control of this surface of the standard heater with an integral thermostate control of the standard heater with an integral thermostate control of the standard heater with an integral thermostate control of the standard heater with an integral thermostate control of the standard heater with an integral thermostate control of the standard heater with an integral thermostate of the standard heater with an integral t				
13600THRUHVACDELHEATER-Model GS 02-11600THRUHVACDELHEATER-Model 128 Replace Std Heat w/HVAC-Model 128 Replace Std Heat w/HVAC-Model 128 Model 128 Book cet standard heater with an 11,600 BTU Combination Thru-vall HVAC Unit for a 11,600 BTU Combination Thru-vall HVAC Unit for a 11,600 BTU Combination Thru-vall HVAC unit is mounted thru the wall and sc northolled by an integral themsorted. This potton adds an 11,600/11,400 BTU combination heating and air conditioning with head through the book. This HVAC unit is mounted thru the wall and sc northolled by an integral themsorted. The unit operate on 230,028 voits, and has a heating capacity of 300,07280 With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 combination HVAC with mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 combination HVAC with mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 combination HVAC with mechanical controls and 300,07280 Wisk, and has a heating capacity of 300,07280 Wisk, and heave the set booth price, Freight NOT included in the lease booth price, Freight NOT included in the lease booth price, Freight NOT included in the lease booth price, Breight NOT included in the lease booth price, Breight NOT included in the lease booth price, Breight NOT included in the lease the standard heater with an 11,600 BTU combination Thro: Wall HVAC unit for a Model 1466 BTU Combination Thro: Wall HVAC unit is mounted through the wall and sc corrolled by an integral thermostic control. This unit operate on 230,0280 voits, and has a heating capacity of a Model 1280 BTU Combination heating and air calculated the base booth price, Freight NOT included in the lease booth price, Freight NOT included in the base booth price, Freight NOT included in the base booth price, Freight NOT included in the base booth price, Freight not office the price of the proposed of the sease booth price, Freight NOT included in the lease price, Freight so and distinguish calculated the			price. Freight NOT included in the item price. Freight	
11600THRUHVACDELHEATER-Model 228 Replace Stid Healt w/HVAC-Model 128 The options to replace the standard heater with an 1,600 ETU Combination heating and air conditioning use to the booth. This option adds an 1,600/1140 ETU combination heating and air conditioning use to the booth. This HVAC use is mourted that with mechanical controls and a variable setting the memoratal countrol. This will operate so 230/289 volts, and has a heating capacity of 3,400/2789 volts, and has a heating capacity of 3,400/2780 volts, and has a heating capacity of 4,400/2780 volts, and has a heating capacity of 3,400/2780			is an additional charge and is calculated from the	
1.1.600 BTU Combination Thru Wall HVAC Unit for a Model 128 Book 15% potent and so a 1.6.00(11.400 BTU combination heating and air conditioning units potent be both. This live form and shall are controlled by an integral themselves, exactly on the both. This live form and air conditioning units capacity of 3400/2780 Wits, and has a heating capacity of 3400/2780 Wits, and heat a heating capacity of 3400/2780 Wits, and heating with a distribution of 3400/2780 Wits, and heating with a heating capacity of 3400/2780 Wits, and heating with a heating capacity of 3400/2780 Wits, and heating with a heating capacity of 3400/2780 Wits, and heating with a heating capacity of 3400/2780 Wits, and heating with a heating with a heating with			factory to the delivery location.	
Model 128 Booth. This polyton adds an 1,16,600/114,00 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted threw wall and is controlled by an integral thermost control. This unit operates on 1,300/2780 Watts. With evail and is controlled by an integral thermost active the wall and is controlled by an integral thermost active the wall and is controlled by an integral thermost active the wall and is controlled by a reliable string thermost active the wall and is controlled by a reliable string thermost active the third by a variable setting memoral that the set of 3,000/2780 Watts. With AC, and removes the 1500 W standard heater that is included in the base booth. This register is a set of the base booth price. Pregist to see a softional charge and is collocated from the decided of the base booth price. Wall the set of the set of the base booth price. Pregist to see a softional charge and is collocated from the decided in the base booth price. Wall the set of the set of the base booth price. Wall the set of the set of the base booth price. Wall the set of the set of the base booth price. Wall the set of the set of the base booth price. Wall the set of the set of the base booth price. Wall the set of	11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 128	Replace Std Heat w/HVAC-Model 128	The option to replace the standard heater with an	\$1,156.17
11.600/11.400 BTU combination heating and air conditioning in the beath. This IVAC unit is mounted thrus the wall air location discontrolled by an integral thermostat control. This unit operates on 230/208 voits, and has a heating capacity of 3400/2780 voits, and has a heating capacity of a 3400/2780 combination in the heat will be a set of the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Feelph training and air control and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 far and additional cost to the base booth price. Feelph training the price of the base booth price. The price of the price of the base booth price. The price of the pr			11,600 BTU Combination Thru-Wall HVAC Unit for a	
conditioning unit to the booth. This HVAC unit is mounted three will and is controlled by an integral thermostat control. This unit operates on 23/20/280 whats. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination three base booth price. Freight NOT included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the base booth price. Freight NOT included in the lens price. Freight is an additional cost to the base booth price. Freight NOT included in the lens price. Freight is an additional cost to the base booth price. Freight NOT included in the lens price. Freight is an additional cost to the base booth price. Freight NOT included in the lens price. Freight is an additional cost to the base booth price. Freight NOT included in the lens price. Freight is an additional cost to the base booth price. Freight NOT included in the lens base booth. This price price price. Freight NOT included in the lens and a variable setting thermostat, the unit has 2 cooling. 2 heating and 2 fan and distinct controls and a variable setting thermostat. This included in the lens price. Freight NOT included in the lens and a variable setting thermostat control. This unit operates on 23/20/280 what wand a controlled by an integral thermostat control. This unit oper			·	
mounted thur the wall and is controlled by an integral themostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/278 widts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating ad 2 fan only speech. This option adds the combination IVAC, and removes the \$500 W standard heater that is included in the base booth price. Freight is an additional cost to the base booth price. Price of the delivery location. 11600THRUHVACDELHEATER-Model \$400 Replace Std Heat w/HVAC-Model 1466RHC 11600THRUHVACDELHEATER-Model \$600 THE WALL STANDARD			11,600/11,400 BTU combination heating and air	
integral thermostate control. This unit operates on 28/20/82 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight NOT included in the base booth price. Freight NOT included in the set booth. This fortion adds the combination HVAC, and removes the 3500 W standard beater that is included in the base booth price. Freight NOT included in the set booth. This fortion adds the combination HVAC, and removes the 3500 W standard beater that is included in the base booth price. Freight is an additional control to add a variable setting thermostat. Until NoT and the included in the set booth. This throw the wall and is controlled by an integral thermostat control. This wift operates on 23/08/08/05 and as a heating capacity o				
230/208 volts, and has a heating capacity of 3400/2780 witts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating a 2 fan only speech. This option adds the combination HVAC and removes the 1500 W standard heater that is included in the base booth price. Pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to replace the standard heater with an 11,600/1,400 BTU combination Throwall HVAC unit is mounted through add and is controlled by an integral thermostat control. This process of 3400/2790 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speech. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option adds and the price pricipally is an additional cost to the base booth price. Pricipally is an additional cost to the base booth. This option adds and the additional cost to the base booth price. Pricipally is an additional cost to the base booth price. Pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price. Pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price pricipally is an additional cost to the base booth price. Pricipally is an additional cost to the base booth price. Pricipally is an additional cost to the base booth price. Pricipally is an additional cost to the base booth			,	
3400/Z780 Watts, with mechanical controls and a variable esting thermosts, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the team price. Freight standard heater that is included in the team price. Freight standard heater with an 11,600 THRUHVACDELHEATER-Model 1466 Replace Std Heat w/HVAC-Model 1466RH The option to replace the standard heater with an 11,600 THRUHVAC BOOTH THRUHVAC			T	
wariable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option and six the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This this option is an additional cost to the base booth price. Freight NOT included in the team price. Freight is an observed to the base booth price. Freight NOT included in the team price. Freight is an observed to the desired that is included in the team price. Freight is an observed to the desired to the base booth. This this option adds an 16,000 f114,000 RTU combination Thru-Wall HVAC Unit for a Model 1466RHC Booth. This potion adds an 16,000 f114,000 RTU combination Thru-Wall HVAC Unit for a Model 1466RHC Booth. This by the desired and incombining unit to the booth. This invite operates on 230,708 wolts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This unit operates on 230,708 wolts, and removes the 1500 W standard heater that is included in the base booth. This unit operates on 230,708 wolts, and removes the 1500 W standard heater that is included in the base booth. This unit operates on 230,708 wolts, and removes the 1500 W standard heater that is included in the base booth. This unit operates on 230,708 wolts, and removes the 1500 W standard heater with an 16,000 RTU combination Thru-Wall HVAC Unit for a Model 2010 Booth. This standard heater with an 16,000 RTU combination Thru-Wall HVAC Unit for a Model 2010 Booth. This standard heater with an 16,000 RTU combination Thru-Wall HVAC Unit for a Model 2010 Booth. This standard heater with an 16,000 RTU combination Thru-Wall HVAC Unit is mounted than the wall and is controlled by an integral themostat control. This unit operates on 230,708 wolts, and has a heating capacity of 3400,7280 Watts. With mechanical controls and a va				
heating and 2 fan only speeds. This option adds the combination HAVE, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the base booth price. Freight NOT included in the later price. Freight NOT included in the later with an additional charge and is calculated from the factory to the delivery location. The option to replace the standard heater with an 1,1600 BTU Combination Trur-Wall HVAC Unit for a Model 1466HC Booth. This option adds an 1,1600/11/4,00 BTU combination Trur-Wall HVAC Unit is mounted throu the wall and is controlled by an integral thermostat control. This into portates on 230/289 wolfs, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the later price. Freight Sould NOT was additional cost to the delivery location. 11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 Replace Std Heat w/HV			· ·	
combination HVAC, and removes the 1500 W standard haster that is included in the base booth, price. Freight To Tinculded in the large price Freight Is an additional cost to the base booth price. Freight To Tinculded in the large price. Freight Is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 365-02-11600THRUHVACDELHEATER-Model 1466Replace Std Heat w/HVAC-Model 1466RHC 11600THRUHVACDELHEATER-Model 365-02-11600THRUHVACDELHEATER-Model 1466Replace Std Heat w/HVAC-Model 1466RHC 11600THRUHVACDELHEATER-Model 365-02-11600THRUHVACDELHEATER-Model 1466Replace Std Heat w/HVAC-Model 1466RHC 11600THRUHVACDELHEATER-Model 365-02-11600THRUHVACDELHEATER-Model 2014 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACD				
standard heater that is included in the base booth. This toption is an additional cost to the base booth price. Freight NOT included in the item price. Freight Is an additional charge and is calculated from the factory to the delivery location. The option to replace the standard heater with an ILSO BTU Combination Thru-Wall HVAC Unit for a Model 1466RRC BOOTH. This option adds an 11,000THRUHVACDELHEATER-Model 1466RRC BOOTH. This option adds an 11,000THRUHVACDELHEATER-Model 1466RRC BOOTH. This option adds an 11,000THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,000 BTU Combination Thru-Wall HVAC Unit for a Model 1466RRC Booth. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight To an additional cost to the base booth price. Freight NOT included in the time price. Freight San additional charge and is calculated from the factory to the delivery location. The option to replace the standard heater with an 11,000 BTU Combination Thru-Wall HVAC Unit for a Model 1466RRC Booth price. Freight NOT included in the time price. Freight San additional charge and is calculated from the factory to the delivery location. The option to replace the standard heater with an 11,000 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This poption adds the combination that is provided by an integral themostat control. This unit operates on 230/280 works, and has a heating capacity of 3400/2780 Walts. With mechanical control is an additional control. This will operate so the booth. This fyth Curl is mounted thru the wall and is controlled by an integral themostat control. This unit operates on 230/280 works, and has a heating capacity of 3400/2780 Walts. With mechanical control and a variable setting thermostat, the unit has 2 cooling. 2 heating thermostat control. This unit operates on 230/2780 walts. With mechanical control and a variable setting thermostat control and a variable				
This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 3466 Replace Std Heat w/HVAC-Model 3466RHC. The option to replace the Standard heater with an 11,600 STU Combination Thru-Wall HVAC Unit for a Model 1466RHC. Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat. But not the sace booth price. Freight is an additional cost to the base booth. This option and sa heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting felievery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER Model Std Std Std Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER Model Std Std Std Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER Model Std Std Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER Model Std Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER Model Std Std Std Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER Model Std Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER Model Std			· ·	
price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 35-02-11600THRUHVACDELHEATER-Model 1464 Replace Std Heat w/HVAC-Model 1466RHC The option to replace the standard heater with an 11,600 ST14 Combination have been been delivery location. 116,000 T14,000 T14,000 T14 Combination have heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230,008 volts, and has a heating capacity of 3400,72780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight 107 included in the them price. Freight 107 included in the interm				
is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 146R Replace Std Heat w/HVAC-Model 1466RHC 11600TH Combination Thru-Wall HVAC Unit for a Model 1466RHC Booth. This poption adds an 1,6000TH Combination Thru-Wall HVAC Unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2011 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2011 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER-Model 2010 Replace Std			· · · · · · · · · · · · · · · · · · ·	
11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 1466 Replace Std Heat w/HVAC-Model 1466RHC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 1466RHC Booth. This option adds an 11,600 BTU combination heating and air conditioning unit to the booth. This public on the booth and integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 wolts, and has a heating capacity of 3400/2780 wolts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speech. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 11600THRUHVACDELHEATER model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 Replace Std Heat w/HVAC-Model 2010 Replace Std Heat w/HVAC-Mode				
11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 1466 Replace Std Heat w/HVAC-Model 1466RHC 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 1466RHC Booth. This upon perate on a 11,600/13,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical control sand a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the lemp price. Freight ROT included in the lemp price. Freight ROT included in the factory to the delivery location. 11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 1,1600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 1,1600 BTU Combination Infru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 1,1600 BTU Combination the method and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight NOT included in the base booth This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight NOT included in the base booth price. Freight				
11,600 BTU Combination Thru-Wall HVAC Unit for a Model 1466RHC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/028 works, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the sea booth. This option is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600 BTU Combination heating and air conditioning unit to the booth. This htVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/028 wolts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the beas booth. This option is an additional cost to the base booth price. Freight NOT included in the seb booth. This option is an additional cost to the base booth price. Freight NOT included in the temp rice. Freight is an additional charge and is calculated from the	11600THRUHVACDELHEATER-ModeGS-02-11600THRUHVACDELHEATER-Model 146	Replace Std Heat w/HVAC-Model 1466RHC		\$1.156.17
11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 wolts. And has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600/11,400 BTU combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination threating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat. On the standard heater with an 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight to an additional charge and is calculated from the				. ,
11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 wolts. And has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600/11,400 BTU combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination threating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat. On the standard heater with an 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight to an additional charge and is calculated from the			Model 1466RHC Booth. This option adds an	
mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/288 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/311,400 BTU combination Thru-Wall HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This into operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the base booth price. Freight NOT includ				
integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			conditioning unit to the booth. This HVAC unit is	
230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight Is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			mounted thru the wall and is controlled by an	
3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			integral thermostat control. This unit operates on	
variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 FTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination Thru-Wall HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			230/208 volts, and has a heating capacity of	
heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Walts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the item price. Freight is an additional charge and is calculated from the				
standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional clarge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model SO-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			*	
price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model SS-02-11600THRUHVACDELHEATER-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Walts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			· · · · · · · · · · · · · · · · · · ·	
factory to the delivery location. 11600THRUHVACDELHEATER-Mode GS-02-11600THRUHVACDELHEATER-Model 2010 Replace Std Heat w/HVAC-Model 2010 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight lis an additional charge and is calculated from the				
11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the	11600THRIUN/ACDELHEATER ModeCS 02 11600THRIUN/ACDELHEATER AA-d-1-2004	Poplace Std Heat w/HVAC Medal 2010		¢1 1EC 17
Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the	11000 I I WOI I VACDELLE A I EK-INIOUR 02-07-11000 I HKOHVACDELHE A I EK-INIOUEI 2011	nepiace stu neat w/nvAC-Model 2010	· · · · · · · · · · · · · · · · · · ·	\$1,156.17
11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			The state of the s	
conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			•	
mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			, , ,	
integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			_	
230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			•	
3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			-	
variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			,	
standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			*	
is an additional charge and is calculated from the				
is an additional charge and is calculated from the			price. Freight NOT included in the item price. Freight	
F				
			factory to the delivery location.	

Manufacturer Contractor	Product Name	Product Description	GSA Price
Part Number Part Number 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 44	Replace Std Heat w/HVAC-Model 44	The option to replace the standard heater with an	\$1,156.17
		11,600 BTU Combination Thru-Wall HVAC Unit for a Model 44 Booth. This option adds an 11,600/11,400	
		BTU combination heating and air conditioning unit to	
		the booth. This HVAC unit is mounted thru the wall	
		and is controlled by an integral thermostat control.	
		This unit operates on 230/208 volts, and has a	
		heating capacity of 3400/2780 Watts. With	
		mechanical controls and a variable setting	
		thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination	
		HVAC, and removes the 1500 W standard heater that	
		is included in the base booth. This option is an	
		additional cost to the base booth price. Freight NOT	
		included in the item price. Freight is an additional	
		charge and is calculated from the factory to the	
		delivery location.	
11600THRUHVACDELHEATER-Model 54	Replace Std Heat w/HVAC-Model 54	The option to replace the standard heater with an	\$1,156.17
		11,600 BTU Combination Thru-Wall HVAC Unit for a	
		Model 54 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to	
		the booth. This HVAC unit is mounted thru the wall	
		and is controlled by an integral thermostat control.	
		This unit operates on 230/208 volts, and has a	
		heating capacity of 3400/2780 Watts. With	
		mechanical controls and a variable setting	
		thermostat, the unit has 2 cooling, 2 heating and 2	
		fan only speeds. This option adds the combination	
		HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an	
		additional cost to the base booth price. Freight NOT	
		included in the item price. Freight is an additional	
		charge and is calculated from the factory to the	
		delivery location.	
11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 64	Replace Std Heat w/HVAC-Model 64	The option to replace the standard heater with an	\$1,156.17
		11,600 BTU Combination Thru-Wall HVAC Unit for a	
		Model 64 Booth. This option adds an 11,600/11,400	
		BTU combination heating and air conditioning unit to	
		the booth. This HVAC unit is mounted thru the wall	
		and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a	
		heating capacity of 3400/2780 Watts. With	
		mechanical controls and a variable setting	
		thermostat, the unit has 2 cooling, 2 heating and 2	
		fan only speeds. This option adds the combination	
		HVAC, and removes the 1500 W standard heater that	
		is included in the base booth. This option is an	
		additional cost to the base booth price. Freight NOT	
		included in the item price. Freight is an additional charge and is calculated from the factory to the	
		delivery location.	
11600THRUHVACDELHEATER-Mode GS-02-11600THRUHVACDELHEATER-Model 65	Replace Std Heat w/HVAC-Model 65	The option to replace the standard heater with an	\$1,156.17
	1	11,600 BTU Combination Thru-Wall HVAC Unit for a	. ,
		Model 65 Booth. This option adds an 11,600/11,400	
		BTU combination heating and air conditioning unit to	
		the booth. This HVAC unit is mounted thru the wall	
		and is controlled by an integral thermostat control.	
		This unit operates on 230/208 volts, and has a	
		heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting	
		thermostat, the unit has 2 cooling, 2 heating and 2	
		fan only speeds. This option adds the combination	
		HVAC, and removes the 1500 W standard heater that	
		is included in the base booth. This option is an	
		additional cost to the base booth price. Freight NOT	
		additional cost to the base booth price. Treight NOT	
		included in the item price. Freight is an additional	

1100THRUHYACDELHEATER-Mood GS-02-1100THRUHYACDELHEATER-Moode 68 Replace SG Peak w/MVAC-Mode 16 The coption to replace the standard heater with an 11,000 THL Commission Thrus-will HIVAC Limb for a Moode 16 shoot. This quite side is not 10,000 TL-00 that are 10,00	Manufacturer Contractor	Product Name	Product Description	GSA Price
Model 68 Booth. This OVIC units mounted that use wall and Except the seal of the booth. This IVIC units mounted that use wall and is controlled by an image in the mounted that use wall and is controlled by an image in the mounted that use wall and is controlled by an image in the mounted that use wall and is controlled by an image in the mounted that use wall and is controlled by an image in the immobility of the mechanical centre in the second process. This opion and price. Prigith NOT included in the Item price. Prigit	Part Number Part Number 11600THRUHVACDELHEATER-Model 66	Replace Std Heat w/HVAC-Model 66	The state of the s	\$1,156.17
INCOMPRIBITIVACCELIFATER-Model GS-02.15600TIRUIHYACCELIFEATER-Model 72 Replace Std Heat w/HWAC-Model 73 Replace Std Heat w/HWAC-Model 74 Replace Std Heat w/HWAC-Model 75 Re				
me booth. The NWAL unit a mounted than the wall and is controlled by an integral bermounts control. This unit operation or 28/2/09 kofts, and has a howing operation of the property of 28/2/20/20 kofts, and has a howing operation of the property of 28/2/20/20 kofts be combination than the property of 28/2/20/20 kofts by combination than the property of 28/2/20/20 kofts by combination than the property of 28/2/20/20 kofts and deficient of the base booth price. Freight NOT included in the lamp price. Freight NOT			•	
and is controlled by an integral thermostax control. This unit greates on 220/052 (as ab as a hearing expect) of 3400/2780 Varts. With incommon control controls and a variable exting and a fact only speech. This gotton did the common control of an only speech. This gotton did the common the service of an only speech and only speech. This gotton did the common the service of an only speech. This gotton is an additional control of an only speech. This gotton is an additional control of the base book made these the service of th			-	
This unit operate on 20/208 (Not, and has a heating capacity of 3400/2796 Water. With mechanical control and a variable setting thermostar, the unit has 2 college. Privating and 2 should be presented that is included in the base booth price. Preight NOT included in the base booth. This price and an additional country of the booth. This price and a cancellated base are the base booth. This price and a cancellated base are the base booth. This price and a cancellated base are the base booth. This price and a cancellated base are the base booth. This price and the base booth and a cancellated base are the base booth. This price and base that is included in the base booth. This option and the base booth and a cancellated base are that is included in the base booth. This option and the base booth and a cancellated base are that is included in the base booth. This option and the base booth and a cancellated base are that is included in the base booth. This option and the booth and an additional control and an additional				
mechanical controls and a variable setting themostic, the unit has 2 planting and 2 fam only speech. This option and 2 the combination in IVAC, and removes the 1000 W standard heater that is included in the base booth. This option is an organized of the policy of the set of the base booth. This option is an organized of the importance of the policy of the delivery location. 1500THRUHVACDELHEATER-Model GS-02-11000THRUHVACDELHEATER-Model 74 Replace Stid Heat w/IVVAC-Model 74 Replace Stid Heat w/IVVAC-Model 74 Replace Stid Heat w/IVVAC-Model 75 Replace Stid Heat			, 3	
thermostate, the unit has 2 cooling. 2 heating and 2 for son speech. This option has been combination in the property of the p			heating capacity of 3400/2780 Watts. With	
fan only speeds. This option adds the combination in House, and removes the 15th adds of heater that is included in the base booth. This option is an additional cost for the base footh. This option is an additional cost for the base footh. This option is an additional cost for the base footh. This option is an additional cost for the base footh. This option is an additional cost for the base footh. This option is an additional cost for the base footh. This option is an extensive for the foother fo			mechanical controls and a variable setting	
HYAC, and removes the 500 W standard heater that is included in the team, Freight NaT and additional cost to the base bond price, Freight an additional cost to the base bond price, Freight and additional cost to the base bond price, Freight and additional cost to the base bond price, Freight and additional cost to the base bond price, Freight and additional cost to the base bond price, Freight and additional cost to the base bond price, Freight and additional cost to the base bond price, Freight NoT included in the team freight and account of the cost				
Is included in the base booth. This option is an additional cost to the booth price. Freight NOT included in the item price. Freight NOT included in the Item. This WOL combination have and an accordance of the combination included in the Item. This WOL combination have an additional control of the Note Note				
additional cost to the base booth price. Freight Non additional charge and a calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 74 Replace Std Heat w/HVAC-Model 74 The option to replace the standard heater with an infl.00011.400 BTU combination heating and air conditioning wint to the booth. This vibro made an 11,500/11,400 BTU combination heating and air conditioning wint to the booth. This vibro made has 11,500/11,400 BTU combination heating and air conditioning wint to the booth. This vibro made has 11,500/11,400 BTU combination heating and air conditioning wint to the booth. This vibro made has 11,500/11,400 BTU combination heating and air conditioning wint to the booth. This vibro made has 11,500/11,400 BTU combination heating and air conditioning wint to the booth. This vibro made has a heating capacity of 3400/2780 Wiss. With mechanical controls of a variety is stating thermosts control. The price of th				
Induded in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model C5-02-11600THRUHVACDELHEATER-Model 74 Replace Stid Heat w/HVAC-Model 75 Re			•	
charge and is calculated from the factory to the delivery (occidence). 11500THRUHVACDELHEATER-Model CS-02-11600THRUHVACDELHEATER-Model 74 Replace Std Heat w/HVAC-Model 75 Re				
11600THRUHVACDELHEATER Mod 6S-02:11600THRUHVACDELHEATER Model 74 Replace Std Heat w/HVAC-Model 75 Replace				
1,16,00 FI Combination Throw Wall HVAC Unit for a Model PT 400 Combination Throw Wall HVAC Unit for a Model PT 400 Combination Pearing and all conditioning unit to the booth. This region adds an 1,16,00/14,00 BTU combination heating and all conditioning unit to the booth. This region adds and is controlled by an integral termorate control. This unit operates on 1230/208 volts, and has a heating capacity of 3400/2750 Warts. With mechanical control is an additional control of the part of the par				
Model 74 8 booth. This option adds an 1,600/14,400 BTU combination heating and air confiditioning unit to the booth. This INVAC unit is mounted thru the wall and is controlled by an integral themstat control. This unit operates on 230/286 volts, and has a heating of 3400/2780 Walts. With mechanical controls and a variable setting thermostat, but unit has 2 cooling. 2 beauting and 2 fan only speeds. This option adds the combination rIVAC, and resolve the 1500 W standard neter that is included in the tease booth. This ciption is an additional cost to the base booth price. Freight NOT included in the tease price. Freight NOT included in the tease price. Freight NOT included in the tease price or opigate the standard heater with an 11,500/11/400 ST Sooth. This option adds an 11,500/11/400 ST Sooth. This option adds and 11,500/11/400 ST Sooth ST Sooth. This option adds and 11,500/11/400 ST Sooth ST Sooth. This option adds and 11,500/11/400 ST Sooth ST Sooth	11600THRUHVACDELHEATER-Mode GS-02-11600THRUHVACDELHEATER-Model 74	Replace Std Heat w/HVAC-Model 74	The option to replace the standard heater with an	\$1,156.17
all DU combination heating and air conditioning unit to the booth. Havil Curi is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/28 widts, with mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 framiny specific the booth price. Freight NOT included in the time price. Freight is an additional control and a variable setting the price. The price of the price of the price of the price. Freight NOT included in the time price. Freight is an additional control and a variable setting the price. Freight NOT included in the time heating and is controlled in the price. Freight NOT included in the time heating and is controlled in the time wall and is controlled by an integral thermostat control. This unit operates on 230/278 wits, and has a heating part of the price. Freight NOT included in the time time price. Freight NOT included in the time price. Freight NOT incl			11,600 BTU Combination Thru-Wall HVAC Unit for a	
the booth. This INVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/08 volts, and has a heating capacity of 2400/278 WMLS. With mechanical controls and a variable setting thermostat, the unit has 2 cooling. 2 behating and 2 fan only speeds. This option adds the combination in INVAC unit from the price Freight NOT included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the tem price. Freight is an additional cost to the base booth price. Freight NOT included in the tem price. Freig			The state of the s	
and is controlled by an integral thermostal control. This with operates on 230/02 wolts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting the mostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option and did the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price, Freight NOT included in the temprice Freight And additional challenge and is calculated from the factory to the delivery coation. 11600THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75 The option to replace the standard heater with an 11,600 BTU Combination handle setting the mental control. This with operation and a controlled by an integral themestal control. This will be set the standard heater with an 11,600 BTU combination has been set to the booth. This HVAC will be mental and a controlled by an integral themestal control. This will be set to the set to the set of the				
This unit operates on 230/280 volts, and has a heating capacity of 3300/2780 valts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option add six the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional charge and 15 calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model CS-02-11600THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Mode 75 because the standard heater with an 11,600 BTU combination heating and air conditioning unit to the booth. This option and shall shall be a heating capacity of 3400/2730 Watts. With mechanical controls and a variable setting themsostate that is included in the base booth. This option is an additional control and the variable setting themsostate in the base booth. This option is an additional control and the variable setting themsostate of the base booth. This option is an additional control and the variable setting the setting of the properties of 320/280 watts. With mechanical controls and a variable setting the setting of the setti				
heating capacity of 3400/2780 Wats. With mechanical controls and a variable setting themostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the learn price.			, 3	
mechanical controls and a variable setting themostat, the unit has 2 cooling. 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option add sit he combination additional cost to the base booth price. Freight Not included in the tem price. Freight is an additional charge and is calculated from the factory to the delevery location. 11600THRUHVACDELHEATER-Mood GS-02-11600THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75HC Replace Std Heat w/HVAC-Model 75H				
hermostat, the unit has 2 cooline, 2 healing and 2 fan ohy speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the term price. Freight NOT included in the term price. Freight NOT included in the term price. Freight is an additional charge and is calculated from the factory to the delivery location. St. 1,156.17 11600THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75H Replace Std Heat w/HVAC-Wodel 75H Replace Std Heat w/HVAC-Wodel 75H Replace Std Heat w/HVAC-Wodel 75H Replace Std Heat w/HV				
HVAC, and removes the 1500 W standard heater that is included in the base booth. This toplon is an additional cost to the base booth price. Freight NOT included in the team price. Freight NOT included in the team price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75 Replace Std Heat w/HVAC-Model 75 The popino to replace the standard heater with an 11,600 BTU combination Thru-Wall HVAC Unit for a Model 75 Booth. This INAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 wits, and has a heating capacity of 340,0/2780 Watts. With mechanical controls and a variable settling thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This toplon adds the combination HVAC, and removes the 1500 W Standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the team price. Freight NOT included in the base booth. This option adds the combination that is included in the base booth price. Freight NOT included in the base booth. This option adds the combination that is price. Freight NOT included in the base booth. This option adds the combination that is price. Freight NOT included in the base booth. This option adds the combination that is included in the base booth. This option adds the combination that is included in the base booth. This option is an additional cost to the beach. This HVAC unit is mounted that the will have a price. Freight NOT included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional c				
is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the term price. Freight is an additional charge and is calculated from the factory to the decidence of the price			fan only speeds. This option adds the combination	
additional cost to the base booth price. Freight NOT included in the Item price. Freig			HVAC, and removes the 1500 W standard heater that	
included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75 Replace Std Heat w/HVAC-Model 75 The option to replace the standard heater with an 11,600 BTU Combination heating and air conditioning unit to the booth. This vPAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 voits, and has a heating capacity of 3400/2780 Wasts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the temp rice. Freight NOT included in the temp rice. Freight NOT included in the temp rice. Preight NOT			•	
charge and is calculated from the factory to the delivery location. The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75 Booth . This option adds an 11,600/14,000 BTU combination heating and air conditional controls and a wariable setting the mostat. The option to replace the standard heater with an 11,600 BTU Combination heating and air conditioning unit to the booth. This pution adds and 11,600/14,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 320/208 wotts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds an 11,600 BTU combination thru-Wall HVAC and removes the 1500 W standard heater with an 11,600 BTU combination thru-Wall and standard heater with an 11,600 BTU combination thru-Wall HVAC unit is mounted thru the wall and is controlled by an integral thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds an 11,600 BTU combination thru-Wall HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 voits, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the item price. Freight is an additional cost to the base booth This option is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth pri				
delevery location. The option to replace the standard heater with an 11,600 THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75 The option to replace the standard heater with an 11,600 THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75 The option to replace the standard heater with an 11,600 THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75 This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 340/07280 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 for an only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the item price. Freight NOT included in the base booth. This option adds an 11,600/11,400 8TU combination heating and air conditioning unit to the booth. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds an 11,600/11,400 8TU combination heating and air conditioning unit to the booth. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the ±500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight is an additional charge and its calculated from the				
11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 75 Replace Std Heat w/HVAC-Model 75 Replace Std Heat w/HVAC-Model 75 The option to replace the standard heater with an 11,600 BTU combination Thru-Wall HVAC Unit for a Model 75 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This INFAC unit per a model of the per a mod				
11,600 BTU Combination Tru-Wall HVAC Unit for a Model 75 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included in the item price. Freight NOT included in the item price. The price of the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option and standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option and is controlled by an integral thermostat control. This unit operates on 230/288 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the test booth. This option is an additional cost to the base booth price. Freight NOT included in the test base booth price. Freight NOT included in the test base booth price. Freight NOT included in the test base booth price. Freight NOT included in the test base booth.	11600THRUHVACDELHEATER-Mode GS-02-11600THRUHVACDELHEATER-Model 75	Replace Std Heat w/HVAC-Model 75	-	\$1 156 17
Model 75 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/28 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight is an additional cost to the base booth price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 75H Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional charge and is calculated from the	11000TINOTIVACDELITEATEN-WOOD-02-11000TINOTIVACDELITEATEN-WOODE 73	Replace Stuffeat W/TVAC-Wodel 75		\$1,150.17
BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 75H0 Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 1,600/11,400 BTU combination Thru-Wall HVAC unit is mounted thru the wall and is controlled by an integral thermostat. On this into the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat. Which was a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			*	
and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 75H Replace Std Heat w/HVAC-Model 75HC 11600THRUHVACDELHEATER-Model 75H Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination Thru-Wall HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the base booth price. Freight NOT			-	
This unit operates on 230/280 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight to an additional charge and is calculated from the factory to the delivery location. The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/280 wolts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight NOT included in the letem price. Freight is an additional charge and is calculated from the			the booth. This HVAC unit is mounted thru the wall	
heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			and is controlled by an integral thermostat control.	
mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth by the mechanical control to the delivery location. 11600THRUHVACDELHEATER-Model 75H Replace Std Heat w/HVAC-Model 75HC 11600THRUHVACDELHEATER-Model 75H Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This hVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HYAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. \$1,1600/11,400 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight is an additional charge and is calculated from the				
fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 75H6 Replace Std Heat w/HVAC-Model 75HC 11600THRUHVACDELHEATER-Model 75H6 Booth. This option adds an 11,600/11,400 BTU combination Thru-Wall HVAC Unit for a Model 75H6 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Wasts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NoT included in the item price. Freight is an additional charge and is calculated from the				
HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 75H Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the tiem price. Freight is an additional charge and is calculated from the				
Is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included in the base booth. This option adds an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Mode GS-02-11600THRUHVACDELHEATER-Model 75HC Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional charge and is calculated from the				
charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 75HC Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			additional cost to the base booth price. Freight NOT	
delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 75HC Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater with an 11,600 BTU combination and to the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 75H Replace Std Heat w/HVAC-Model 75HC The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight is an additional charge and is calculated from the			-	
11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the	14COOTUDUUMACDELUFATED AA-A-CC OO 14COOTUDUMAACDELUFATED AA-CC OO 14COOTUDUMAACDELUF	M Deplete Ctd Heat w/HN/A C A4 : del 75110		64.456.45
Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight lis an additional charge and is calculated from the	11buU1HKUHVACDELHEA1ER-ModeGS-U2-11600THRUHVACDELHEATER-Model 75F	replace Std Heat w/HVAC-Model 75HC	·	\$1,156.17
11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight host included in the item price. Freight is an additional charge and is calculated from the				
conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			·	
mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			, , ,	
230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			~	
3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			1	
variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			· ·	
combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			,	
standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the			*	
price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the				
is an additional charge and is calculated from the			·	
practory to the delivery location.			factory to the delivery location.	

\$ 5.1.56.1 ILIGOTHRUMVACDELHEATER-Model 65 Replace Sid Heat w/HVAC-Model 84 Table 0.00 to replace the standard neaser with an \$1.00.00 throw throw the control of the standard neaser with an \$1.00.00 throw throw the standard neaser with a \$1.00.00 throw throw the \$1.00.00 throw throw the \$1.00.00 throw throw the \$1.00.00 throw thr	Manufacturer Contractor	Product Name	Product Description	GSA Price
Model 8 & Booth. The System adds and 11,000/11,000 OTIC combination heating and gift deministate control of the well and so controlled by an integral deministate control of the well and so controlled by an integral deministate control of the well and so controlled by an integral deministate control of the well and so controlled by an integral deministate control of the well and so controlled by an integral deministate control of the well and so controlled by an integral deministate control of the well and so controlled by an integral deministate control of the well and the property of the south o	Part Number Part Number 11600THRUHVACDELHEATER-Model 84	Replace Std Heat w/HVAC-Model 84	· · · · · · · · · · · · · · · · · · ·	\$1,156.17
### STU Combination having and air continuoning unit to the book. This HYAK unit is a unit to the book. This HYAK unit is a unit that the wall and is controlled by an integral thermostal control. This unit concerns to 2020/25 yearing and 2				
the both. This HAVE, unit is nowmeth than the wall and is controlled by an integral thermosal control. This unit operates on 230/208 volts, and has a hearing capacity of 540/27 Statists, with the mostal, the unit has 2 coding, 2 hearing and 2 fairn only spreads. This point on 250/208 volts, and has a hearing capacity of 540/27 Statists, with the mostal, the unit has 2 coding, 2 hearing and 2 fairn only spreads. This point on 250/208 volts, and has a hearing capacity of 540/27 Statists with the most of the 150 W standard heater that is facilitated in the base book price. Freight NOT charge and is calculated from the factory to the delivery location. 11500THRUHIVACDELHEATER-Model 65-02-11600THRUHIVACDELHEATER-Model 85 Replace Still Heat wylnVAC Model 85 Replace Still Heat wylnVAC Model 85 Replace Still Heat wylnVAC Model 86 Replace Still Heat wylnVAC Model 87 Replace Still Heat wylnVAC Model 86 Replace Still Heat wylnVAC Model 86 Replace Still Heat wylnVAC Model 87 Replace Still Heat wylnVAC Model 86 Replace Still Heat wylnVAC Model 87 Replace Still Heat wylnVAC Model 87 Replace Still Heat wylnVAC Model 88 Replace Still Heat wyln			·	
and is controlled by an integral thermostic control. This unit operates on 33000 years, and has a heating capacity of \$4007.720 Watts. With mechanical controls and a window serving and 3 fan only sports. This option and set he combination 1 hOVA. One removes the 1200 Waterdard heater that is included in the base booth. This option and set her combination 1 hours, and control and a decidence control heater that is included in the base booth. This option and set her combination 1 hours and additional control heater with an additional control and a set of collaborate from the factory to the factor of the property of the set of the se			-	
heating capacity of 3400/2730 Wats. With mechanical control and difference and the unit has 2 coding. 2 heating and 2 fan only speeds. This position between the side of the combination MACA, and removes the 1500 W standard heater that additional cast to the behind the combination MACA, and removes the 1500 W standard heater that additional cast to the behind price. Freight NDT included in the tem price. Freight is an additional charge and is calculated by price. Freight NDT included in the tem price to repact the factory to the disease of the side of t				
mechanical controls and a variable setting thermostat, the with setting. The base good of fan only speech. This option and set the combination HHX_, and removes the yabstands heater that is included in the Base booth. This option is an additional cost to the base booth price. Fergist NOT combination for the price of			This unit operates on 230/208 volts, and has a	
thermostat, the unit has 2 cooling, 2 heasing and 2 for only speeds. This option of the combination HYAC, and removes the 1500 W standard heater that is included in the base booth price fright NOT included in the base booth. This option is an additional cost to the base booth price fright NOT included in the base booth price fright NOT included in the base booth price. Pringish NOT included in the base booth price in fright NOT included in the base booth price in fright NOT included in the base booth price fright NOT included in the base booth price in fright NOT included in the base booth price in fright NOT included in the base booth price in fright NOT included in the base booth price in fright NOT included in the base booth price in fright NOT included in the base booth price in fright NOT included in the base booth price in fright NOT included in the base booth price. Pright NOT included in the base boo			heating capacity of 3400/2780 Watts. With	
fan only speeds. This option add its constitution in the Constitution of the Constitut				
INVICE, and removes the \$100 W standard heater that is included in the less potor. This option is an additional cost to the base booth price. Freight NOT included in the less testing the standard heater with an additional cost to the base booth price. Freight NOT included in the less testing fleeter with an included in the less testing fleeter with an objective for location. The standard heater with an included in the less testing fleeter with an included in the less booth price. Freight NOT included in the less booth price. Freight				
Is included in the base booth. This option is an additional cost to the base booth, price, Preight NOT included in the item price, Preight is an additional cost to the delivery (location. 11600THRUHVACDELHEATER-Mod 65-02-11600THRUHVACDELHEATER-Model 85 Replace Std Heat w/HVAC-Model 85 Included in the base booth. This option adds an 11,600/11.400 of StU combination throw wall involved the wall in the standard fleater with an 11,600 StU combination throw wall with the standard fleater with an 11,600 StU combination throw wall with the standard fleater with an 11,600 StU combination throw wall with the standard fleater with an 11,600 StU combination throw wall with the standard fleater with an 11,600 StU combination throw wall with the standard fleater with the wall and control of the standard fleater with an 11,600 StU combination throw wall with the standard fleater with an 11,600 StU combination from the factory to the combination throw wall with the standard fleater with an 11,600 StU combination from the factory to the combination was additional cost to the standard fleater with an 11,600 StU combination from the factory to the combination was a feet of the standard fleater with an 11,600 StU combination from the factory to the combination was a feet of the standard fleater with an 11,600 StU combination and air combination with the standard fleater with an 11,600 StU combination and air combination with the standard fleater with an 11,600 StU combination fleater with an 11,600 StU combination flow of the standard fleater with an 11,600 StU combination fleater with a				
additional cost to the base book price. Freight NOT included in the treat price. Freight S an additional charge and is calculated from the factory to the deliberey location. 11600THRUHYACDELHEATER-Mod 65-02-11600THRUHYACDELHEATER-Model 85 Replace 3td Heat w/HVAC-Model 85 The option to replace the standard neater with a Model 85 Shooth. This option adds an 11,600/11,400 St. This option adds and 11,600/11,400 St. This option adds and 11,600/11,400 St. This option adds and 11,600/11,400 St. This option adds the combination grait to the book. This HVAC unit is mounted from the wall and is consciled by an only speach. This option adds the combination HVAC, and removes the 1500 W standard heater that is sold and in book. This option because the second of the seco				
Included in the item price. Freight is an additional charge and is caused from the factory to the delivery location. 1500THRUHVACDELHEATER-Model GS -02-11600THRUHVACDELHEATER-Model 83 Replace 5td Heat w/HVAC-Model 85 Replace 5td Heat w/HVAC-Model 86 Replace 5td Heat w/HVAC-Model 87 Replace 5td Heat w/HVAC-Model 88 Replace 5td Heat w/HVAC-			,	
Selvery Coation. Selvery Coa				
Pagiace Std Heat w/HVAC-Model 85 The option to replace the standard heater with an \$1,156.3 to 11,156.3 to 11,156			charge and is calculated from the factory to the	
11,600 BTU Combination Thru-Wall HVAC Unit for a Mode State of the Continuation Thru-Wall HVAC Unit for an an 1,500/11,400 BTU combination heating and air conditioning unit to the Continuation heating and air conditioning unit to the Wall and is controlled by an integral thermostat control. This controlled by a			delivery location.	
Model 85 Booth. This bytom adds an 11,600/11,400 8TU Combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral themmost control. This HVAC unit is mounted thru the wall and is controlled by an integral themmost control. The less than a control and a variable setting themmost, a heating capacity of 3400/2780 Walts. With mechanical controls and a variable setting themmost is the thin has 2 cooling. Jehating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the item price. Freight to an additional character to the base booth price. Freight NOT included in the item price. Freight is an additional character to the base booth price. Freight NOT included in the item price. Freight is an additional character to the base booth price. Freight NOT included in the item price. Freight is an additional character to the base booth price. Freight NOT included in the item price. Freight is an additional character to the base booth price. Freight NOT included in the item price. Freight is an additional character to the base booth price. Freight NOT included in the item price. Freight is an additional character to the base booth price. Freight NOT included in the item price. Freight is an additional character to the base booth price. Freight NOT included in the base booth. This option is an additional control on the base booth price. Freight NOT included in the base booth. This option is an additional control on the base booth price. Freight NOT included in the base booth. This option is an additional control on the base booth price. Freight NOT included in the base booth. This option is an additional control on the base booth price. Freight NOT included in the base booth. This option is an additional control on the base booth price. Freight NOT included in the tem price. Freight NOT included in the the price. Freight NOT included in the the price. Freight is an additional	11600THRUHVACDELHEATER-Model 85	Replace Std Heat w/HVAC-Model 85	· · · · · · · · · · · · · · · · · · ·	\$1,156.17
BETU combination heating and air conditioning unit to the both. First MAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 280/08 wolfs, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling. 2 heating and 2 fan only speeds. This option adds is the combination HYAC, and removes the 1500 W standard heater that is included in the time price. Freight NOT			i i	
the booth. This HVXC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 238/208 volts, and has a heating capacity of 3400/278 what. With mechanical controls and a variable settling thermostat control and a variable settling thermostat control and a variable settling thermostat. The properties of the			-	
and is controlled by an integral thermostat control. This unit operates no 120/02/69 works, and has a heating capacity of 3400/2780 Wats, and has a heating capacity of 3400/2780 Wats and heater that is included in the base booth. This option is an additional cost to the base booth price. Freight so an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model S6 Replace Std Heat w/HVAC-Model 86 11600THRUHVACDELHEATER-Model S6 Replace Std Heat w/HVAC-Model 86 Replace Std Heat w/HVAC-Model 88 Replace Std Heat w/HVAC				
This unit operates on 230/208 volts, and has a heating capacity of 3400/278 Wats. With mechanical controls and a variable setting thermostat, the unit has 2 cooling. 2 heating and 2 fan only speeds. This option adds the combination HAC, and removes the 1500 W standard heater that is difficult on the time of the price. Freight NOT included in the base booth. This option is an additional cut to the base booth price. Freight NOT included in the time that is included in the time base booth. This option is an additional control and a variable setting the price. Freight NOT included in the time price. Fre				
heating capacity of 3400/2780 Watts. With mechanical controls and available setting thermostat, the unit has 2 cooling. 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the later price. Freight is an additional cost to the base booth price. Freight NOT included in the later price. Freight is an additional cost to the base booth price. Freight NOT included in the later price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight NOT included in the time price. Freight is an additional cost to the base booth price. Freight NOT included in the time price. Freight is an additional cost to the base booth price. Freight NOT included in the time price. Freight is an additional cost to the base booth price. Freight NOT included in the time price. Freight is an additional cost to the base booth price. Freight NOT included in the time price. Freight is an additional cost to the base booth price. Freight NOT included in the time price. Freight is an additional cost to the base booth price. Freight NOT included in the time price. F			, -	
mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HMCA, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the tem price. Freigh				
fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price, Freight NOT included in the item price. Freight NOT included in the tem price. Freigh				
HYAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the state booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freigh			thermostat, the unit has 2 cooling, 2 heating and 2	
Is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included in the item price. Freight NOT included in the item price. Freight is an additional cost of the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 86 Replace Std Heat w/HVAC-Model 86 The option to replace the standard heater with an 1,1,500 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and all conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 330/108 wolts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling. 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included cost to the base booth price. Freight NOT included in the lempine of the price			fan only speeds. This option adds the combination	
additional cost to the base booth price. Freight NOT included in the Item price. Freight Not included in Item Item price. Freight Not included in I				
included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 86 Replace Stid Heat w/HVAC-Model 86 The option to replace the standard heater with an 11,600 STU Combination Thru-Wall HVAC Unit for a Model 86 Booth. This option adds an 11,600/11,400 BTU Combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostate, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight NOT included in the tem price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 Replace Std			•	
charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 86 Replace Std Heat w/HVAC-Model 87 Replace Std Heat w/HVAC-Model 88 Replac				
delivery location. The option to replace the standard heater with an 1,1,600 BTU Combination Thru-Wall HVAC Unit for a Model 86 Booth. This option adds an 1,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 voits, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the latem price. Freight is an additional cost to the base booth price. Freight is an additional cost on the base booth price of the delivery location. The option to replace the standard heater with an 11,600 BTU combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds the combination that the price of the price				
11600THRUHVACDELHEATER-Model 86 Replace Std Heat w/HVAC-Model 86 The option to replace the standard heater with an 1,600 BTU combination Thrt-Wall HVAC Unit for a Model 86 Booth. This option adds an 1,1600/11,400 BTU combination Thrt-Wall HVAC Unit for a Model 86 Booth. This option adds an 1,1600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the temp rice. Freight is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight NoT included in the Item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 1,1600 BTU combination Thru-Wall HVAC unit for a Model 88 Booth. This option adds an 1,1600/11,400 BTU combination Thru-Wall HVAC unit for a Model 88 Booth. This option adds an 1,1600/11,400 BTU combination Thru-Wall HVAC unit for a Model 88 Booth. This option adds an 1,1600/11,400 BTU combination Thru-Wall HVAC unit for a Model 88 Booth. This option adds and a variable setting thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the tem price. Freight is an additional				
Model 86 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. Replace Std Heat w/HVAC-Model 88 Repla	11600THRUHVACDELHEATER-Mode GS-02-11600THRUHVACDELHEATER-Model 86	Replace Std Heat w/HVAC-Model 86		\$1,156.17
BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 23/0208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the hease booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. The option to replace the standard heater with an 11,600 BTU combination Thru-Wall HVAC built for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 320/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option add she combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item p		,		. ,
the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 worts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the temp price additional charge and is calculated from the factory to the delivery location. The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds and 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. The price of the price freight NOT included in the item price.			Model 86 Booth. This option adds an 11,600/11,400	
and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option is an additional cost to the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional			BTU combination heating and air conditioning unit to	
This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model GS-02-11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU combination Thru-Wall HVAC unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds at the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price, Freight is an additional				
heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 6S-02-11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This soption is an additional cost to the base booth. This soption is an additional cost to the base booth. This option.				
mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the lease booth price. Freight is an additional				
fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This hvAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included in the item price. Freight is an additional			is included in the base booth. This option is an	
charge and is calculated from the factory to the delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
delivery location. 11600THRUHVACDELHEATER-Model 88 Replace Std Heat w/HVAC-Model 88 Replace Std Heat w/HVAC-Model 88 The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional			1 T	
11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional	11600THRUHVACDELHEATER MANAGES 02 11600THRUHVACDELHEATER MANAGES 02	Replace Std Heat w/HVAC Model 99		\$1 156 17
Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional	1100011111011VACDELITEATER-WOOR 88	The prace Stuffeat W/TTVAC-IVIOUEL 00	·	\$1,150.17
BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional			i i	
the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional			_	
heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional			_	
HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional				
additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional			· · · · · · · · · · · · · · · · · · ·	
included in the item price. Freight is an additional				
I charge and is calculated from the factory to the			charge and is calculated from the factory to the	
delivery location.				

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 11600THRUHVACDELHEATER-Mod	Part Number GS-02-11600THRUHVACDELHEATER-Model 95	Replace Std Heat w/HVAC-Model 95	The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 95 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,156.17
11600THRUHVACDELHEATER-Mod	GS-02-11600THRUHVACDELHEATER-Model 95R		The option to replace the standard heater with an 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 95R Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and removes the 1500 W standard heater that is included in the base booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,156.17
11b001HRUHVAC-Mooel 1010	GS-02-11600THRUHVAC-Model 1010	11,600 BTU Combo HVAC-Model 1010	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 1010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 105	GS-02-11600THRUHVAC-Model 105	11,600 BTU Combo HVAC-Model 105	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 105 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 11600THRUHVAC-Model 106	Part Number GS-02-11600THRUHVAC-Model 106	11,600 BTU Combo HVAC-Model 106	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 106 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 108	GS-02-11600THRUHVAC-Model 108	11,600 BTU Combo HVAC-Model 108	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 108 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 1210	GS-02-11600THRUHVAC-Model 1210	11,600 BTU Combo HVAC-Model 1210	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 1210 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 125	GS-02-11600THRUHVAC-Model 125	11,600 BTU Combo HVAC-Model 125	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 125 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 11600THRUHVAC-Model 125R	Part Number GS-02-11600THRUHVAC-Model 125R	11,600 BTU Combo HVAC-Model 125R	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 125R Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 127R	GS-02-11600THRUHVAC-Model 127R	11,600 BTU Combo HVAC-Model 127R	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 127R Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 128	GS-02-11600THRUHVAC-Model 128	11,600 BTU Combo HVAC-Model 128	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 128 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 1466R	GS-02-11600THRUHVAC-Model 1466R	11,600 BTU Combo HVAC-Model 1466RHC	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 1466RHC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 11600THRUHVAC-Model 2010	GS-02-11600THRUHVAC-Model 2010	11,600 BTU Combo HVAC-Model 2010	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 2010 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 44	GS-02-11600THRUHVAC-Model 44	11,600 BTU Combo HVAC-Model 44	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 44 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 54	GS-02-11600THRUHVAC-Model 54	11,600 BTU Combo HVAC-Model 54	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 54 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 64	GS-02-11600THRUHVAC-Model 64	11,600 BTU Combo HVAC-Model 64	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 64 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 11600THRUHVAC-Model 65	Part Number GS-02-11600THRUHVAC-Model 65	11,600 BTU Combo HVAC-Model 65	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 65 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 66	GS-02-11600THRUHVAC-Model 66	11,600 BTU Combo HVAC-Model 66	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 66 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 74	GS-02-11600THRUHVAC-Model 74	11,600 BTU Combo HVAC-Model 74	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 74 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 75	GS-02-11600THRUHVAC-Model 75	11,600 BTU Combo HVAC-Model 75	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 11600THRUHVAC-Model 75HC	Part Number GS-02-11600THRUHVAC-Model 75HC	11,600 BTU Combo HVAC-Model 75HC	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 75HC Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 84	GS-02-11600THRUHVAC-Model 84	11,600 BTU Combo HVAC-Model 48	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 84 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 85	GS-02-11600THRUHVAC-Model 85	11,600 BTU Combo HVAC-Model 85	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 85 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 86	GS-02-11600THRUHVAC-Model 86	11,600 BTU Combo HVAC-Model 86	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 86 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 11600THRUHVAC-Model 88	Part Number GS-02-11600THRUHVAC-Model 88	11,600 BTU Combo HVAC-Model 88	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 88 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 95	GS-02-11600THRUHVAC-Model 95	11,600 BTU Combo HVAC-Model 95	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 95 Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
11600THRUHVAC-Model 95R	GS-02-11600THRUHVAC-Model 95R	11,600 BTU Combo HVAC-Model 95R	The 11,600 BTU Combination Thru-Wall HVAC Unit for a Model 95R Booth. This option adds an 11,600/11,400 BTU combination heating and air conditioning unit to the booth. This HVAC unit is mounted thru the wall and is controlled by an integral thermostat control. This unit operates on 230/208 volts, and has a heating capacity of 3400/2780 Watts. With mechanical controls and a variable setting thermostat, the unit has 2 cooling, 2 heating and 2 fan only speeds. This option adds the combination HVAC, and has the 1500 W standard heater also included in the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,259.45
13500COOLWSTAT-Model 1010	GS-02-13500COOLWSTAT-Model 1010	Wall Thermostat-Rooftop AC-Model 1010	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 1010 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 13500COOLWSTAT-Model 105	GS-02-13500COOLWSTAT-Model 105	Wall Thermostat-Rooftop AC-Model 105	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 105 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 106	GS-02-13500COOLWSTAT-Model 106	Wall Thermostat-Rooftop AC-Model 106	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 106 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 108	GS-02-13500COOLWSTAT-Model 108	Wall Thermostat-Rooftop AC-Model 108	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 108 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 1210	GS-02-13500COOLWSTAT-Model 1210	Wall Thermostat-Rooftop AC-Model 1210	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 1210 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 125	GS-02-13500COOLWSTAT-Model 125	Wall Thermostat-Rooftop AC-Model 125	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 125 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 13500COOLWSTAT-Model 125R	GS-02-13500COOLWSTAT-Model 125R	Wall Thermostat-Rooftop AC-Model 125R	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 125R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 127R	GS-02-13500COOLWSTAT-Model 127R	Wall Thermostat-Rooftop AC-Model 127R	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 127R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 128	GS-02-13500COOLWSTAT-Model 128	Wall Thermostat-Rooftop AC-Model 128	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 128 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 1466R	GS-02-13500COOLWSTAT-Model 1466R	Wall Thermostat-Rooftop AC-Model 1466RHC	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 1466RHC Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required in this booth design due to the need for ADA compliance. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 2010	GS-02-13500COOLWSTAT-Model 2010	Wall Thermostat-Rooftop AC-Model 2010	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 2010 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 13500COOLWSTAT-Model 44	Part Number GS-02-13500COOLWSTAT-Model 44	Wall Thermostat-Rooftop AC Unit-Model 44	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 44 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 54	GS-02-13500COOLWSTAT-Model 54	Wall Thermostat-Rooftop AC Unit-Model 54	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 54 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 64	GS-02-13500COOLWSTAT-Model 64	Wall Thermostat-Rooftop AC Unit-Model 64	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 64 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 65	G5-02-13500COOLWSTAT-Model 65	Wall Thermostat-Rooftop AC Unit-Model 65	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 65 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 66	GS-02-13500COOLWSTAT-Model 66	Wall Thermostat-Rooftop AC Unit-Model 66	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 66 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 13500COOLWSTAT-Model 74	Part Number GS-02-13500COOLWSTAT-Model 74	Wall Thermostat-Rooftop AC Unit-Model 74	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 74 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 75	GS-02-13500COOLWSTAT-Model 75	Wall Thermostat-Rooftop AC Unit-Model 75	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 75 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 75HC	GS-02-13500COOLWSTAT-Model 75HC	Wall Thermostat-Rooftop AC-Model 75HC	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 75HC Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required in this booth design due to the need for ADA compliance. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 84	GS-02-13500COOLWSTAT-Model 84	Wall Thermostat-Rooftop AC Unit-Model 84	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 84 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
13500COOLWSTAT-Model 85	GS-02-13500COOLWSTAT-Model 85	Wall Thermostat-Rooftop AC Unit-Model 85	The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 85 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

S243.3 SOCCOLWSTAT Model 86 S5 02-3500COLWSTAT Model 86 S6 02-3500COLWSTAT Model 87 S8 02-3500COLWSTAT Model 88 S8 02-3500COLWSTAT Model 89 S9 02-3500COLWST	Manufacturer	Contractor	Product Name	Product Description	GSA Price
popion adds a wall moutaned thermostat control for use with the 13,000 PUX for for pair of conditioning unit that can be included as an upgrade to the base booth. The world the property of the pair of conditioning unit that can be included as an upgrade to the base booth. The wall moutaned thermostat correct of required when the booth is to be ADA complaint, or when the factor by to the displaying world additional cost to the base booth price. Preight NOT included in the Item price, legisling height world property in additional charge and is calculated from the factory to the displaying and is calculated fro	Part Number 13500COOLWSTAT-Model 86	Part Number GS-02-13500COOLWSTAT-Model 86	Wall Thermostat-Rooftop AC Unit-Model 86		\$341.31
see with the 13,500 BTU / 120 Volt confloor and conditioning until that can live base books. The vall mounted thermostat control is required when the book is to be AVA complaint, or when the fiber is castling legisty would additional casts on the base form for the fiber is castling legisty would additional casts on the base from the fiber is castling legisty would additional casts on the base from the fiber is castling legisty would additional casts on the base from the fiber is castling legisty would additional casts on the base from the fiber is castling legisty would problem from the fiber is castling legisty would additional casts on the base from the fiber is formed to the base from the fiber is formed to the base from the fiber is formed to fiber is fiber in the fiber is formed to the base from the fiber is formed to the base from the fiber is formed to the base from the fiber is fiber in the fiber in the fiber is fiber in the fiber in the fiber is fiber in the fiber is fiber in the fiber in the fiber in the fiber in the fiber is fiber in the fiber is fiber in the fiber					
conditioning unit that can be included as an apgrade to the base booth. The vicility of the base booth and base booth price. Preight NOT included in the temptrice. This popion is an additional cost to the base booth. The vail mounted the moustal control of the base booth. The vail mounted the base booth price. Preight NOT included in the temptrice has been been been been been been been bee					
to the base booth. The wall monated thermostat control is required when the booth is to be ADA compliancy or when the floor to calling height would prohibit operation from the floor to calling height would prohibit operation from the floor. The species is an additional cost to the base booth price. Freight San additional cost to the base booth price. Freight San additional cost to the base booth price. Freight San additional cost to the base booth price. Freight San additional cost to the base booth price. Freight San additional cost to the base booth price. Freight San additional cost to the base booth price. Freight San additional cost to the base booth price in the species of the spec					
control is required when the boat to to be ADA compliant, or when the foot to caling height would profibite operation of the unit. This option is an additional cost to the post on price, Freight NOT included in the nem price. Freight to an additional cost to the members of the post					
apolitic pare potential price in the Time price. Freight is an additional cost to the base booth price. Freight NOT included in the Item price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight NOT included in the Item price. Freight is an additional cost to the Pack and the Conditioning unit that can be price. Freight is an additional cost to the Conditioning unit that can be included as an upgrade to the base booth. Freight is an additional cost to the Pack and					
apolitic pare potential price in the Time price. Freight is an additional cost to the base booth price. Freight NOT included in the Item price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight is an additional cost to the base booth price. Freight NOT included in the Item price. Freight is an additional cost to the Pack and the Conditioning unit that can be price. Freight is an additional cost to the Conditioning unit that can be included as an upgrade to the base booth. Freight is an additional cost to the Pack and					
Included in the temprice. Freight is an additional charge and its calculated from the factory to the delivery location.					
Sample S				additional cost to the base booth price. Freight NOT	
Section				included in the item price. Freight is an additional	
3500COOLWSTAT-Model 88 S-02-13500COOLWSTAT-Model 88 Wall Thermostat-Rooftop AC Unit-Model 88 To the Wall Thermostat for the 13,500 BTU Rooftop Ar Conditioning unit that can be included as an upgrade to the base booth price. Freight NOT included in the item price. Freight Standard to the base booth price. Freight NOT included in the item price. Freight NOT included in the item price. Preight NOT				charge and is calculated from the factory to the	
Conditioning Juni Option for a Model 88 Booth. This option adds a well mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning with the 13 and mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the Item price. Freight an additional charge and is calculated from the factory to the delevery location. Section 13, 120, 120, 120, 120, 120, 120, 120, 120				delivery location.	
political and a wall mounted thermostat control for use with the 15,008 BT/ 120 Velt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat commolisms of the unit. This option is an additional control is required when the booth is to be ADA compliant, or when the floor to celling height would prohibit operation of the unit. This option is an additional control option of a Model 958 Booth. This option is an additional control option of a Model 958 Booth. This option is an additional control option of a Model 958 Booth. This option is an additional control this option is an additional control. This option is an additional control. This option is an additional control this poption is an additional control. This option is an additio	13500COOLWSTAT-Model 88	GS-02-13500COOLWSTAT-Model 88	Wall Thermostat-Rooftop AC Unit-Model 88	The Wall Thermostat for the 13,500 BTU Rooftop Air	\$341.31
use with the 13,500 BTU / 120 Volt roof top air conditioning unt that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to celling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the tem price. Freight is an additional charge and is calculated from the factory to the delivery location. Wall Thermostat-Rooftop AC Unit-Model 95 Wall Thermostat Rooftop AC Model 95 Wall Thermostat				Conditioning Unit Option for a Model 88 Booth. This	
conditioning until that can be included as an upgrade to the base booth. The wall mounted thermostat conditioning until that can be included as an upgrade to the base booth. The wall mounted thermostat conditioning until the factory to the decision. 13500COOLWSTAT-Model 95 65-02-13500COOLWSTAT-Model 95 Wall Thermostat-Rooftop AC Unit-Model 95 Wall Thermostat-Rooftop AC Model 95 Wall Thermostat for the 13,500 BTU Rooftop Ar Conditioning unit to the Doot This option for a Wodel 95 Wall Thermostat-Rooftop AC Model 95 Wall Thermostat Rooftop AC Model 95 Wall Thermostat-Rooftop AC Model 95 Wall Thermostat-				option adds a wall mounted thermostat control for	
to the base booth. The wall mounted thermostat control is required when the Booth is to be ADA compliant, or when the floor to ceiling height would prohibit peration of the unit. This option is an additional cost to the base booth price. Freight NOT included in the Item price. Freight				use with the 13,500 BTU / 120 Volt roof top air	
Control is required when the booth is to be ADA compliant, or when the floor to celling height would prohibit poration of the unit. This option is an additional cost to the base booth price. Freight NOT included in the Item price. Freight is an additional charge and is calculated from the factory to the delivery focation. Page					
compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the Item price. Freight NOT included					
additional cost to the base booth price. Freight NoT included in the Item price. Freight is an additional character of the unit. This option is an additional character of the price. Preight is an additional character of the Institute of the Institute of the Institute of the Institute of Ins					
additional cost to the base booth price. Freight NOT included in the Item price. Freight is an additional charge and is calculated from the factory to the delivery location. 33500COOLWSTAT-Model 95 33500COOLWSTAT-Model 95 3441.31 3500COOLWSTAT-Model 95 3541.31 3500COOLWSTAT-Model 95 3541.31 3500COOLWSTAT-Model 95 3541.31 3500COOLWSTAT-Model 95 3541.31 3500COOLWSTAT-Model 95R 3541.31 3500COOLWSTAT-					
included in the Item price. Freight is an additional charge and its calculated from the factory to the delivery location. 33500COOLWSTAT-Model 95 GS-02-13500COOLWSTAT-Model 95 Wall Thermostat-Rooftop AC Unit-Model 95 Conditioning unit (Dotton for a Model 95 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This potion is an additional cost to the base booth price. Freight NOT included in the temprice. Freight NOT included in the temprice. Freight would prohibit operation of the unit. This potion is an additional cost to the base booth price. Freight NOT included in the temprice. Freight NOT included in the temprice. Freight would prohibit operation of the unit. This potion adds a wall mounted thermostat control for use with the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU /120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control for use with the 13,500 BTU /20 Volt roof top air conditioning on the unit. This option is an additional cost to the base booth price. Freight NOT included in the temprice. Freight NOT included in the item price. Fre					
the charge and is calculated from the factory to the delivery location. 3500COOLWSTAT-Model 95 SS-02-13500COOLWSTAT-Model 95 Wall Thermostat-Rooftop AC Unit-Model 95 Conditioning Unit Option for a Model 95 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control included in the late price. Freight NOT included in the late my freight NOT included in the late included in the late my freight NOT included in the late of the l					
Section					
3500COOLWSTAT-Model 95 GS-02-13500COOLWSTAT-Model 95 Wall Thermostat-Rooftop AC Unit-Model 95 Conditioning Unit Option for a Model 95 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth price. Freight NOT included in the Item price. Preight St an additional control is required when the booth price. Freight NOT included in the Item price. Preight St an additional cost to the base booth price. Freight NOT included in the Item price. Preight St an additional cost to the St and Item price. Preight St an additional cost to the St and Item price. Preight NOT included in the Item price. Preight St and Additional cost to the base booth price. Preight NOT included in the Item price. Preight St and Additional Cost to the base booth price. Preight NOT included in the Item price. Preight St and Additional Cost to the base booth price. Preight NOT included in the Item price. Preight St and Additional Cost to the base booth price. Preight NOT included in the Item price. Preight St and Additional Cost to the base booth price. Preight NOT included in the Item price. Preight NOT included in the Item price. Preight St and Additional Cost to the base booth price. Preight NOT included in the Item price. Preight St and Additional Cost to the base booth price. Preight NOT included in the Item price. Preight St and Additional Cost to the base booth price. Preight St and Additional Cost					
Conditioning Unit Option for a Model 95 Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an uggrade to the base booth. The wall mounted thermostat control is required when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included in the item price. Freight NOT included in the item price. Freight NOT included in the included prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the included as an uggrade to the base booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU (20 Volt roof top air conditioning unit that can be included as an uggrade to the base booth. The wall mounted thermostat control for use with the 13,500 BTU (20 Volt roof top air conditioning unit that can be included as an uggrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the booth. This option is an additional cost to the booth. This option is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth price. Freight is an additional cost to the booth pri	125000001145717 14 14 105	CC 02 42500C00UWCTAT A4 -1-105	Well The constant Books and the State of the	· ·	6244.24
poption adds a wall mounted thermostat control for use with the 13,500 BTU /120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit poption for a diditional cost to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit poption for a work of the properties of the unit. This option and is calculated from the factory to the delivery location. See Section 13500COOLWSTAT-Model 95R Wall Thermostat-Rooftop AC-Model 95R The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU /120 Volt rooft op air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control for use with the 13,500 BTU /120 Volt rooft op air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control for use with the 13,500 BTU /120 Volt rooft op air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control for use with the 13,500 BTU /120 Volt rooft pair conditioning unit that can be included as an upgrade to the base booth. The unit come of the unit. This option is an additional cast to the base booth price. Freight is an additional cast to the booth. This unit is an RV style air conditioning option for a Model 1010 Booth. This option adds a 13,500 BTU /120 Volt roof to pair conditioning with the booth. This unit is an RV style air conditioner with a 1/2 bp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cast to the base booth price. Freight is an additional cast to the base booth price. Freight is an additional cast to the base booth price. Freight is an addition	13500COOLWSTAT-Model 95	GS-02-13500COOLWSTAT-Model 95	Wali Thermostat-Roottop AC Unit-Model 95		\$341.31
use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the Item price. Freight NOT included in the Item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500COOLWSTAT-Model 95R S341.31 S341.31 Wall Thermostat-Rooftop AC-Model 95R The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control for use with the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the Item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 G5-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop Air Conditioning on the toth booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 11/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional charge and is control. This option adds and the integral thermostat control. This option is an additional charge and is control. This option adds and additional charge and is to the base booth price. Freight NOT included in the Item price. Freight NOT included in the				- '	
conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compilant, or when the floor to celling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight so an additional charge and is calculated from the factory to the delivery location. Society Society Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU Rooftop Air Conditioning Unit that can be included as an upgrade to the base booth. The wall mounted thermostat control for use with the 13,500 BTU (210 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compilant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the Item price. Freight is an additional charge and is calculated from the factory to the delivery location. Society					
to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included as an upgrade to the base booth. The wall mounted thermostat control for use with the 13,500 BTU Al20 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the floor to ceiling height would prohibit operation of the unit. This option is an additional control included in the item price. Freight NOT included in the item price. Freight NO					
control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500COOLWSTAT-Model 95R GS-02-13500COOLWSTAT-Model 95R Wall Thermostat-Rooftop AC-Model 95R The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU Rooftop air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional Cost to the delivery location. GS-02-13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included					
compliant, or when the floor to ceiling height would prohibit operation of the unit. This option adds and additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. S341.31 GS-02-13500COOLWSTAT-Model 95R Wall Thermostat-Rooftop AC-Model 95R Wall Thermostat-Rooftop AC-Model 95R The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option adds and additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the delivery location. GS-02-13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioning unit to the booth. This unit is an RV style air conditioning unit to the booth. This unit is an RV style air conditioning unit to the booth. This unit is an RV style air conditioning unit to the booth to the base booth price. Freight NOT included in the item price. Freight					
prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 3500COOLWSTAT-Model 95R GS-02-13500COOLWSTAT-Model 95R Wall Thermostat-Rooftop AC-Model 95R Wall Thermostat-Rooftop AC-Model 95R The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The unit. This option is an additional charge and is calculated from the factory to the delivery location. The Wall Thermostat for the 13,500 BTU Rooftop AC-Model 1010 GS-02-13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 Booth. This option adds a 13,500 BTU A plan montor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the litem pri					
additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. S341.31 GS-02-13500COOLWSTAT-Model 95R GS-02-13500COOLWSTAT-Model 95R Wall Thermostat-Rooftop AC-Model 95R The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit to Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit to the das an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight is an additional charge and is calculated from the factory to the delivery location. GS-02-13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioning unit to the booth. This unit is an RV style air conditioning unit to the booth. This unit is an RV style air conditional cost to the base booth price. Freight NOT included in the item price. Freight NO					
Included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500COOLWSTAT-Model 95R					
delivery location. delivery location. 3500COOLWSTAT-Model 95R S-02-13500COOLWSTAT-Model 95R S-02-13500COOLWSTAT-MO					
13500COOLWSTAT-Model 95R GS-02-13500COOLWSTAT-Model 95R Wall Thermostat-Rooftop AC-Model 95R The Wall Thermostat for the 13,500 BTU Rooftop Air Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price.				charge and is calculated from the factory to the	
Conditioning Unit Option for a Model 95R Booth. This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to celling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				delivery location.	
This option adds a wall mounted thermostat control for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prolibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. SS-02-13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioning unit to the booth. This unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is	13500COOLWSTAT-Model 95R	GS-02-13500COOLWSTAT-Model 95R	Wall Thermostat-Rooftop AC-Model 95R	The Wall Thermostat for the 13,500 BTU Rooftop Air	\$341.31
for use with the 13,500 BTU / 120 Volt roof top air conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				Conditioning Unit Option for a Model 95R Booth.	
conditioning unit that can be included as an upgrade to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditional cost to the base booth price. Freight NOT included in the item price. Freight NOT included in the item price. Freight is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				This option adds a wall mounted thermostat control	
to the base booth. The wall mounted thermostat control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				for use with the 13,500 BTU / 120 Volt roof top air	
control is required when the booth is to be ADA compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				conditioning unit that can be included as an upgrade	
compliant, or when the floor to ceiling height would prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is					
prohibit operation of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 The 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				-	
additional cost to the base booth price. Freight NOT included in the item price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 3500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is					
included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is					
charge and is calculated from the factory to the delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				•	
delivery location. 13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is					
13500ROOFCOOL-Model 1010 GS-02-13500ROOFCOOL-Model 1010 13,500 BTU Rooftop AC-Model 1010 The 13,500 BTU Rooftop Air Conditioning Option for a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				-	
a Model 1010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is	135000005000 14-4-14040	CC 02 12500000050001 Ma-d-14040	12 F00 PTIL Poofton AC Ma-d-14040		ć1 400 33
/ 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is	1550UKUUFCUUL-Model 1010	G3-UZ-135UUKUUFCUUL-MODEI 1010	15,500 BTO ROOROP AC-MODEL 1010		\$1,409.32
This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				•	
fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is					
thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				,	
to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is				_	
item price. Freight is an additional charge and is				·	
				, , , , , , , , , , , , , , , , , , , ,	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 13500ROOFCOOL-Model 105	Part Number GS-02-13500ROOFCOOL-Model 105	13,500 BTU Rooftop AC-Model 105	The 13,500 BTU Rooftop Air Conditioning Option for a Model 105 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 106	GS-02-13500ROOFCOOL-Model 106	13,500 BTU Rooftop AC-Model 106	The 13,500 BTU Rooftop Air Conditioning Option for a Model 106 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 108	GS-02-13500ROOFCOOL-Model 108	13,500 BTU Rooftop AC-Model 108	The 13,500 BTU Rooftop Air Conditioning Option for a Model 108 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 1210	GS-02-13500ROOFCOOL-Model 1210	13,500 BTU Rooftop AC-Model 1210	The 13,500 BTU Rooftop Air Conditioning Option for a Model 1210 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 125	GS-02-13500ROOFCOOL-Model 125	13,500 BTU Rooftop AC-Model 125	The 13,500 BTU Rooftop Air Conditioning Option for a Model 125 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 125R	GS-02-13500ROOFCOOL-Model 125R	13,500 BTU Rooftop AC-Model 125R	The 13,500 BTU Rooftop Air Conditioning Option for a Model 125R Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 127R	GS-02-13500ROOFCOOL-Model 127R	13,500 BTU Rooftop AC-Model 127R	The 13,500 BTU Rooftop Air Conditioning Option for a Model 127R Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 13500ROOFCOOL-Model 128	Part Number GS-02-13500ROOFCOOL-Model 128	13,500 BTU Rooftop AC-Model 128	The 13,500 BTU Rooftop Air Conditioning Option for a Model 128 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 1466R	GS-02-13500ROOFCOOL-Model 1466R	13,500 BTU Rooftop AC-Model 1466RHC	The 13,500 BTU Rooftop Air Conditioning Option for a Model 1466RHC Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. Use of this unit in this booth model will require the addition of a wall mounted thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 2010	GS-02-13500ROOFCOOL-Model 2010	13,500 BTU Rooftop AC-Model 2010	The 13,500 BTU Rooftop Air Conditioning Option for a Model 2010 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 44	GS-02-13500ROOFCOOL-Model 44	13,500 BTU Rooftop AC-Model 44	The 13,500 BTU Rooftop Air Conditioning Option for a Model 44 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 54	GS-02-13500ROOFCOOL-Model 54	13,500 BTU Rooftop AC-Model 54	The 13,500 BTU Rooftop Air Conditioning Option for a Model 54 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 64	GS-02-13500ROOFCOOL-Model 64	13,500 BTU Rooftop AC-Model 64	The 13,500 BTU Rooftop Air Conditioning Option for a Model 64 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 65	GS-02-13500ROOFCOOL-Model 65	13,500 BTU Rooftop AC-Model 65	The 13,500 BTU Rooftop Air Conditioning Option for a Model 65 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 13500ROOFCOOL-Model 66	Part Number GS-02-13500ROOFCOOL-Model 66	13,500 BTU Rooftop AC-Model 66	The 13,500 BTU Rooftop Air Conditioning Option for a Model 66 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 74	GS-02-13500ROOFCOOL-Model 74	13,500 BTU Rooftop AC-Model 74	The 13,500 BTU Rooftop Air Conditioning Option for a Model 74 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 75	GS-02-13500ROOFCOOL-Model 75	13,500 BTU Rooftop AC-Model 75	The 13,500 BTU Rooftop Air Conditioning Option for a Model 75 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 75HC	GS-02-13500ROOFCOOL-Model 75HC	13,500 BTU Rooftop AC-Model 75HC	The 13,500 BTU Rooftop Air Conditioning Option for a Model 75HC Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. Use of this unit in this booth model will require the addition of a wall mounted thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 84	GS-02-813500ROOFCOOL-Model 84	13,500 BTU Rooftop AC-Model 84	The 13,500 BTU Rooftop Air Conditioning Option for a Model 84 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 85	GS-02-13500ROOFCOOL-Model 85	13,500 BTU Rooftop AC-Model 85	The 13,500 BTU Rooftop Air Conditioning Option for a Model 85 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 86	GS-02-13500ROOFCOOL-Model 86	13,500 BTU Rooftop AC-Model 86	The 13,500 BTU Rooftop Air Conditioning Option for a Model 86 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 13500ROOFCOOL-Model 88	Part Number GS-02-13500ROOFCOOL-Model 88	13,500 BTU Rooftop AC-Model 88	The 13,500 BTU Rooftop Air Conditioning Option for a Model 88 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 95	GS-02-13500ROOFCOOL-Model 95	13,500 BTU Rooftop AC-Model 95	The 13,500 BTU Rooftop Air Conditioning Option for a Model 95 Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
13500ROOFCOOL-Model 95R	GS-02-13500ROOFCOOL-Model 95R	13,500 BTU Rooftop AC-Model 95R	The 13,500 BTU Rooftop Air Conditioning Option for a Model 95R Booth. This option adds a 13,500 BTU / 120 Volt roof top air conditioning unit to the booth. This unit is an RV style air conditioner with a 1/2 hp fan motor. The unit comes standard with an integral thermostat control. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,409.32
1500WHEATWSTAT-Model 1010	GS-02-1500WHEATWSTAT-Model 1010	Wall Tstat for 1,500 W Heat-Model 1010	The Wall Thermostat for 1,500 Watt Heater for a Model 1010 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 105	GS-02-1500WHEATWSTAT-Model 105	Wall Tstat for 1,500 W Heat-Model 105	The Wall Thermostat for 1,500 Watt Heater for a Model 4105Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 106	GS-02-1500WHEATWSTAT-Model 106	Wall Tstat for 1,500 W Heat-Model 106	The Wall Thermostat for 1,500 Watt Heater for a Model 106 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 1500WHEATWSTAT-Model 108	Part Number GS-02-1500WHEATWSTAT-Model 108	Wall Tstat for 1,500 W Heat-Model 108	The Wall Thermostat for 1,500 Watt Heater for a Model 108 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 1210	GS-02-1500WHEATWSTAT-Model 1210	Wall Tstat for 1,500 W Heat-Model 1210	The Wall Thermostat for 1,500 Watt Heater for a Model 1210 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 125	GS-02-1500WHEATWSTAT-Model 125	Wall Tstat for 1,500 W Heat-Model 125	The Wall Thermostat for 1,500 Watt Heater for a Model 125 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 125R	GS-02-1500WHEATWSTAT-Model 125R	Wall Tstat for 1,500 W Heat-Model 125R	The Wall Thermostat for 1,500 Watt Heater for a Model 125R Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 127R	GS-02-1500WHEATWSTAT-Model 127R	Wall Tstat for 1,500 W Heat-Model 127R	The Wall Thermostat for 1,500 Watt Heater for a Model 127R Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 1500WHEATWSTAT-Model 128	Part Number GS-02-1500WHEATWSTAT-Model 128	Wall Tstat for 1,500 W Heat-Model 128	The Wall Thermostat for 1,500 Watt Heater for a Model 128 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 1466R	GS-02-1500WHEATWSTAT-Model 1466R	Wall Tstat-1,500 W Heat-Model 1466RHC	The Wall Thermostat for 1,500 Watt Heater for a Model 1466RHC Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 2010	GS-02-1500WHEATWSTAT-Model 2010	Wall Tstat for 1,500 W Heat-Model 2010	The Wall Thermostat for 1,500 Watt Heater for a Model 2010 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 44	GS-02-1500WHEATWSTAT-Model 44	Wall Tstat for 1,500 W Heat-Model 44	The Wall Thermostat for 1,500 Watt Heater for a Model 44 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 54	GS-02-1500WHEATWSTAT-Model 54	Wall Tstat for 1,500 W Heat-Model 54	The Wall Thermostat for 1,500 Watt Heater for a Model 54 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 1500WHEATWSTAT-Model 64	Part Number GS-02-1500WHEATWSTAT-Model 64	Wall Tstat for 1,500 W Heat-Model 64	The Wall Thermostat for 1,500 Watt Heater for a Model 64 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 65	GS-02-1500WHEATWSTAT-Model 65	Wall Tstat for 1,500 W Heat-Model 65	The Wall Thermostat for 1,500 Watt Heater for a Model 65 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 66	GS-02-1500WHEATWSTAT-Model 66	Wall Tstat for 1,500 W Heat-Model 66	The Wall Thermostat for 1,500 Watt Heater for a Model 66 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 74	GS-02-1500WHEATWSTAT-Model 74	Wall Tstat for 1,500 W Heat-Model 74	The Wall Thermostat for 1,500 Watt Heater for a Model 74 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 75	GS-02-1500WHEATWSTAT-Model 75	Wall Tstat for 1,500 W Heat-Model 75	The Wall Thermostat for 1,500 Watt Heater for a Model 75 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 1500WHEATWSTAT-Model 75HC	Part Number GS-02-1500WHEATWSTAT-Model 75HC	Wall Tstat for 1,500 W Heat-Model 75HC	The Wall Thermostat for 1,500 Watt Heater for a Model 75HC Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 84	GS-02-1500WHEATWSTAT-Model 84	Wall Tstat for 1,500 W Heat-Model 84	The Wall Thermostat for 1,500 Watt Heater for a Model 84 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 85	GS-02-1500WHEATWSTAT-Model 85	Wall Tstat for 1,500 W Heat-Model 85	The Wall Thermostat for 1,500 Watt Heater for a Model 85 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 86	GS-02-1500WHEATWSTAT-Model 86	Wall Tstat for 1,500 W Heat-Model 86	The Wall Thermostat for 1,500 Watt Heater for a Model 86 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 88	GS-02-1500WHEATWSTAT-Model 88	Wall Tstat for 1,500 W Heat-Model 88	The Wall Thermostat for 1,500 Watt Heater for a Model 88 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 1500WHEATWSTAT-Model 95	Part Number GS-02-1500WHEATWSTAT-Model 95	Wall Tstat for 1,500 W Heat-Model 95	The Wall Thermostat for 1,500 Watt Heater for a Model 95 Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
1500WHEATWSTAT-Model 95R	GS-02-1500WHEATWSTAT-Model 95R	Wall Tstat for 1,500 W Heat-Model 95R	The Wall Thermostat for 1,500 Watt Heater for a Model 95R Booth Option. This option adds a wall mounted thermostat control for the standard 1,500 Watt wall mounted fan forced heating unit that is provided as a standard item in the base booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$186.40
4KWHEATWSTAT-Model 1010	GS-02-4KWHEATWSTAT-Model 1010	Wall Tstat for 4KW Heat-Model 1010	The Wall Thermostat for 4,000 Watt Heater for a Model 1010 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 105	GS-02-4KWHEATWSTAT-Model 105	Wall Tstat for 4KW Heat-Model 105	The Wall Thermostat for 4,000 Watt Heater for a Model 105 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 106	GS-02-4KWHEATWSTAT-Model 106	Wall Tstat for 4KW Heat-Model 106	The Wall Thermostat for 4,000 Watt Heater for a Model 106 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 4KWHEATWSTAT-Model 108	Part Number GS-02-4KWHEATWSTAT-Model 108	Wall Tstat for 4KW Heat-Model 108	The Wall Thermostat for 4,000 Watt Heater for a Model 108 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 1210	GS-02-4KWHEATWSTAT-Model 1210	Wall Tstat for 4KW Heat-Model 1210	The Wall Thermostat for 4,000 Watt Heater for a Model 1210 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 125	GS-02-4KWHEATWSTAT-Model 125	Wall Tstat for 4KW Heat-Model 125	The Wall Thermostat for 4,000 Watt Heater for a Model 125 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 125R	GS-02-4KWHEATWSTAT-Model 125R	Wall Tstat for 4KW Heat-Model 125R	The Wall Thermostat for 4,000 Watt Heater for a Model 125R Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 127R	GS-02-4KWHEATWSTAT-Model 127R	Wall Tstat for 4KW Heat-Model 127R	The Wall Thermostat for 4,000 Watt Heater for a Model 127R Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 4KWHEATWSTAT-Model 128	Part Number GS-02-4KWHEATWSTAT-Model 128	Wall Tstat for 4KW Heat-Model 128	The Wall Thermostat for 4,000 Watt Heater for a Model 128 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 1466R	GS-02-4KWHEATWSTAT-Model 1466R	Wall Tstat for 4KW Heat-Model 1466RHC	The Wall Thermostat for 4,000 Watt Heater for a Model 1466RHC Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 2010	GS-02-4KWHEATWSTAT-Model 2010	Wall Tstat for 4KW Heat-Model 2010	The Wall Thermostat for 4,000 Watt Heater for a Model 2010 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 44	GS-02-4KWHEATWSTAT-Model 44	Wall Tstat for 4KW Heat-Model 44	The Wall Thermostat for 4,000 Watt Heater for a Model 44 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 54	GS-02-4KWHEATWSTAT-Model 54	Wall Tstat for 4KW Heat-Model 54	The Wall Thermostat for 4,000 Watt Heater for a Model 54 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 4KWHEATWSTAT-Model 64	Part Number GS-02-4KWHEATWSTAT-Model 64	Wall Tstat for 4KW Heat-Model 64	The Wall Thermostat for 4,000 Watt Heater for a Model 64 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 65	GS-02-4KWHEATWSTAT-Model 65	Wall Tstat for 4KW Heat-Model 65	The Wall Thermostat for 4,000 Watt Heater for a Model 65 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 66	GS-02-4KWHEATWSTAT-Model 66	Wall Tstat for 4KW Heat-Model 66	The Wall Thermostat for 4,000 Watt Heater for a Model 66 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 74	GS-02-4KWHEATWSTAT-Model 74	Wall Tstat for 4KW Heat-Model 74	The Wall Thermostat for 4,000 Watt Heater for a Model 74 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 75	GS-02-4KWHEATWSTAT-Model 75	Wall Tstat for 4KW Heat-Model 75	The Wall Thermostat for 4,000 Watt Heater for a Model 75 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 4KWHEATWSTAT-Model 75HC	Part Number GS-02-4KWHEATWSTAT-Model 75HC	Wall Tstat for 4KW Heat-Model 75HC	The Wall Thermostat for 4,000 Watt Heater for a Model 75HC Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 84	GS-02-4KWHEATWSTAT-Model 84	Wall Tstat for 4KW Heat-Model 84	The Wall Thermostat for 4,000 Watt Heater for a Model 84 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 85	GS-02-4KWHEATWSTAT-Model 85	Wall Tstat for 4KW Heat-Model 85	The Wall Thermostat for 4,000 Watt Heater for a Model 85 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 86	GS-02-4KWHEATWSTAT-Model 86	Wall Tstat for 4KW Heat-Model 86	The Wall Thermostat for 4,000 Watt Heater for a Model 86 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 88	GS-02-4KWHEATWSTAT-Model 88	Wall Tstat for 4KW Heat-Model 88	The Wall Thermostat for 4,000 Watt Heater for a Model 88 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62

Manufacturer	Contractor Part Number	Product Name	Product Description	GSA Price
Part Number 4KWHEATWSTAT-Model 95	GS-02-4KWHEATWSTAT-Model 95	Wall Tstat for 4KW Heat-Model 95	The Wall Thermostat for 4,000 Watt Heater for a Model 95 Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWHEATWSTAT-Model 95R	GS-02-4KWHEATWSTAT-Model 95R	Wall Tstat for 4KW Heat-Model 95R	The Wall Thermostat for 4,000 Watt Heater for a Model 95R Booth Option. This option adds a wall mounted thermostat control for the 4,000 Watt heavy duty wall mounted fan forced heating unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic heating unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$216.62
4KWREPL-Model 1010	GS-02-4KWREPL-Model 1010	4,000 Watt Fan Forced Heater-Model 1010	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 1010 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 105	GS-02-4KWREPL-Model 105	4,000 Watt Fan Forced Heater-Model 105	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 105 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 106	GS-02-4KWREPL-Model 106	4,000 Watt Fan Forced Heater-Model 106	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 106 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
4KWREPL-Model 108	GS-02-4KWREPL-Model 108	4,000 Watt Fan Forced Heater-Model 108	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 108 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 1210	GS-02-4KWREPL-Model 1210	4,000 Watt Fan Forced Heater-Model 1210	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 1210 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 125	GS-02-4KWREPL-Model 125	4,000 Watt Fan Forced Heater-Model 125	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 125 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 125R	GS-02-4KWREPL-Model 125R	4,000 Watt Fan Forced Heater-Model 125R	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 125R Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 127R	GS-02-4KWREPL-Model 127R	4,000 Watt Fan Forced Heater-Model 127R	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 127R Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 4KWREPL-Model 128	Part Number GS-02-4KWREPL-Model 128	4,000 Watt Fan Forced Heater-Model 128	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 128 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 1466R	GS-02-4KWREPL-Model 1466R	4,000 Watt Fan Forced Heat-Model 1466RHC	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 1466RHC Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 2010	GS-02-4KWREPL-Model 2010	4,000 Watt Fan Forced Heater-Model 2010	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 2010 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 44	GS-02-4KWREPL-Model 44	4,000 Watt Fan Forced Heater-Model 44	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 44 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 54	GS-02-4KWREPL-Model 54	4,000 Watt Fan Forced Heater-Model 54	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 54 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
4KWREPL-Model 64	GS-02-4KWREPL-Model 64	4,000 Watt Fan Forced Heater-Model 64	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 64 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 65	GS-02-4KWREPL-Model 65	4,000 Watt Fan Forced Heater-Model 65	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 65 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 66	GS-02-4KWREPL-Model 66	4,000 Watt Fan Forced Heater-Model 66	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 66 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 74	GS-02-4KWREPL-Model 74	4,000 Watt Fan Forced Heater-Model 74	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 74 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 75	GS-02-4KWREPL-Model 75	4,000 Watt Fan Forced Heater-Model 75	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 75 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
4KWREPL-Model 75HC	GS-02-4KWREPL-Model 75HC	4,000 Watt Fan Forced Heater-Model 75HC	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 75HC Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 84	GS-02-4KWREPL-Model 84	4,000 Watt Fan Forced Heater-Model 84	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 84 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 85	GS-02-4KWREPL-Model 85	4,000 Watt Fan Forced Heater-Model 85	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 85 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 86	GS-02-4KWREPL-Model 86	4,000 Watt Fan Forced Heater-Model 86	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 86 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 88	GS-02-4KWREPL-Model 88	4,000 Watt Fan Forced Heater-Model 88	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 88 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 4KWREPL-Model 95	Part Number GS-02-4KWREPL-Model 95	4,000 Watt Fan Forced Heater-Model 95	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 95 Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
4KWREPL-Model 95R	GS-02-4KWREPL-Model 95R	4,000 Watt Fan Forced Heater-Model 95R	The Upgrade Standard Heater to the 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 95R Booth. This option replaces the standard 1,500 Watt/120 Volt fan forced wall mounted heating unit with a 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit. This upgraded unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$170.03
8000COOLWSTAT-Model 1010	GS-02-8000COOLWSTAT-Model 1010	Wall Tstat for 8,000 BTU AC-Model 1010	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 1010 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 105	GS-02-8000COOLWSTAT-Model 105	Wall Tstat for 8,000 BTU AC-Model 105	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 105 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 106	GS-02-8000COOLWSTAT-Model 106	Wall Tstat for 8,000 BTU AC-Model 106	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 106 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000COOLWSTAT-Model 108	Part Number GS-02-8000COOLWSTAT-Model 108	Wall Tstat for 8,000 BTU AC-Model 108	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 108 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 1210	GS-02-8000COOLWSTAT-Model 1210	Wall Tstat for 8,000 BTU AC-Model 1210	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 1210 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 125	GS-02-8000COOLWSTAT-Model 125	Wall Tstat for 8,000 BTU AC-Model 125	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 125 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 125R	GS-02-8000COOLWSTAT-Model 125R	Wall Tstat for 8,000 BTU AC-Model 125R	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 125R Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 127R	GS-02-8000COOLWSTAT-Model 127R	Wall Tstat for 8,000 BTU AC-Model 127R	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 127R Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000COOLWSTAT-Model 128	Part Number GS-02-8000COOLWSTAT-Model 128	Wall Tstat for 8,000 BTU AC-Model 128	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 128 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 1466R	GS-02-8000COOLWSTAT-Model 1466R	Wall Tstat-8,000 BTU AC-Model 1466RHC	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 1466RHC Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 2010	GS-02-8000COOLWSTAT-Model 2010	Wall Tstat for 8,000 BTU AC-Model 2010	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 2010 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 44	GS-02-8000COOLWSTAT-Model 44	Wall Tstat for 8,000 BTU AC-Model 44	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 44 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 54	GS-02-8000COOLWSTAT-Model 54	Wall Tstat for 8,000 BTU AC-Model 54	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 54 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000COOLWSTAT-Model 64	Part Number GS-02-8000COOLWSTAT-Model 64	Wall Tstat for 8,000 BTU AC-Model 64	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 64 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 65	GS-02-8000COOLWSTAT-Model 65	Wall Tstat for 8,000 BTU AC-Model 65	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 65 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 66	GS-02-8000COOLWSTAT-Model 66	Wall Tstat for 8,000 BTU AC-Model 66	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 66 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 74	GS-02-8000COOLWSTAT-Model 74	Wall Tstat for 8,000 BTU AC-Model 74	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 74 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 75	GS-02-8000COOLWSTAT-Model 75	Wall Tstat for 8,000 BTU AC-Model 75	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 75 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000COOLWSTAT-Model 75HC	Part Number GS-02-8000COOLWSTAT-Model 75HC	Wall Tstat for 8,000 BTU AC-Model 75HC	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 75HC Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 84	GS-02-8000COOLWSTAT-Model 84	Wall Tstat for 8,000 BTU AC-Model 84	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 84 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 85	GS-02-8000COOLWSTAT-Model 85	Wall Tstat for 8,000 BTU AC-Model 85	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 85 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 86	GS-02-8000COOLWSTAT-Model 86	Wall Tstat for 8,000 BTU AC-Model 86	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 86 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 88	GS-02-8000COOLWSTAT-Model 88	Wall Tstat for 8,000 BTU AC-Model 88	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 88 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000COOLWSTAT-Model 95	Part Number GS-02-8000COOLWSTAT-Model 95	Wall Tstat for 8,000 BTU AC-Model 95	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 95 Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000COOLWSTAT-Model 95R	GS-02-8000COOLWSTAT-Model 95R	Wall Tstat for 8,000 BTU AC-Model 95R	The Wall Thermostat for an 8,000 BTU Air Conditioning Unit Option for a model 95R Booth. This option adds a wall mounted thermostat control for the 8,000 BTU thru-wall air conditioning unit that is provided as an upgraded item in the booth. This wall mounted thermostat replaces the integral thermostat control that is included with the basic air conditioning unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$341.31
8000THRUCOOL-Model 1010	GS-02-8000THRUCOOL-Model 1010	8,000 BTU Thru Wall AC-Model 1010	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 1010 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 105	GS-02-8000THRUCOOL-Model 105	8,000 BTU Thru Wall AC-Model 105	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 105 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 106	GS-02-8000THRUCOOL-Model 106	8,000 BTU Thru Wall AC-Model 106	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 106 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000THRUCOOL-Model 108	Part Number GS-02-8000THRUCOOL-Model 108	8,000 BTU Thru Wall AC-Model 108	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 108 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 1210	GS-02-8000THRUCOOL-Model 1210	8,000 BTU Thru Wall AC-Model 1210	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 1210 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 125	GS-02-8000THRUCOOL-Model 125	8,000 BTU Thru Wall AC-Model 125	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 125 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 125R	GS-02-8000THRUCOOL-Model 125R	8,000 BTU Thru Wall AC-Model 125R	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 125R Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 127R	GS-02-8000THRUCOOL-Model 127R	8,000 BTU Thru Wall AC-Model 127R	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 127R Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000THRUCOOL-Model 128	Part Number GS-02-8000THRUCOOL-Model 128	8,000 BTU Thru Wall AC-Model 128	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 128 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 1466R	GS-02-8000THRUCOOL-Model 1466R	8,000 BTU Thru Wall AC-Model 1466RHC	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 1466RHC Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 2010	GS-02-8000THRUCOOL-Model 2010	8,000 BTU Thru Wall AC-Model 2010	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 2010 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 44	GS-02-8000THRUCOOL-Model 44	8,000 BTU Thru Wall AC-Model 44	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 44 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 54	GS-02-8000THRUCOOL-Model 54	8,000 BTU Thru Wall AC-Model 54	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 54 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000THRUCOOL-Model 64	Part Number GS-02-8000THRUCOOL-Model 64	8,000 BTU Thru Wall AC-Model 64	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 64 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 65	GS-02-8000THRUCOOL-Model 65	8,000 BTU Thru Wall AC-Model 65	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 65 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 66	GS-02-8000THRUCOOL-Model 66	8,000 BTU Thru Wall AC-Model 66	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 66 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 74	GS-02-8000THRUCOOL-Model 74	8,000 BTU Thru Wall AC-Model 74	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 74 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 75	GS-02-8000THRUCOOL-Model 75	8,000 BTU Thru Wall AC-Model 75	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 75 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 8000THRUCOOL-Model 75HC	Part Number GS-02-8000THRUCOOL-Model 75HC	8,000 BTU Thru Wall AC-Model 75HC	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 75HC Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 84	GS-02-8000THRUCOOL-Model 84	8,000 BTU Thru Wall AC-Model 84	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 84 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 85	GS-02-8000THRUCOOL-Model 85	8,000 BTU Thru Wall AC-Model 85	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 485Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 86	GS-02-8000THRUCOOL-Model 86	8,000 BTU Thru Wall AC-Model 86	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 86 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 88	GS-02-8000THRUCOOL-Model 88	8,000 BTU Thru Wall AC-Model 88	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 88 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86

Manufacturer	Contractor Part Number	Product Name	Product Description	GSA Price
Part Number 8000THRUCOOL-Model 95	GS-02-8000THRUCOOL-Model 95	8,000 BTU Thru Wall AC-Model 95	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 95 Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
8000THRUCOOL-Model 95R	GS-02-8000THRUCOOL-Model 95R	8,000 BTU Thru Wall AC-Model 95R	The 8,000 BTU Thru-Wall Air Conditioning Option for a Model 95R Booth. This option adds an 8,000 BTU / 120 Volt thru-wall air conditioning unit to the booth. The unit has 2 cooling and 2 fan only speeds and is controlled by an integral thermostat control located on the front of the unit. The slide-out filter on the unit provides for easy cleaning and replacement. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
ADDTL1500WHEAT-Model 1010	GS-02-ADDTL1500WHEAT-Model 1010	2nd 1,500 W Heater-Model 1010 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 1010 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 105	GS-02-ADDTL1500WHEAT-Model 105	2nd 1,500 W Heater-Model 105 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 105 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 106	GS-02-ADDTL1500WHEAT-Model 106	2nd 1,500 W Heater-Model 106 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 106 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTL1500WHEAT-Model 108	Part Number GS-02-ADDTL1500WHEAT-Model 108	2nd 1,500 W Heater-Model 108 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 108 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 1210	GS-02-ADDTL1500WHEAT-Model 1210	2nd 1,500 W Heater-Model 1210 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 1210 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 125	GS-02-ADDTL1500WHEAT-Model 125	2nd 1,500 W Heater-Model 125 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 125 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 125R	GS-02-ADDTL1500WHEAT-Model 125R	2nd 1,500 W Heater-Model 125R Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 125R Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 127R	GS-02-ADDTL1500WHEAT-Model 127R	2nd 1,500 W Heater-Model 127R Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 127R Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTL1500WHEAT-Model 128	Part Number GS-02-ADDTL1500WHEAT-Model 128	2nd 1,500 W Heater-Model 128 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 128 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 1466R	GS-02-ADDTL1500WHEAT-Model 1466R	2nd 1,500 W Heater-Model 1466RHC Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 1466RHC Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 2010	GS-02-ADDTL1500WHEAT-Model 2010	2nd 1,500 W Heater-Model 2010 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 2010 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 44	GS-02-ADDTL1500WHEAT-Model 44	2nd 1,500 W Heater-Model 44 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 44 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 54	GS-02-ADDTL1500WHEAT-Model 54	2nd 1,500 W Heater-Model 54 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 54 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTL1500WHEAT-Model 64	Part Number GS-02-ADDTL1500WHEAT-Model 64	2nd 1,500 W Heater-Model 64 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 64 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 65	GS-02-ADDTL1500WHEAT-Model 65	2nd 1,500 W Heater-Model 65 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 65 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 66	GS-02-ADDTL1500WHEAT-Model 66	2nd 1,500 W Heater-Model 66 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 66 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 74	GS-02-ADDTL1500WHEAT-Model 74	2nd 1,500 W Heater-Model 74 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 74 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 75	GS-02-ADDTL1500WHEAT-Model 75	2nd 1,500 W Heater-Model 75 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 75 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
ADDTL1500WHEAT-Model 75HC	GS-02-ADDTL1500WHEAT-Model 75HC	2nd 1,500 W Heater-Model 75HC Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 75HC Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 84	GS-02-ADDTL1500WHEAT-Model 84	2nd 1,500 W Heater-Model 84 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 84 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 85	GS-02-ADDTL1500WHEAT-Model 85	2nd 1,500 W Heater-Model 85 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 85 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 86	GS-02-ADDTL1500WHEAT-Model 86	2nd 1,500 W Heater-Model 86 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 86 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 88	GS-02-ADDTL1500WHEAT-Model 88	2nd 1,500 W Heater-Model 88 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 88 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTL1500WHEAT-Model 95	Part Number GS-02-ADDTL1500WHEAT-Model 95	2nd 1,500 W Heater-Model 95 Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 95 Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL1500WHEAT-Model 95R	GS-02-ADDTL1500WHEAT-Model 95R	2nd 1,500 W Heater-Model 95R Booth	The 2nd 1,500 Watt Fan Forced Heater for a Model 95R Booth. This option adds a 2nd heating unit to the booth. The heating unit is a 1,500 Watt/120 Volt fan forced wall mounted heating unit with an integral thermostat control. The grille has a white, baked enamel finish and the thermostat is located on the front of the unit. This heater is in addition to the single 1,500 Watt heating unit that comes standard with the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
ADDTL4KWHEAT-Model 1010	GS-02-ADDTL4KWHEAT-Model 1010	2nd 4 KW Fan Forced Heater-Model 1010	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 1010 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 105	GS-02-ADDTL4KWHEAT-Model 105	2nd 4 KW Fan Forced Heater-Model 105	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 105 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 106	GS-02-ADDTL4KWHEAT-Model 106	2nd 4 KW Fan Forced Heater-Model 106	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 106 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTL4KWHEAT-Model 108	Part Number GS-02-ADDTL4KWHEAT-Model 108	2nd 4 KW Fan Forced Heater-Model 108	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 108 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 1210	GS-02-ADDTL4KWHEAT-Model 1210	2nd 4 KW Fan Forced Heater-Model 1210	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 1210 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 125	GS-02-ADDTL4KWHEAT-Model 125	2nd 4 KW Fan Forced Heater-Model 125	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 125 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 125R	GS-02-ADDTL4KWHEAT-Model 125R	2nd 4 KW Fan Forced Heater-Model 125R	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 125R Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 127R	GS-02-ADDTL4KWHEAT-Model 127R	2nd 4 KW Fan Forced Heater-Model 127R	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 127R Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 128	GS-02-ADDTL4KWHEAT-Model 128	2nd 4 KW Fan Forced Heater-Model 128	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 128 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTL4KWHEAT-Model 1466R	Part Number GS-02-ADDTL4KWHEAT-Model 1466R	2nd 4 KW Fan Forced Heater-Model 1466RHC	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 1466RHC Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 2010	GS-02-ADDTL4KWHEAT-Model 2010	2nd 4 KW Fan Forced Heater-Model 2010	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 2010 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 44	GS-02-ADDTL4KWHEAT-Model 44	2nd 4 KW Fan Forced Heater-Model 44	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 44 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 54	GS-02-ADDTL4KWHEAT-Model 54	2nd 4 KW Fan Forced Heater-Model 54	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 54 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 64	GS-02-ADDTL4KWHEAT-Model 64	2nd 4 KW Fan Forced Heater-Model 64	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 64 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 65	GS-02-ADDTL4KWHEAT-Model 65	2nd 4 KW Fan Forced Heater-Model 65	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 65 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTL4KWHEAT-Model 66	Part Number GS-02-ADDTL4KWHEAT-Model 66	2nd 4 KW Fan Forced Heater-Model 66	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 66 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 74	GS-02-ADDTL4KWHEAT-Model 74	2nd 4 KW Fan Forced Heater-Model 74	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 74 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 75	GS-02-ADDTL4KWHEAT-Model 75	2nd 4 KW Fan Forced Heater-Model 75	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 75 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 75HC	GS-02-ADDTL4KWHEAT-Model 75HC	2nd 4 KW Fan Forced Heater-Model 75HC	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 75HC Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 84	GS-02-ADDTL4KWHEAT-Model 84	2nd 4 KW Fan Forced Heater-Model 84	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 84 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 85	GS-02-ADDTL4KWHEAT-Model 85	2nd 4 KW Fan Forced Heater-Model 85	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 85 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTL4KWHEAT-Model 86	Part Number GS-02-ADDTL4KWHEAT-Model 86	2nd 4 KW Fan Forced Heater-Model 86	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 86 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 88	GS-02-ADDTL4KWHEAT-Model 88	2nd 4 KW Fan Forced Heater-Model 88	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 88 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 95	GS-02-ADDTL4KWHEAT-Model 95	2nd 4 KW Fan Forced Heater-Model 95	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 95 Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
ADDTL4KWHEAT-Model 95R	GS-02-ADDTL4KWHEAT-Model 95R	2nd 4 KW Fan Forced Heater-Model 95R	The 2nd 4,000 Watt Heavy Duty Fan Forced Heater Option for a Model 95R Booth. This option adds a 2nd 4,000 Watt/240 Volt heavy duty wall mounted fan forced heating unit to the booth. This unit has a grille with a white, baked enamel finish, and an integral thermostat control located on the front of the unit. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
Guard Booth - Inside	Options			
21"COUNTER-Model 1010	GS-02-21"COUNTER-Model 1010	Upgrade to 21" Counter Depth-Model 1010	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 1010 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$192.70
21"COUNTER-Model 105	GS-02-21"COUNTER-Model 105	Upgrade to 21" Counter Depth-Model 105	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 105 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$100.76
21"COUNTER-Model 106	GS-02-21"COUNTER-Model 106	Upgrade to 21" Counter Depth-Model 106	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 106 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$128.46

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 21"COUNTER-Model 108	Part Number GS-02-21"COUNTER-Model 108	Upgrade to 21" Counter Depth-Model 108	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 108 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$156.17
21"COUNTER-Model 1210	GS-02-21"COUNTER-Model 1210	Upgrade to 21" Counter Depth-Model 1210	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 1210 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$192.70
21"COUNTER-Model 125	GS-02-21"COUNTER-Model 125	Upgrade to 21" Counter Depth-Model 125	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 125 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$100.76
21"COUNTER-Model 125R	GS-02-21"COUNTER-Model 125R	Upgrade to 21" Counter Depth-Model 125R	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 125R Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$100.76
21"COUNTER-Model 127R	GS-02-21"COUNTER-Model 127R	Upgrade to 21" Counter Depth-Model 127R	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 127R Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$142.32
21"COUNTER-Model 128	GS-02-21"COUNTER-Model 128	Upgrade to 21" Counter Depth-Model 128	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 128 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$156.17
21"COUNTER-Model 2010	GS-02-21"COUNTER-Model 2010	Upgrade to 21" Counter Depth-Model 2010	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 2010 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$192.70
21"COUNTER-Model 74	GS-02-21"COUNTER-Model 74	Upgrade to 21" Counter Depth-Model 74	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 74 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$71.79

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 21"COUNTER-Model 75	Part Number GS-02-21"COUNTER-Model 75	Upgrade to 21" Counter Depth-Model 75	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 75 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$71.79
21"COUNTER-Model 84	GS-02-21"COUNTER-Model 84	Upgrade to 21" Counter Depth-Model 84	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 84 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$71.79
21"COUNTER-Model 85	GS-02-21"COUNTER-Model 85	Upgrade to 21" Counter Depth-Model 85	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 85 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$100.76
21"COUNTER-Model 86	GS-02-21"COUNTER-Model 86	Upgrade to 21" Counter Depth-Model 86	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 86 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$128.46
21"COUNTER-Model 88	GS-02-21"COUNTER-Model 88	Upgrade to 21" Counter Depth-Model 88	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 88 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$156.17
21"COUNTER-Model 95	GS-02-21"COUNTER-Model 95	Upgrade to 21" Counter Depth-Model 95	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 95 Booth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$100.76
21"COUNTER-Model 95R	GS-02-21"COUNTER-Model 95R	Upgrade to 21" Counter Depth-Model 95R	The Upgrade Standard Counter to 21" Deep Counter Option for a Model 95RBooth. This option replaces the standard 18" deep painted steel work counter with a 21" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$100.76
25"COUNTER-Model 1010	GS-02-25"COUNTER-Model 1010	Upgrade to 25" Counter Depth-Model 1010	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 1010 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$198.99

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 25"COUNTER-Model 105	Part Number GS-02-25"COUNTER-Model 105	Upgrade to 25" Counter Depth-Model 105	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 105 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$105.79
25"COUNTER-Model 106	GS-02-25"COUNTER-Model 106	Upgrade to 25" Counter Depth-Model 106	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 106 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$134.76
25"COUNTER-Model 108	GS-02-25"COUNTER-Model 108	Upgrade to 25" Counter Depth-Model 108	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 108 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$163.73
25"COUNTER-Model 1210	GS-02-25"COUNTER-Model 1210	Upgrade to 25" Counter Depth-Model 1210	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 1210 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$198.99
25"COUNTER-Model 125	GS-02-25"COUNTER-Model 125	Upgrade to 25" Counter Depth-Model 125	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 125 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$105.79
25"COUNTER-Model 125R	GS-02-25"COUNTER-Model 125R	Upgrade to 25" Counter Depth-Model 125R	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 125R Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$105.79
25"COUNTER-Model 127R	GS-02-25"COUNTER-Model 127R	Upgrade to 25" Counter Depth-Model 127R	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 127R Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$148.61
25"COUNTER-Model 128	GS-02-25"COUNTER-Model 128	Upgrade to 25" Counter Depth-Model 128	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 128 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$163.73

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 25"COUNTER-Model 2010	Part Number GS-02-25"COUNTER-Model 2010	Upgrade to 25" Counter Depth-Model 2010	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 2010 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$198.99
25"COUNTER-Model 74	GS-02-25"COUNTER-Model 74	Upgrade to 25" Counter Depth-Model 74	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 74 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$78.09
25"COUNTER-Model 75	GS-02-25"COUNTER-Model 75	Upgrade to 25" Counter Depth-Model 75	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 75 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$78.09
25"COUNTER-Model 84	GS-02-25"COUNTER-Model 84	Upgrade to 25" Counter Depth-Model 84	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 84 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$78.09
25"COUNTER-Model 85	GS-02-25"COUNTER-Model 85	Upgrade to 25" Counter Depth-Model 85	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 85 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$105.79
25"COUNTER-Model 86	GS-02-25"COUNTER-Model 86	Upgrade to 25" Counter Depth-Model 86	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 86 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$134.76
25"COUNTER-Model 88	GS-02-25"COUNTER-Model 88	Upgrade to 25" Counter Depth-Model 88	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 88 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$163.73

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 25"COUNTER-Model 95	Part Number GS-02-25"COUNTER-Model 95	Upgrade to 25" Counter Depth-Model 95	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 95 Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$105.79
25"COUNTER-Model 95R	GS-02-25"COUNTER-Model 95R	Upgrade to 25" Counter Depth-Model 95R	The Upgrade Standard Counter to 25" Deep Counter Option for a Model 9SR Booth. This option replaces the standard 18" deep painted steel work counter with a 25" deep painted steel work counter. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$105.79
PLAMCOUNTER-Model 1010	GS-02-PLAMCOUNTER-Model 1010	Plastic Laminate Counter-Model 1010	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 1010 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$522.67
PLAMCOUNTER-Model 105	GS-02-PLAMCOUNTER-Model 105	Plastic Laminate Counter-Model 105	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 105 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
PLAMCOUNTER-Model 106	GS-02-PLAMCOUNTER-Model 106	Plastic Laminate Counter-Model 106	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 106 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$312.34
PLAMCOUNTER-Model 108	GS-02-PLAMCOUNTER-Model 108	Plastic Laminate Counter-Model 108	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 108 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$416.88

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PLAMCOUNTER-Model 1210	Part Number GS-02-PLAMCOUNTER-Model 1210	Plastic Laminate Counter-Model 1210	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 1210 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$522.67
PLAMCOUNTER-Model 125	GS-02-PLAMCOUNTER-Model 125	Plastic Laminate Counter-Model 125	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 125 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
PLAMCOUNTER-Model 125R	GS-02-PLAMCOUNTER-Model 125R	Plastic Laminate Counter-Model 125R	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 125R Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
PLAMCOUNTER-Model 127R	GS-02-PLAMCOUNTER-Model 127R	Plastic Laminate Counter-Model 127R	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 127R Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$363.98
PLAMCOUNTER-Model 128	GS-02-PLAMCOUNTER-Model 128	Plastic Laminate Counter-Model 128	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 128 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$416.88
PLAMCOUNTER-Model 1466R	GS-02-PLAMCOUNTER-Model 1466R	Plastic Laminate Counter-Model 1466RHC	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 1466RHC Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$312.34

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PLAMCOUNTER-Model 2010	Part Number GS-02-PLAMCOUNTER-Model 2010	Plastic Laminate Counter-Model 2010	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 2010 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$522.67
PLAMCOUNTER-Model 44	GS-02-PLAMCOUNTER-Model 44	Plastic Laminate Counter-Model 44	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 44 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" thick wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$206.55
PLAMCOUNTER-Model 54	GS-02-PLAMCOUNTER-Model 54	Plastic Laminate Counter-Model 54	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 54 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$206.55
PLAMCOUNTER-Model 64	GS-02-PLAMCOUNTER-Model 64	Plastic Laminate Counter-Model 64	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 64 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$206.55
PLAMCOUNTER-Model 65	GS-02-PLAMCOUNTER-Model 65	Plastic Laminate Counter-Model 65	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 65 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
PLAMCOUNTER-Model 66	GS-02-PLAMCOUNTER-Model 66	Plastic Laminate Counter-Model 66	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 66 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$312.34

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PLAMCOUNTER-Model 74	Part Number GS-02-PLAMCOUNTER-Model 74	Plastic Laminate Counter-Model 74	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 74 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$206.55
PLAMCOUNTER-Model 75	GS-02-PLAMCOUNTER-Model 75	Plastic Laminate Counter-Model 75	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 75 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
PLAMCOUNTER-Model 75HC	GS-02-PLAMCOUNTER-Model 75HC	Plastic Laminate Counter-Model 75HC	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 75HC Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
PLAMCOUNTER-Model 84	GS-02-PLAMCOUNTER-Model 84	Plastic Laminate Counter-Model 84	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 84 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$206.55
PLAMCOUNTER-Model 85	GS-02-PLAMCOUNTER-Model 85	Plastic Laminate Counter-Model 85	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 85 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
PLAMCOUNTER-Model 86	GS-02-PLAMCOUNTER-Model 86	Plastic Laminate Counter-Model 86	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 86 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$312.34

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PLAMCOUNTER-Model 88	Part Number GS-02-PLAMCOUNTER-Model 88	Plastic Laminate Counter-Model 88	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 88 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$416.88
PLAMCOUNTER-Model 95	GS-02-PLAMCOUNTER-Model 95	Plastic Laminate Counter-Model 95	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 95 Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
PLAMCOUNTER-Model 95R	GS-02-PLAMCOUNTER-Model 95R	Plastic Laminate Counter-Model 95R	The Upgrade Standard Counter to a Plastic Laminate Counter Option for a Model 95R Booth. This option replaces the standard painted steel counter with a counter constructed with a plastic laminate veneer covering over a 3/4" wood base. The plastic laminate color is factory selected to coordinate with the booth paint color. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$259.45
RECCOUNTER-Model 1010	GS-02-RECCOUNTER-Model 1010	Recessed ADA Counter-Model 1010	The Upgrade Standard Counter to a Recessed ADA-Compliant Painted Steel Counter Option for a Model 1010 Booth. This option replaces the standard 18" deep painted steel counter that is mounted 40" above the finished flooring with a painted steel counter that is 22-25" deep and is mounted 32" above the finished flooring. The increase is depth and the change in height above the finished floor are requirements to upgrade the counter to be ADA compliant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$175.06
RECCOUNTER-Model 106	GS-02-RECCOUNTER-Model 106	Recessed ADA-Compliant Counter-Model 106	The Upgrade Standard Counter to a Recessed ADA-Compliant Painted Steel Counter Option for a Model 106 Booth. This option replaces the standard 18" deep painted steel counter that is mounted 40" above the finished flooring with a painted steel counter that is 22-25" deep and is mounted 32" above the finished flooring. The increase is depth and the change in height above the finished floor are requirements to upgrade the counter to be ADA compliant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$108.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RECCOUNTER-Model 108	Part Number GS-02-RECCOUNTER-Model 108	Recessed ADA-Compliant Counter-Model 108	The Upgrade Standard Counter to a Recessed ADA-Compliant Painted Steel Counter Option for a Model 108 Booth. This option replaces the standard 18" deep painted steel counter that is mounted 40" above the finished flooring with a painted steel counter that is 22-25" deep and is mounted 32" above the finished flooring. The increase is depth and the change in height above the finished floor are requirements to upgrade the counter to be ADA compliant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
RECCOUNTER-Model 1210	GS-02-RECCOUNTER-Model 1210	Recessed ADA Counter-Model 1210	The Upgrade Standard Counter to a Recessed ADA-Compliant Painted Steel Counter Option for a Model 1210 Booth. This option replaces the standard 18" deep painted steel counter that is mounted 40" above the finished flooring with a painted steel counter that is 22-25" deep and is mounted 32" above the finished flooring. The increase is depth and the change in height above the finished floor are requirements to upgrade the counter to be ADA compliant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$175.06
RECCOUNTER-Model 128	GS-02-RECCOUNTER-Model 128	Recessed ADA-Compliant Counter-Model 128	The Upgrade Standard Counter to a Recessed ADA-Compliant Painted Steel Counter Option for a Model 128 Booth. This option replaces the standard 18" deep painted steel counter that is mounted 40" above the finished flooring with a painted steel counter that is 22-25" deep and is mounted 32" above the finished flooring. The increase is depth and the change in height above the finished floor are requirements to upgrade the counter to be ADA compliant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
RECCOUNTER-Model 2010	GS-02-RECCOUNTER-Model 2010	Recessed ADA Counter-Model 2010	The Upgrade Standard Counter to a Recessed ADA-Compliant Painted Steel Counter Option for a Model 2010 Booth. This option replaces the standard 18" deep painted steel counter that is mounted 40" above the finished flooring with a painted steel counter that is 22-25" deep and is mounted 32" above the finished flooring. The increase is depth and the change in height above the finished floor are requirements to upgrade the counter to be ADA compliant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$175.06
RECCOUNTER-Model 86	GS-02-RECCOUNTER-Model 86	Recessed ADA-Compliant Counter-Model 86	The Upgrade Standard Counter to a Recessed ADA-Compliant Painted Steel Counter Option for a Model 86 Booth. This option replaces the standard 18" deep painted steel counter that is mounted 40" above the finished flooring with a painted steel counter that is 22-25" deep and is mounted 32" above the finished flooring. The increase is depth and the change in height above the finished floor are requirements to upgrade the counter to be ADA compliant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$108.31

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RECCOUNTER-Model 88	Part Number GS-02-RECCOUNTER-Model 88	Recessed ADA-Compliant Counter-Model 88	The Upgrade Standard Counter to a Recessed ADA-Compliant Painted Steel Counter Option for a Model 88 Booth. This option replaces the standard 18" deep painted steel counter that is mounted 40" above the finished flooring with a painted steel counter that is 22-25" deep and is mounted 32" above the finished flooring. The increase is depth and the change in height above the finished floor are requirements to upgrade the counter to be ADA compliant. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
	g Equipment Options			
FKSL-Model 1010	GS-02-FKSL-Model 1010	Forklift Slots Option-Model 1010	The Forklift Slots Option for a Model 1010 Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$392.95
FKSL-Model 105	GS-02-FKSL-Model 105	Forklift Slots Option-Model 105	The Forklift Slots Option for a Model 105 Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$233.00
FKSL-Model 106	GS-02-FKSL-Model 106	Forklift Slots Option-Model 106	The Forklift Slots Option for a Model 106 Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$263.22
FKSL-Model 108	GS-02-FKSL-Model 108	Forklift Slots Option-Model 108	The Forklift Slots Option for a Model 108 Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$371.54
FKSL-Model 1210	GS-02-FKSL-Model 1210	Forklift Slots Option-Model 1210	The Forklift Slots Option for a Model 1210 Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$392.95
FKSL-Model 125	GS-02-FKSL-Model 125	Forklift Slots Option-Model 125	The Forklift Slots Option for a Model 125 Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$233.00

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FKSL-Model 125R	Part Number GS-02-FKSL-Model 125R	Forklift Slots Option-Model 125R	The Forklift Slots Option for a Model 125R Booth provides 4" x 6" slots in the base of the booth for	\$243.07
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the delivery location.	
FKSL-Model 127R	GS-02-FKSL-Model 127R	Forklift Slots Option-Model 127R	The Forklift Slots Option for a Model 127R Booth	\$329.97
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 128	GS-02-FKSL-Model 128	Forklift Slots Option-Model 128	The Forklift Slots Option for a Model 4128Booth	\$371.54
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 1466R	GS-02-FKSL-Model 1466R	Forklift Slots Option-Model 1466RHC	The Forklift Slots Option for a Model 1466RHC Booth	\$329.97
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 2010	GS-02-FKSL-Model 2010	Forklift Slots Option-Model 2010	The Forklift Slots Option for a Model 2010 Booth	\$392.95
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 44	GS-02-FKSL-Model 44	Forklift Slots Option-Model 44	The Forklift Slots Option for a Model 44 Booth	\$211.59
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 54	GS-02-FKSL-Model 54	Forklift Slots Option-Model 54	The Forklift Slots Option for a Model 54 Booth	\$211.59
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 64	GS-02-FKSL-Model 64	Forklift Slots Option-Model 64	The Forklift Slots Option for a Model 64 Booth	\$211.59
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
	j	ĺ	into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			additional cost to the base booth price. Freight NOT	
			additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FKSL-Model 65	Part Number GS-02-FKSL-Model 65	Forklift Slots Option-Model 65	The Forklift Slots Option for a Model 65 Booth	\$233.00
			provides 4" x 6" slots in the base of the booth for	7-0000
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 66	GS-02-FKSL-Model 66	Forklift Slots Option-Model 66	The Forklift Slots Option for a Model 66 Booth	\$263.22
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 74	GS-02-FKSL-Model 74	Forklift Slots Option-Model 74	The Forklift Slots Option for a Model 74 Booth	\$211.59
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 75	GS-02-FKSL-Model 75	Forklift Slots Option-Model 75	The Forklift Slots Option for a Model 75 Booth	\$233.00
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 75HC	GS-02-FKSL-Model 75HC	Forklift Slots Option-Model 75HC	The Forklift Slots Option for a Model 75HC Booth	\$243.07
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 84	GS-02-FKSL-Model 84	Forklift Slots Option-Model 84	The Forklift Slots Option for a Model 84 Booth	\$211.59
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 85	GS-02-FKSL-Model 85	Forklift Slots Option-Model 85	The Forklift Slots Option for a Model 85 Booth	\$233.00
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
FKSL-Model 86	GS-02-FKSL-Model 86	Forklift Slots Option-Model 86	The Forklift Slots Option for a Model 86 Booth	\$263.22
			provides 4" x 6" slots in the base of the booth for	
			use in manuevering of the booth by a forklift. These	
			slots are constructed of steel tubing that is welded	
			into the base of the booth. This option is an	
			additional cost to the base booth price. Freight NOT	
			included in the item price. Freight is an additional	
			charge and is calculated from the factory to the	
			delivery location.	
		+		

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FKSL-Model 88	Part Number GS-02-FKSL-Model 88	Forklift Slots Option-Model 88	The Forklift Slots Option for a Model 88 Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$329.97
FKSL-Model 95	GS-02-FKSL-Model 95	Forklift Slots Option-Model 95	The Forklift Slots Option for a Model 95 Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$233.00
FKSL-Model 95R	GS-02-FKSL-Model 95R	Forklift Slots Option-Model 95R	The Forklift Slots Option for a Model 95R Booth provides 4" x 6" slots in the base of the booth for use in manuevering of the booth by a forklift. These slots are constructed of steel tubing that is welded into the base of the booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$243.07
REMLR-Model 1010	GS-02-REMLR-Model 1010	Removable Lifting Ring-Model 1010	The Removable Lifting Ring Option for a Model 1010 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
REMLR-Model 105	GS-02-REMLR-Model 105	Removable Lifting Ring-Model 105	The Removable Lifting Ring Option for a Model 105 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 106	GS-02-REMLR-Model 106	Removable Lifting Ring-Model 106	The Removable Lifting Ring Option for a Model 106 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number REMLR-Model 108	Part Number GS-02-REMLR-Model 108	Removable Lifting Ring-Model 108	The Removable Lifting Ring Option for a Model 108 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
REMLR-Model 1210	GS-02-REMLR-Model 1210	Removable Lifting Ring-Model 1210	The Removable Lifting Ring Option for a Model 1210 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
REMLR-Model 125	GS-02-REMLR-Model 125	Removable Lifting Ring-Model 125	The Removable Lifting Ring Option for a Model 125 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 125R	GS-02-REMLR-Model 125R	Removable Lifting Ring-Model 125R	The Removable Lifting Ring Option for a Model 125R Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
REMLR-Model 127R	GS-02-REMLR-Model 127R	Removable Lifting Ring-Model 127R	The Removable Lifting Ring Option for a Model 127R Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
REMLR-Model 128	GS-02-REMLR-Model 128	Removable Lifting Ring-Model 128	The Removable Lifting Ring Option for a Model 128 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
REMLR-Model 1466R	GS-02-REMLR-Model 1466R	Removable Lifting Ring-Model 1466RHC	The Removable Lifting Ring Option for a Model 1466RHC Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
REMLR-Model 2010	GS-02-REMLR-Model 2010	Removable Lifting Ring-Model 2010	The Removable Lifting Ring Option for a Model 2010 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
REMLR-Model 44	GS-02-REMLR-Model 44	Removable Lifting Ring-Model 44	The Removable Lifting Ring Option for a Model 44 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 54	GS-02-REMLR-Model 54	Removable Lifting Ring-Model 54	The Removable Lifting Ring Option for a Model 54 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
REMLR-Model 64	GS-02-REMLR-Model 64	Removable Lifting Ring-Model 64	The Removable Lifting Ring Option for a Model 64 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 65	GS-02-REMLR-Model 65	Removable Lifting Ring-Model 65	The Removable Lifting Ring Option for a Model 65 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 66	GS-02-REMLR-Model 66	Removable Lifting Ring-Model 66	The Removable Lifting Ring Option for a Model 66 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 74	GS-02-REMLR-Model 74	Removable Lifting Ring-Model 74	The Removable Lifting Ring Option for a Model 74 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 75	GS-02-REMLR-Model 75	Removable Lifting Ring-Model 75	The Removable Lifting Ring Option for a Model 75 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number REMLR-Model 75HC	Part Number GS-02-REMLR-Model 75HC	Removable Lifting Ring-Model 75HC	The Removable Lifting Ring Option for a Model 75HC Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 84	GS-02-REMLR-Model 84	Removable Lifting Ring-Model 84	The Removable Lifting Ring Option for a Model 84 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 85	GS-02-REMLR-Model 85	Removable Lifting Ring-Model 85	The Removable Lifting Ring Option for a Model 85 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 86	GS-02-REMLR-Model 86	Removable Lifting Ring-Model 86	The Removable Lifting Ring Option for a Model 86 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 88	GS-02-REMLR-Model 88	Removable Lifting Ring-Model 88	The Removable Lifting Ring Option for a Model 88 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number REMLR-Model 95	Part Number GS-02-REMLR-Model 95	Removable Lifting Ring-Model 95	The Removable Lifting Ring Option for a Model 95 Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
REMLR-Model 95R	GS-02-REMLR-Model 95R	Removable Lifting Ring-Model 95R	The Removable Lifting Ring Option for a Model 95R Booth. This option provides for removable lifting rings in the roof of the booth that replace the standard welded in lifting rings. Removable rings are threaded eye bolts with a 1" shank. Depending on the size of the booth the rings can be located in the center of the roof (for smaller booths) or at each corner of the roof (for larger booths). This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 1010	GS-02-SSRLR-Model 1010	Lift Ring-Standing Seam Roof-Model 1010	The Lifting Ring Option for a Standing Seam Roof for a Model 1010 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 105	GS-02-SSRLR-Model 105	Lift Ring-Standing Seam Roof-Model 105	The Lifting Ring Option for a Standing Seam Roof for a Model 105 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSRLR-Model 106	Part Number GS-02-SSRLR-Model 106	Lift Ring-Standing Seam Roof-Model 106	The Lifting Ring Option for a Standing Seam Roof for a Model 106 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 108	GS-02-SSRLR-Model 108	Lift Ring-Standing Seam Roof-Model 108	The Lifting Ring Option for a Standing Seam Roof for a Model 108 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 1210	GS-02-SSRLR-Model 1210	Lift Ring-Standing Seam Roof-Model 1210	The Lifting Ring Option for a Standing Seam Roof for a Model 1210 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 125	GS-02-SSRLR-Model 125	Lift Ring-Standing Seam Roof-Model 125	The Lifting Ring Option for a Standing Seam Roof for a Model 125 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
SSRLR-Model 125R	GS-02-SSRLR-Model 125R	Lift Ring-Standing Seam Roof-Model 125R	The Lifting Ring Option for a Standing Seam Roof for a Model 125R Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 127R	GS-02-SSRLR-Model 127R	Lift Ring-Standing Seam Roof-Model 127R	The Lifting Ring Option for a Standing Seam Roof for a Model 127R Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 128	GS-02-SSRLR-Model 128	Lift Ring-Standing Seam Roof-Model 128	The Lifting Ring Option for a Standing Seam Roof for a Model 128 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 1466R	GS-02-SSRLR-Model 1466R	Lift Ring-Standing Seam Roof-# 1466RHC	The Lifting Ring Option for a Standing Seam Roof for a Model 1466RHC Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSRLR-Model 2010	Part Number GS-02-SSRLR-Model 2010	Lift Ring-Standing Seam Roof-Model 2010	The Lifting Ring Option for a Standing Seam Roof for a Model 2010 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 44	GS-02-SSRLR-Model 44	Lift Ring-Standing Seam Roof-Model 44	The Lifting Ring Option for a Standing Seam Roof for a Model 44 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 54	GS-02-SSRLR-Model 54	Lift Ring-Standing Seam Roof-Model 54	The Lifting Ring Option for a Standing Seam Roof for a Model 54 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 64	GS-02-SSRLR-Model 64	Lift Ring-Standing Seam Roof-Model 64	The Lifting Ring Option for a Standing Seam Roof for a Model 64 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSRLR-Model 65	GS-02-SSRLR-Model 65	Lift Ring-Standing Seam Roof-Model 65	The Lifting Ring Option for a Standing Seam Roof for a Model 65 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 66	GS-02-SSRLR-Model 66	Lift Ring-Standing Seam Roof-Model 66	The Lifting Ring Option for a Standing Seam Roof for a Model 66 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 74	GS-02-SSRLR-Model 74	Lift Ring-Standing Seam Roof-Model 74	The Lifting Ring Option for a Standing Seam Roof for a Model 74 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 75	GS-02-SSRLR-Model 75	Lift Ring-Standing Seam Roof-Model 75	The Lifting Ring Option for a Standing Seam Roof for a Model 75 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof fis designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSRLR-Model 75HC	Part Number GS-02-SSRLR-Model 75HC	Lift Ring-Standing Seam Roof-Model 75HC	The Lifting Ring Option for a Standing Seam Roof for a Model 75HC Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 84	GS-02-SSRLR-Model 84	Lift Ring-Standing Seam Roof-Model 84	The Lifting Ring Option for a Standing Seam Roof for a Model 84 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 85	GS-02-SSRLR-Model 85	Lift Ring-Standing Seam Roof-Model 85	The Lifting Ring Option for a Standing Seam Roof for a Model 85 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 86	GS-02-SSRLR-Model 86	Lift Ring-Standing Seam Roof-Model 86	The Lifting Ring Option for a Standing Seam Roof for a Model 86 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSRLR-Model 88	Part Number GS-02-SSRLR-Model 88	Lift Ring-Standing Seam Roof-Model 88	The Lifting Ring Option for a Standing Seam Roof for a Model 88 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof the roof to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,124.69
SSRLR-Model 95	GS-02-SSRLR-Model 95	Lift Ring-Standing Seam Roof-Model 95	The Lifting Ring Option for a Standing Seam Roof for a Model 95 Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
SSRLR-Model 95R	GS-02-SSRLR-Model 95R	Lift Ring-Standing Seam Roof-Model 95R	The Lifting Ring Option for a Standing Seam Roof for a Model 95R Booth. This option provides lifting rings in a solid metal standing seam roof. Based on the size of the booth there will be (1) lifting ring in the center of the roof (for smaller booths) or a lifting ring at each corner of the roof (for larger booths). When the rings are located in the corner of the roof the roof is designed to have a section of the roofing material removed to allow access to the lifting ring. Once the booth is in place that section of the roofing material is replaced to cover the location of the lifting ring. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$285.89
Guard Booth - Lighting	GS-02-ADDTLFLLNS-Model 1010	Added Light-Model 1010-No Switch	The Additional Fluorescent Light with Lamps (No	\$144.84
ADDITE LINS WINDER 1010	OS-SE-MUNITERISTRIQUEI 1010	naded Eight-Model 1010-NO SWITCH	Switch) for a Model 1010 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	3144. 64

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLFLLNS-Model 105	Part Number GS-02-ADDTLFLLNS-Model 105	Added Light-Model 105-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 105 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 106	GS-02-ADDTLFLLNS-Model 106	Added Light-Model 106-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 106 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 108	GS-02-ADDTLFLLNS-Model 108	Added Light-Model 108-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 108 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 1210	GS-02-ADDTLFLLNS-Model 1210	Added Light-Model 1210-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 1210 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 125	GS-02-ADDTLFLLNS-Model 125	Added Light-Model 125-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 125 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLFILNS-Model 125R	Part Number GS-02-ADDTLFLLNS-Model 125R	Added Light-Model 125R-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 125R Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 127R	GS-02-ADDTLFLLNS-Model 127R	Added Light-Model 127R-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 127R Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 128	GS-02-ADDTLFLLNS-Model 128	Added Light-Model 128-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 128 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 2010	GS-02-ADDTLFLLNS-Model 2010	Added Light-Model 2010-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 2010 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 44	GS-02-ADDTLFLLNS-Model 44	Added Light-Model 44-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 44 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLFLLNS-Model 54	GS-02-ADDTLFLLNS-Model 54	Added Light-Model 54-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 54 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior	\$144.84
			fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	
ADDTLFLLNS-Model 64	GS-02-ADDTLFLLNS-Model 64	Added Light-Model 64-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 64 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is	\$144.84
ADDTLFLLNS-Model 65	GS-02-ADDTLFLLNS-Model 65	Added Light-Model 65-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 65 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is of the standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 66	GS-02-ADDTLFLLNS-Model 66	Added Light-Model 66-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 66 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 74	GS-02-ADDTLFLLNS-Model 74	Added Light-Model 74-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 74 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLFLLNS-Model 75	Part Number GS-02-ADDTLFLLNS-Model 75	Added Light-Model 75-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 75 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 84	GS-02-ADDTLFLLNS-Model 84	Added Light-Model 84-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 84 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 85	GS-02-ADDTLFLLNS-Model 85	Added Light-Model 85-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 85 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 86	GS-02-ADDTLFLLNS-Model 86	Added Light-Model 86-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 86 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 88	GS-02-ADDTLFLLNS-Model 88	Added Light-Model 88-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 88 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLFLLNS-Model 95	Part Number GS-02-ADDTLFLLNS-Model 95	Added Light-Model 95-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 95 Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLNS-Model 95R	GS-02-ADDTLFLLNS-Model 95R	Added Light-Model 95R-No Switch	The Additional Fluorescent Light with Lamps (No Switch) for a Model 95R Booth Option. This option adds an additional surface mounted fluorescent light fixture with lamps to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture is operated by a single wall switch that operates all interior fluorescent light fixtures in the booth, and is only available if the upgrade to include a wall switch has been selected. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLSBI-Model 1010	GS-02-ADDTLFLLSBI-Model 1010	Added Light-Model 1010-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 1010 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 105	GS-02-ADDTLFLLSBI-Model 105	Added Light-Model 105-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 105 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 106	GS-02-ADDTLFLLSBI-Model 106	Added Light-Model 106-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 106 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 108	GS-02-ADDTLFLLSBI-Model 108	Added Light-Model 108-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 108 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLFLLSBI-Model 1210	Part Number GS-02-ADDTLFLLSBI-Model 1210	Added Light-Model 1210-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 1210 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 125	GS-02-ADDTLFLLSBI-Model 125	Added Light-Model 125-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 125 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 125R	GS-02-ADDTLFLLSBI-Model 125R	Added Light-Model 125R-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 125R Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 127R	GS-02-ADDTLFLLSBI-Model 127R	Added Light-Model 127R-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 127R Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 128	GS-02-ADDTLFLLSBI-Model 128	Added Light-Model 128-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 128 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 2010	GS-02-ADDTLFLLSBI-Model 2010	Added Light-Model 2010-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 2010 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 44	GS-02-ADDTLFLLSBI-Model 44	Added Light-Model 44-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 44 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLFLLSBI-Model 54	Part Number GS-02-ADDTLFLLSBI-Model 54	Added Light-Model 54-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 54 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLSBI-Model 64	GS-02-ADDTLFLLSBI-Model 64	Added Light-Model 64-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 64 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLSBI-Model 65	GS-02-ADDTLFLLSBI-Model 65	Added Light-Model 65-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 65 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 66	GS-02-ADDTLFLLSBI-Model 66	Added Light-Model 66-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 66 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 74	GS-02-ADDTLFLLSBI-Model 74	Added Light-Model 74-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 74 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84
ADDTLFLLSBI-Model 75	GS-02-ADDTLFLLSBI-Model 75	Added Light-Model 75-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 75 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 84	GS-02-ADDTLFLLSBI-Model 84	Added Light-Model 84-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 84 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$144.84

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLFLLSBI-Model 85	Part Number GS-02-ADDTLFLLSBI-Model 85	Added Light-Model 85-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 85 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 86	GS-02-ADDTLFLLSBI-Model 86	Added Light-Model 86-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 86 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 88	GS-02-ADDTLFLLSBI-Model 88	Added Light-Model 88-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 88 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 95	GS-02-ADDTLFLLSBI-Model 95	Added Light-Model 95-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 95 Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLFLLSBI-Model 95R	GS-02-ADDTLFLLSBI-Model 95R	Added Light-Model 95R-Switch Built-In	The Additional Fluorescent Light with Lamps (Switch Built-In) for a Model 95R Booth Option. This option adds an additional surface mounted fluorescent light fixture to the interior ceiling of the booth (one surface mounted fluorescent light fixture is standard in the booth). This fixture includes a lamp and an integral switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$149.87
ADDTLRFLNS-Model 1010	GS-02-ADDTLRFLNS-Model 1010	Added Recessed Light-Model 1010 Booth	The Added Recessed Light with No Switch Option for a Model 1010 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture uight fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLRFLNS-Model 105	Part Number GS-02-ADDTLRFLNS-Model 105	Added Recessed Light-Model 105 Booth	The Added Recessed Light with No Switch Option for a Model 105 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 106	GS-02-ADDTLRFLNS-Model 106	Added Recessed Light-Model 106 Booth	The Added Recessed Light with No Switch Option for a Model 106 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 108	GS-02-ADDTLRFLNS-Model 108	Added Recessed Light-Model 108 Booth	The Added Recessed Light with No Switch Option for a Model 108 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 1210	GS-02-ADDTLRFLNS-Model 1210	Added Recessed Light-Model 1210 Booth	The Added Recessed Light with No Switch Option for a Model 1210 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 125	GS-02-ADDTLRFLNS-Model 125	Added Recessed Light-Model 125 Booth	The Added Recessed Light with No Switch Option for a Model 125 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLRFLNS-Model 125R	Part Number GS-02-ADDTLRFLNS-Model 125R	Added Recessed Light-Model 125R Booth	The Added Recessed Light with No Switch Option for a Model 125R Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 127R	GS-02-ADDTLRFLNS-Model 127R	Added Recessed Light-Model 127R Booth	The Added Recessed Light with No Switch Option for a Model 127R Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 128	GS-02-ADDTLRFLNS-Model 128	Added Recessed Light-Model 128 Booth	The Added Recessed Light with No Switch Option for a Model 128 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 1466R	GS-02-ADDTLRFLNS-Model 1466R	Added Recessed Light-Model 1466RHC Booth	The Added Recessed Light with No Switch Option for a Model 1466RHC Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 2010	GS-02-ADDTLRFLNS-Model 2010	Added Recessed Light-Model 2010 Booth	The Added Recessed Light with No Switch Option for a Model 2010 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLRFLNS-Model 44	Part Number GS-02-ADDTLRFLNS-Model 44	Added Recessed Light-Model 44 Booth	The Added Recessed Light with No Switch Option for a Model 44 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 54	GS-02-ADDTLRFLNS-Model 54	Added Recessed Light-Model 54 Booth	The Added Recessed Light with No Switch Option for a Model 54 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 64	GS-02-ADDTLRFLNS-Model 64	Added Recessed Light-Model 64 Booth	The Added Recessed Light with No Switch Option for a Model 64 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 65	GS-02-ADDTLRFLNS-Model 65	Added Recessed Light-Model 65 Booth	The Added Recessed Light with No Switch Option for a Model 65 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 66	GS-02-ADDTLRFLNS-Model 66	Added Recessed Light-Model 66 Booth	The Added Recessed Light with No Switch Option for a Model 66 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLRFLNS-Model 74	Part Number GS-02-ADDTLRFLNS-Model 74	Added Recessed Light-Model 74 Booth	The Added Recessed Light with No Switch Option for a Model 74 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 75	GS-02-ADDTLRFLNS-Model 75	Added Recessed Light-Model 75 Booth	The Added Recessed Light with No Switch Option for a Model 75 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 75HC	GS-02-ADDTLRFLNS-Model 75HC	Added Recessed Light-Model 75HC Booth	The Added Recessed Light with No Switch Option for a Model 75HC Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 84	GS-02-ADDTLRFLNS-Model 84	Added Recessed Light-Model 84 Booth	The Added Recessed Light with No Switch Option for a Model 84 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 85	GS-02-ADDTLRFLNS-Model 85	Added Recessed Light-Model 85 Booth	The Added Recessed Light with No Switch Option for a Model 85 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLRFLNS-Model 86	Part Number GS-02-ADDTLRFLNS-Model 86	Added Recessed Light-Model 86 Booth	The Added Recessed Light with No Switch Option for a Model 86 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 88	GS-02-ADDTLRFLNS-Model 88	Added Recessed Light-Model 88 Booth	The Added Recessed Light with No Switch Option for a Model 88 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 95	GS-02-ADDTLRFLNS-Model 95	Added Recessed Light-Model 95 Booth	The Added Recessed Light with No Switch Option for a Model 95 Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLRFLNS-Model 95R	GS-02-ADDTLRFLNS-Model 95R	Added Recessed Light-Model 95R Booth	The Added Recessed Light with No Switch Option for a Model 95R Booth. This option adds an additional recessed fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture uight 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$356.42
ADDTLSFLLNS-Model 1010	GS-02-ADDTLSFLLNS-Model 1010	2nd Shielded Light-Model 1010 Booth	The 2nd Shielded Light with No Switch Option for a Model 1010 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLSFLLNS-Model 105	Part Number GS-02-ADDTLSFLLNS-Model 105	2nd Shielded Light-Model 105 Booth	The 2nd Shielded Light with No Switch Option for a Model 105 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 106	GS-02-ADDTLSFLLNS-Model 106	2nd Shielded Light-Model 106 Booth	The 2nd Shielded Light with No Switch Option for a Model 106 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 108	GS-02-ADDTLSFLLNS-Model 108	2nd Shielded Light-Model 108 Booth	The 2nd Shielded Light with No Switch Option for a Model 108 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 1210	GS-02-ADDTLSFLLNS-Model 1210	2nd Shielded Light-Model 1210 Booth	The 2nd Shielded Light with No Switch Option for a Model 1210 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 125	GS-02-ADDTLSFLLNS-Model 125	2nd Shielded Light-Model 125 Booth	The 2nd Shielded Light with No Switch Option for a Model 125 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLSFLLNS-Model 125R	Part Number GS-02-ADDTLSFLLNS-Model 125R	2nd Shielded Light-Model 125R Booth	The 2nd Shielded Light with No Switch Option for a Model 125R Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 127R	GS-02-ADDTLSFLLNS-Model 127R	2nd Shielded Light-Model 127R Booth	The 2nd Shielded Light with No Switch Option for a Model 127R Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 128	GS-02-ADDTLSFLLNS-Model 128	2nd Shielded Light-Model 128 Booth	The 2nd Shielded Light with No Switch Option for a Model 128 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 1466R	GS-02-ADDTLSFLLNS-Model 1466R	2nd Shielded Light-Model 1466RHC Booth	The 2nd Shielded Light with No Switch Option for a Model 1466RHC Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 2010	GS-02-ADDTLSFLLNS-Model 2010	2nd Shielded Light-Model 2010 Booth	The 2nd Shielded Light with No Switch Option for a Model 2010 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLSFLLNS-Model 44	Part Number GS-02-ADDTLSFLLNS-Model 44	2nd Shielded Light-Model 44 Booth	The 2nd Shielded Light with No Switch Option for a Model 44 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 54	GS-02-ADDTLSFLLNS-Model 54	2nd Shielded Light-Model 54 Booth	The 2nd Shielded Light with No Switch Option for a Model 54 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 64	GS-02-ADDTLSFLLNS-Model 64	2nd Shielded Light-Model 64 Booth	The 2nd Shielded Light with No Switch Option for a Model 64 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 65	GS-02-ADDTLSFLLNS-Model 65	2nd Shielded Light-Model 65 Booth	The 2nd Shielded Light with No Switch Option for a Model 65 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 66	GS-02-ADDTLSFLLNS-Model 66	2nd Shielded Light-Model 66 Booth	The 2nd Shielded Light with No Switch Option for a Model 66 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLSFLLNS-Model 74	Part Number GS-02-ADDTLSFLLNS-Model 74	2nd Shielded Light-Model 74 Booth	The 2nd Shielded Light with No Switch Option for a Model 74 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 75	GS-02-ADDTLSFLLNS-Model 75	2nd Shielded Light-Model 75 Booth	The 2nd Shielded Light with No Switch Option for a Model 75 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 75HC	GS-02-ADDTLSFLLNS-Model 75HC	2nd Shielded Light-Model 75HC Booth	The 2nd Shielded Light with No Switch Option for a Model 75HC Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 84	GS-02-ADDTLSFLLNS-Model 84	2nd Shielded Light-Model 84 Booth	The 2nd Shielded Light with No Switch Option for a Model 84 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 85	GS-02-ADDTLSFLLNS-Model 85	2nd Shielded Light-Model 85 Booth	The 2nd Shielded Light with No Switch Option for a Model 85 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number ADDTLSFLLNS-Model 86	Part Number GS-02-ADDTLSFLLNS-Model 86	2nd Shielded Light-Model 86 Booth	The 2nd Shielded Light with No Switch Option for a Model 86 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 88	GS-02-ADDTLSFLLNS-Model 88	2nd Shielded Light-Model 88 Booth	The 2nd Shielded Light with No Switch Option for a Model 88 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 95	GS-02-ADDTLSFLLNS-Model 95	2nd Shielded Light-Model 95 Booth	The 2nd Shielded Light with No Switch Option for a Model 95 Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
ADDTLSFLLNS-Model 95R	GS-02-ADDTLSFLLNS-Model 95R	2nd Shielded Light-Model 95R Booth	The 2nd Shielded Light with No Switch Option for a Model 95R Booth. This option adds an additional surface mounted fluorescent light fixture with 2 lamps and an acrylic lens to a booth equipped with the first light fixture upgraded to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. Both fixtures would then be operated by the single wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$284.63
DUPFLL-Model 1010	GS-02-DUPFLL-Model 1010	Duplex Flood Light w/ Lamps-Model 1010	The Duplex Flood Light with Lamps Option for a Model 1010 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number DUPFLL-Model 105	Part Number GS-02-DUPFLL-Model 105	Duplex Flood Light w/ Lamps-Model 105	The Duplex Flood Light with Lamps Option for a Model 105 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 106	GS-02-DUPFLL-Model 106	Duplex Flood Light w/ Lamps-Model 106	The Duplex Flood Light with Lamps Option for a Model 106 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 108	GS-02-DUPFLL-Model 108	Duplex Flood Light w/ Lamps-Model 108	The Duplex Flood Light with Lamps Option for a Model 108 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 1210	GS-02-DUPFLL-Model 1210	Duplex Flood Light w/ Lamps-Model 1210	The Duplex Flood Light with Lamps Option for a Model 1210 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 125	GS-02-DUPFLL-Model 125	Duplex Flood Light w/ Lamps-Model 125	The Duplex Flood Light with Lamps Option for a Model 125 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number DUPFLL-Model 125R	Part Number GS-02-DUPFLL-Model 125R	Duplex Flood Light w/ Lamps-Model 125R	The Duplex Flood Light with Lamps Option for a Model 125R Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 127R	GS-02-DUPFLL-Model 127R	Duplex Flood Light w/ Lamps-Model 127R	The Duplex Flood Light with Lamps Option for a Model 127R Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 128	GS-02-DUPFLL-Model 128	Duplex Flood Light w/ Lamps-Model 128	The Duplex Flood Light with Lamps Option for a Model 128 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 1466R	GS-02-DUPFLL-Model 1466R	Duplex Flood Light w/Lamps-Model 1466RHC	The Duplex Flood Light with Lamps Option for a Model 1466RHC Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 2010	GS-02-DUPFLL-Model 2010	Duplex Flood Light w/ Lamps-Model 2010	The Duplex Flood Light with Lamps Option for a Model 2010 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number DUPFLL-Model 44	Part Number GS-02-DUPFLL-Model 44	Duplex Flood Light w/ Lamps-Model 44	The Duplex Flood Light with Lamps Option for a Model 44 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 54	GS-02-DUPFLL-Model 54	Duplex Flood Light w/ Lamps-Model 54	The Duplex Flood Light with Lamps Option for a Model 54 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 64	GS-02-DUPFLL-Model 64	Duplex Flood Light w/ Lamps-Model 64	The Duplex Flood Light with Lamps Option for a Model 64 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 65	GS-02-DUPFLL-Model 65	Duplex Flood Light w/ Lamps-Model 65	The Duplex Flood Light with Lamps Option for a Model 65 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 66	GS-02-DUPFLL-Model 66	Duplex Flood Light w/ Lamps-Model 66	The Duplex Flood Light with Lamps Option for a Model 66 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number DUPFLL-Model 74	Part Number GS-02-DUPFLL-Model 74	Duplex Flood Light w/ Lamps-Model 74	The Duplex Flood Light with Lamps Option for a Model 74 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 75	GS-02-DUPFLL-Model 75	Duplex Flood Light w/ Lamps-Model 75	The Duplex Flood Light with Lamps Option for a Model 75 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 75HC	GS-02-DUPFLL-Model 75HC	Duplex Flood Light w/ Lamps-Model 75HC	The Duplex Flood Light with Lamps Option for a Model 75HC Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 84	GS-02-DUPFLL-Model 84	Duplex Flood Light w/ Lamps-Model 84	The Duplex Flood Light with Lamps Option for a Model 84 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 85	GS-02-DUPFLL-Model 85	Duplex Flood Light w/ Lamps-Model 85	The Duplex Flood Light with Lamps Option for a Model 85 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number DUPFLL-Model 86	Part Number GS-02-DUPFLL-Model 86	Duplex Flood Light w/ Lamps-Model 86	The Duplex Flood Light with Lamps Option for a Model 86 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 88	GS-02-DUPFLL-Model 88	Duplex Flood Light w/ Lamps-Model 88	The Duplex Flood Light with Lamps Option for a Model 88 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 95	GS-02-DUPFLL-Model 95	Duplex Flood Light w/ Lamps-Model 95	The Duplex Flood Light with Lamps Option for a Model 95 Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
DUPFLL-Model 95R	GS-02-DUPFLL-Model 95R	Duplex Flood Light w/ Lamps-Model 95R	The Duplex Flood Light with Lamps Option for a Model 95R Booth. This option adds an exterior duplex flood light to the booth. The flood light has (2) 75 W lamps and is controlled by a wall switch located inside the booth. The light fixture can be located on either the soffit or fascia of the booth. A maximum of 8 duplex flood lights can be added to a booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$273.30
RFLWS-Model 1010	GS-02-RFLWS-Model 1010	Recessed Light w/Wall Switch-Model 1010	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 1010 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RFLWS-Model 105	Part Number GS-02-RFLWS-Model 105	Recessed Light w/Wall Switch-Model 105	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 105 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 106	GS-02-RFLWS-Model 106	Recessed Light w/Wall Switch-Model 106	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 106 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 108	GS-02-RFLWS-Model 108	Recessed Light w/Wall Switch-Model 108	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 108 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 1210	GS-02-RFLWS-Model 1210	Recessed Light w/Wall Switch-Model 1210	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 1210 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 125	GS-02-RFLWS-Model 125	Recessed Light w/Wall Switch-Model 125	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 125 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RFLWS-Model 125R	Part Number GS-02-RFLWS-Model 125R	Recessed Light w/Wall Switch-Model 125R	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 125R Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 127R	GS-02-RFLWS-Model 127R	Recessed Light w/Wall Switch-Model 127R	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 127R Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 128	GS-02-RFLWS-Model 128	Recessed Light w/Wall Switch-Model 128	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 128 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 1466R	GS-02-RFLWS-Model 1466R	Recess Light w/Wall Switch-Model 1466RHC	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 1466RHC Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with a wall switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 2010	GS-02-RFLWS-Model 2010	Recessed Light w/Wall Switch-Model 2010	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 2010 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 44	GS-02-RFLWS-Model 44	Recessed Light w/Wall Switch-Model 44	The Upgrade Standard Light to Recessed Light with Wall Switch Option for a Model 44 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RFLWS-Model 54	Part Number GS-02-RFLWS-Model 54	Recessed Light w/Wall Switch-Model 54	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 54 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 64	GS-02-RFLWS-Model 64	Recessed Light w/Wall Switch-Model 64	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 64 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 65	GS-02-RFLWS-Model 65	Recessed Light w/Wall Switch-Model 65	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 65 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 66	GS-02-RFLWS-Model 66	Recessed Light w/Wall Switch-Model 66	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 66 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 74	GS-02-RFLWS-Model 74	Recessed Light w/Wall Switch-Model 74	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 74 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 75	GS-02-RFLWS-Model 75	Recessed Light w/Wall Switch-Model 75	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 75 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 75HC	GS-02-RFLWS-Model 75HC	Recessed Light w/Wall Switch-Model 75HC	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 75HC Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with a wall switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number RFLWS-Model 84	Part Number GS-02-RFLWS-Model 84	Recessed Light w/Wall Switch-Model 84	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 84 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 85	GS-02-RFLWS-Model 85	Recessed Light w/Wall Switch-Model 85	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 85 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 86	GS-02-RFLWS-Model 86	Recessed Light w/Wall Switch-Model 86	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 86 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 88	GS-02-RFLWS-Model 88	Recessed Light w/Wall Switch-Model 88	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 88 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 95	GS-02-RFLWS-Model 95	Recessed Light w/Wall Switch-Model 95	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 95 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture wito lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
RFLWS-Model 95R	GS-02-RFLWS-Model 95R	Recessed Light w/Wall Switch-Model 95R	The Upgrade Standard Light to a Recessed Light with Wall Switch Option for a Model 95R Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a recessed fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$299.75
SFLLWS-Model 1010	GS-02-SFLLWS-Model 1010	Shielded Light w/Wall Switch-Model 1010	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 1010 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SFLLWS-Model 105	GS-02-SFLLWS-Model 105	Shielded Light w/Wall Switch-Model 105	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 105 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 106	GS-02-SFLLWS-Model 106	Shielded Light w/Wall Switch-Model 106	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 106 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 108	GS-02-SFLLWS-Model 108	Shielded Light w/Wall Switch-Model 108	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 108 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 1210	GS-02-SFLLWS-Model 1210	Shielded Light w/Wall Switch-Model 1210	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 1210 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 125	GS-02-SFLLWS-Model 125	Shielded Light w/Wall Switch-Model 125	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 125 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 125R	GS-02-SFLLWS-Model 125R	Shielded Light w/Wall Switch-Model 125R	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 125R Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 127R	GS-02-SFLLWS-Model 127R	Shielded Light w/Wall Switch-Model 127R	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 127R Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SFLLWS-Model 128	GS-02-SFLLWS-Model 128	Shielded Light w/Wall Switch-Model 128	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 128 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 1466R	GS-02-SFLLWS-Model 1466R	Shield Light w/Wall Switch-Model 1466RHC	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 1466RHC Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with a wall switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 2010	GS-02-SFLLWS-Model 2010	Shielded Light w/Wall Switch-Model 2010	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 2010 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 44	GS-02-SFLLWS-Model 44	Shielded Light w/Wall Switch-Model 44	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 44 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 54	GS-02-SFLLWS-Model 54	Shielded Light w/Wall Switch-Model 54	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 54 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 64	GS-02-SFLLWS-Model 64	Shielded Light w/Wall Switch-Model 64	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 64 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 65	GS-02-SFLLWS-Model 65	Shielded Light w/Wall Switch-Model 65	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 65 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SFLLWS-Model 66	Part Number GS-02-SFLLWS-Model 66	Shielded Light w/Wall Switch-Model 66	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 66 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 74	GS-02-SFLLWS-Model 74	Shielded Light w/Wall Switch-Model 74	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 74 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 75	GS-02-SFLLWS-Model 75	Shielded Light w/Wall Switch-Model 75	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 75 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 75HC	GS-02-SFLLWS-Model 75HC	Shielded Light w/Wall Switch-Model 75HC	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 75HC Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with a wall switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 84	GS-02-SFLLWS-Model 84	Shielded Light w/Wall Switch-Model 84	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 84 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 85	GS-02-SFLLWS-Model 85	Shielded Light w/Wall Switch-Model 85	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 85 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 86	GS-02-SFLLWS-Model 86	Shielded Light w/Wall Switch-Model 86	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 86 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SFLLWS-Model 88	Part Number GS-02-SFLLWS-Model 88	Shielded Light w/Wall Switch-Model 88	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 88 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 95	GS-02-SFLLWS-Model 95	Shielded Light w/Wall Switch-Model 95	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 95 Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
SFLLWS-Model 95R	GS-02-SFLLWS-Model 95R	Shielded Light w/Wall Switch-Model 95R	The Upgrade Standard Light to Shielded Light with Wall Switch Option for a Model 95R Booth. This option upgrades the standard surface mounted single lamp fluorescent light fixture with an integral switch to a surface mounted fluorescent light fixture with 2 lamps, an acrylic lens and a wall switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$226.70
WS-Model 1010	GS-02-WS-Model 1010	Wall Mounted Light Switch-Model 1010	The Wall Mounted Light Switch Upgrade Option for a Model 1010 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 105	GS-02-WS-Model 105	Wall Mounted Light Switch-Model 105	The Wall Mounted Light Switch Upgrade Option for a Model 105 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 106	GS-02-WS-Model 106	Wall Mounted Light Switch-Model 106	The Wall Mounted Light Switch Upgrade Option for a Model 106 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 108	GS-02-WS-Model 108	Wall Mounted Light Switch-Model 108	The Wall Mounted Light Switch Upgrade Option for a Model 108 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number WS-Model 1210	Part Number GS-02-WS-Model 1210	Wall Mounted Light Switch-Model 1210	The Wall Mounted Light Switch Upgrade Option for a Model 1210 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 125	GS-02-WS-Model 125	Wall Mounted Light Switch-Model 125	The Wall Mounted Light Switch Upgrade Option for a Model 125 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 125R	GS-02-WS-Model 125R	Wall Mounted Light Switch-Model 125R	The Wall Mounted Light Switch Upgrade Option for a Model 125R Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 127R	GS-02-WS-Model 127R	Wall Mounted Light Switch-Model 127R	The Wall Mounted Light Switch Upgrade Option for a Model 127R Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 128	GS-02-WS-Model 128	Wall Mounted Light Switch-Model 128	The Wall Mounted Light Switch Upgrade Option for a Model 128 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 2010	GS-02-WS-Model 2010	Wall Mounted Light Switch-Model 2010	The Wall Mounted Light Switch Upgrade Option for a Model 2010 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 44	GS-02-WS-Model 44	Wall Mounted Light Switch-Model 44	The Wall Mounted Light Switch Upgrade Option for a Model 44 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number WS-Model 54	GS-02-WS-Model 54	Wall Mounted Light Switch-Model 54	The Wall Mounted Light Switch Upgrade Option for a Model 54 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 64	GS-02-WS-Model 64	Wall Mounted Light Switch-Model 64	The Wall Mounted Light Switch Upgrade Option for a Model 64 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 65	GS-02-WS-Model 65	Wall Mounted Light Switch-Model 65	The Wall Mounted Light Switch Upgrade Option for a Model 65 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 66	GS-02-WS-Model 66	Wall Mounted Light Switch-Model 66	The Wall Mounted Light Switch Upgrade Option for a Model 66 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 74	GS-02-WS-Model 74	Wall Mounted Light Switch-Model 74	The Wall Mounted Light Switch Upgrade Option for a Model 74 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 75	GS-02-WS-Model 75	Wall Mounted Light Switch-Model 75	The Wall Mounted Light Switch Upgrade Option for a Model 75 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 84	GS-02-WS-Model 84	Wall Mounted Light Switch-Model 84	The Wall Mounted Light Switch Upgrade Option for a Model 84 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number WS-Model 85	Part Number GS-02-WS-Model 85	Wall Mounted Light Switch-Model 85	The Wall Mounted Light Switch Upgrade Option for a Model 85 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 86	GS-02-WS-Model 86	Wall Mounted Light Switch-Model 86	The Wall Mounted Light Switch Upgrade Option for a Model 86 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 88	GS-02-WS-Model 88	Wall Mounted Light Switch-Model 88	The Wall Mounted Light Switch Upgrade Option for a Model 88 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 95	GS-02-WS-Model 95	Wall Mounted Light Switch-Model 95	The Wall Mounted Light Switch Upgrade Option for a Model 95 Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
WS-Model 95R	GS-02-WS-Model 95R	Wall Mounted Light Switch-Model 95R	The Wall Mounted Light Switch Upgrade Option for a Model 95R Booth. This option replaces the integral (built-in) switch that is standard with the surface mounted fluorescent light fixture included in the base booth, with a wall mounted light switch. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$88.16
Guard Booth - PAR	VUE Options			
PAR-Model 1010	GS-02-PAR-Model 1010	PARVUE Option for a Model 1010 Booth	The PARVUE Option for a Model 1010 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,542.82

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PAR-Model 105	Part Number GS-02-PAR-Model 105	PARVUE Option for a Model 105 Booth	The PARVUE Option for a Model 105 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,319.90
PAR-Model 106	GS-02-PAR-Model 106	PARVUE Option for a Model 106 Booth	The PARVUE Option for a Model 106 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,319.90
PAR-Model 108	GS-02-PAR-Model 108	PARVUE Option for a Model 108 Booth	The PARVUE Option for a Model 108 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,319.90
PAR-Model 1210	GS-02-PAR-Model 1210	PARVUE Option for a Model 1210 Booth	The PARVUE Option for a Model 1210 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,542.82

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PAR-Model 125	GS-02-PAR-Model 125	PARVUE Option for a Model 125 Booth	The PARVUE Option for a Model 125 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,319.90
PAR-Model 125R	GS-02-PAR-Model 125R	PARVUE Option for a Model 125R Booth	The PARVUE Option for a Model 125R booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,319.90
PAR-Model 127R	GS-02-PAR-Model 127R	PARVUE Option for a Model 127R Booth	The PARVUE Option for a Model 127R booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,542.82
PAR-Model 128	GS-02-PAR-Model 128	PARVUE Option for a Model 128 Booth	The PARVUE Option for a Model 128 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,542.82

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PAR-Model 1466R	Part Number GS-02-PAR-Model 1466R	PARVUE Option for a Model 1466RHC Booth	The PARVUE Option for a Model 1466RHC booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,542.82
PAR-Model 2010	GS-02-PAR-Model 2010	PARVUE Option for a Model 2010 Booth	The PARVUE Option for a Model 2010 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,542.82
PAR-Model 54	GS-02-PAR-Model 54	PARVUE Option for a Model 54 Booth	The PARVUE Option for a Model 54 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
PAR-Model 64	GS-02-PAR-Model 64	PARVUE Option for a Model 64 Booth	The PARVUE Option for a Model 64 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PAR-Model 65	Part Number GS-02-PAR-Model 65	PARVUE Option for a Model 65 Booth	The PARVUE Option for a Model 65 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
PAR-Model 66	GS-02-PAR-Model 66	PARVUE Option for a Model 66 Booth	The PARVUE Option for a Model 66 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
PAR-Model 74	GS-02-PAR-Model 74	PARVUE Option for a Model 74 Booth	The PARVUE Option for a Model 74 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
PAR-Model 75	GS-02-PAR-Model 75	PARVUE Option for a Model 75 Booth	The PARVUE Option for a Model 75 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PAR-Model 75HC	Part Number GS-02-PAR-Model 75HC	PARVUE Option for a Model 75HC Booth	The PARVUE Option for a Model 75HC booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
PAR-Model 84	GS-02-PAR-Model 84	PARVUE Option for a Model 84 Booth	The PARVUE Option for a Model 84 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
PAR-Model 85	GS-02-PAR-Model 85	PARVUE Option for a Model 85 Booth	The PARVUE Option for a Model 85 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
PAR-Model 86	GS-02-PAR-Model 86	PARVUE Option for a Model 86 Booth	The PARVUE Option for a Model 86 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PAR-Model 88	GS-02-PAR-Model 88	PARVUE Option for a Model 88 Booth	The PARVUE Option for a Model 88 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,319.90
PAR-Model 95	GS-02-PAR-Model 95	PARVUE Option for a Model 95 Booth	The PARVUE Option for a Model 95 booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
PAR-Model 95R	GS-02-PAR-Model 95R	PARVUE Option for a Model 95R Booth	The PARVUE Option for a Model 95R booth modifies the standard booth to the PARVUE premium design. The main feature of the PARVUE premium design is the unique butt glazed glass to glass corners of the booth. This feature helps to maximize light with its 360 degree visibility. Additional modifications in the PARVUE design are: a 12" fascia with a 3" overhang; 1/4" thick clear tempered safety glass; a recessed counter mounted 32" above the floor; a two-lamp recess mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. The upgrade to the PARVUE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,098.24
Guard Booth - Presid CURVUE-Model 64	GS-02-CURVUE-Model 64	CURVUE Option fo a Model 64 Booth	The CURVE Option for a Model 64 booth modifies the standard booth to the CURVE premium design.	\$3,697.74
			The main feature of the CURVE premium design is the unique rounded ends of the booth. Additional modifications in the CURVE design are: a flush fascia that extends 11" above the window line; 3/16" clear polycarbonate glazing in the curved ends of the booth; a recessed counter mounted 32" above the floor; a two-lamp surface mounted light fixture with an acrylic lens and a wall switch; and the upgrade from aluminum window framing to painted steel window framing. Due to the size limitations of the Model 74 CURVE, a swinging steel door upgrade is required. The upgrade to the CURVE design is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PREZ-Model 1010	Part Number GS-02-PREZ-Model 1010	Presidential Option for Model 1010 Booth	The Presidential Option for a Model 1010 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,341.31
PREZ-Model 105	GS-02-PREZ-Model 105	Presidential Option for Model 105 Booth	The Presidential Option for a Model 105 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,981.11
PREZ-Model 106	GS-02-PREZ-Model 106	Presidential Option for Model 106 Booth	The Presidential Option for a Model 106 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,204.03
PREZ-Model 108	GS-02-PREZ-Model 108	Presidential Option for Model 108 Booth	The Presidential Option for a Model 108 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,463.48

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PREZ-Model 1210	Part Number GS-02-PREZ-Model 1210	Presidential Option for Model 1210 Booth	The Presidential Option for a Model 1108 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$13,074.31
PREZ-Model 125	GS-02-PREZ-Model 125	Presidential Option for Model 125 Booth	The Presidential Option for a Model 125 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,445.84
PREZ-Model 125R	GS-02-PREZ-Model 125R	Presidential Option for Model 125R Booth	The Presidential Option for a Model 125R booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,445.84
PREZ-Model 127R	GS-02-PREZ-Model 127R	Presidential Option for Model 127R Booth	The Presidential Option for a Model 127R booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,711.59

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PREZ-Model 128	Part Number GS-02-PREZ-Model 128	Presidential Option for Model 128 Booth	The Presidential Option for a Model 128 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,073.05
PREZ-Model 1466R	GS-02-PREZ-Model 1466R	Presidential Option-Model 1466RHC Booth	The Presidential Option for a Model 1466RHC booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$12,103.27
PREZ-Model 2010	GS-02-PREZ-Model 2010	Presidential Option for Model 2010 Booth	The Presidential Option for a Model 2010 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$16,926.95
PREZ-Model 44	GS-02-PREZ-Model 44	Presidential Option for a Model 44 Booth	The Presidential Option for a Model 44 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,670.03

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PREZ-Model 54	Part Number GS-02-PREZ-Model 54	Presidential Option for a Model 54 Booth	The Presidential Option for a Model 54 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,608.31
PREZ-Model 64	GS-02-PREZ-Model 64	Presidential Option for a Model 64 Booth	The Presidential Option for a Model 64 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,711.59
PREZ-Model 65	GS-02-PREZ-Model 65	Presidential Option for a Model 65 Booth	The Presidential Option for a Model 65 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,010.08
PREZ-Model 66	GS-02-PREZ-Model 66	Presidential Option for a Model 66 Booth	The Presidential Option for a Model 66 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,984.89

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PREZ-Model 74	Part Number GS-02-PREZ-Model 74	Presidential Option for a Model 74 Booth	The Presidential Option for a Model 74 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,031.49
PREZ-Model 75	GS-02-PREZ-Model 75	Presidential Option for a Model 75 Booth	The Presidential Option for a Model 75 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,248.11
PREZ-Model 75HC	GS-02-PREZ-Model 75HC	Presidential Option for Model 75HC Booth	The Presidential Option for a Model 75HC booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,361.46
PREZ-Model 84	GS-02-PREZ-Model 84	Presidential Option for a Model 84 Booth	The Presidential Option for a Model 84 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,196.47

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PREZ-Model 85	Part Number GS-02-PREZ-Model 85	Presidential Option for a Model 85 Booth	The Presidential Option for a Model 85 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,423.17
PREZ-Model 86	GS-02-PREZ-Model 86	Presidential Option for a Model 86 Booth	The Presidential Option for a Model 86 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,749.37
PREZ-Model 88	GS-02-PREZ-Model 88	Presidential Option for a Model 88 Booth	The Presidential Option for a Model 88 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,275.82
PREZ-Model 95	GS-02-PREZ-Model 95	Presidential Option for a Model 95 Booth	The Presidential Option for a Model 95 booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,629.72

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number PREZ-Model 95R	Part Number GS-02-PREZ-Model 95R	Presidential Option for Model 95R Booth	The Presidential Option for a Model 95R booth modifies the standard booth to the Presidential premium design. The Presidential premium design modification includes the addition of a standing seam metal hip roof, raised rib exterior wall panels, crown molding below the roof line, and colonial style window mullions. The Presidential design also includes an upgrade from the standard surface mounted fluorescent light fixture with integral switch to a surface mounted light fixture with an acrylic lens and a wall switch, and the upgrade from aluminum window framing to painted steel window framing. This upgrade is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,629.72
Guard Booth - Roof Ca				
12112NCO12"-Model 1010	GS-02-12112NCO12"-Model 1010	12" OH 12-1-12 Canopy Option-Model 1010	The 12" Overhang 12-1-12 Canopy Option for a Model 1010 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,122.17
12112NCO12"-Model 105	GS-02-12112NCO12"-Model 105	12" OH 12-1-12 Canopy Option-Model 105	The 12" Overhang 12-1-12 Canopy Option for a Model 105 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,821.16
12112NCO12"-Model 106	GS-02-12112NCO12"-Model 106	12" OH 12-1-12 Canopy Option-Model 106	The 12" Overhang 12-1-12 Canopy Option for a Model 106 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,081.86
12112NCO12"-Model 108	GS-02-12112NCO12"-Model 108	12" OH 12-1-12 Canopy Option-Model 108	The 12" Overhang 12-1-12 Canopy Option for a Model 108 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,602.02

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NC012"-Model 1210	Part Number GS-02-12112NCO12"-Model 1210	12" OH 12-1-12 Canopy Option-Model 1210	The 12" Overhang 12-1-12 Canopy Option for a Model 1210 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,643.58
12112NCO12"-Model 125	GS-02-12112NCO12"-Model 125	12" OH 12-1-12 Canopy Option-Model 125	The 12" Overhang 12-1-12 Canopy Option for a Model 125 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,124.69
12112NCO12"-Model 125R	GS-02-12112NCO12"-Model 125R	12" OH 12-1-12 Canopy Option-Model 125R	The 12" Overhang 12-1-12 Canopy Option for a Model 125R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,124.69
12112NCO12"-Model 127R	GS-02-12112NCO12"-Model 127R	12" OH 12-1-12 Canopy Option-Model 127R	The 12" Overhang 12-1-12 Canopy Option for a Model 127R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,733.00
12112NCO12"-Model 128	GS-02-12112NCO12"-Model 128	12" OH 12-1-12 Canopy Option-Model 128	The 12" Overhang 12-1-12 Canopy Option for a Model 128 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,036.52

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
12112NC012"-Model 1466R	GS-02-12112NCO12"-Model 1466R	12" OH 12-1-12 Canopy-Model 1466RHC	The 12" Overhang 12-1-12 Canopy Option for a Model 1466RHC Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,122.17
12112NCO12"-Model 2010	GS-02-12112NCO12"-Model 2010	12" OH 12-1-12 Canopy Option-Model 2010	The 12" Overhang 12-1-12 Canopy Option for a Model 2010 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,725.44
12112NCO12"-Model 44	GS-02-12112NCO12"-Model 44	12" OH 12-1-12 Canopy Option-Model 44	The 12" Overhang 12-1-12 Canopy Option for a Model 44 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$867.76
12112NCO12"-Model 54	GS-02-12112NCO12"-Model 54	12" OH 12-1-12 Canopy Option-Model 54	The 12" Overhang 12-1-12 Canopy Option for a Model 54 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
12112NCO12"-Model 64	GS-02-12112NCO12"-Model 64	12" OH 12-1-12 Canopy Option-Model 64	The 12" Overhang 12-1-12 Canopy Option for a Model 64 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,040.30

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
12112NCO12"-Model 65	GS-02-12112NCO12"-Model 65	12" OH 12-1-12 Canopy Option-Model 65	The 12" Overhang 12-1-12 Canopy Option for a Model 65 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,215.37
12112NCO12"-Model 66	GS-02-12112NCO12"-Model 66	12" OH 12-1-12 Canopy Option-Model 66	The 12" Overhang 12-1-12 Canopy Option for a Model 66 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,387.91
12112NCO12"-Model 74	GS-02-12112NCO12"-Model 74	12" OH 12-1-12 Canopy Option-Model 74	The 12" Overhang 12-1-12 Canopy Option for a Model 74 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,171.28
12112NCO12"-Model 75	GS-02-12112NCO12"-Model 75	12" OH 12-1-12 Canopy Option-Model 75	The 12" Overhang 12-1-12 Canopy Option for a Model 75 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,365.24
12112NCO12"-Model 75HC	GS-02-12112NCO12"-Model 75HC	12" OH 12-1-12 Canopy Option-Model 75HC	The 12" Overhang 12-1-12 Canopy Option for a Model 75HC Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,365.24

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO12"-Model 84	Part Number GS-02-12112NCO12"-Model 84	12" OH 12-1-12 Canopy Option-Model 84	The 12" Overhang 12-1-12 Canopy Option for a Model 84 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,301.01
12112NCO12"-Model 85	GS-02-12112NCO12"-Model 85	12" OH 12-1-12 Canopy Option-Model 85	The 12" Overhang 12-1-12 Canopy Option for a Model 85 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,517.63
12112NCO12"-Model 86	G5-02-12112NCO12"-Model 86	12" OH 12-1-12 Canopy Option-Model 86	The 12" Overhang 12-1-12 Canopy Option for a Model 86 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,735.52
12112NCO12"-Model 88	GS-02-12112NCO12"-Model 88	12" OH 12-1-12 Canopy Option-Model 88	The 12" Overhang 12-1-12 Canopy Option for a Model 88 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,168.77
12112NCO12"-Model 95	GS-02-12112NCO12"-Model 95	12" OH 12-1-12 Canopy Option-Model 95	The 12" Overhang 12-1-12 Canopy Option for a Model 95 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,670.03

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO12"-Model 95R	Part Number GS-02-12112NCO12"-Model 95R	12" OH 12-1-12 Canopy Option-Model 95R	The 12" Overhang 12-1-12 Canopy Option for a Model 95R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 12" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,670.03
12112NCO3"-Model 1010	GS-02-12112NCO3"-Model 1010	3" OH 12-1-12 Canopy Option-Model 1010	The 3" Overhang 12-1-12 Canopy Option for a Model 1010 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,390.43
12112NCO3"-Model 105	GS-02-12112NCO3"-Model 105	3" OH 12-1-12 Canopy Option-Model 105	The 3" Overhang 12-1-12 Canopy Option for a Model 105 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,251.89
12112NCO3"-Model 106	GS-02-12112NCO3"-Model 106	3" OH 12-1-12 Canopy Option-Model 106	The 3" Overhang 12-1-12 Canopy Option for a Model 106 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,481.11
12112NCO3"-Model 108	GS-02-12112NCO3"-Model 108	3" OH 12-1-12 Canopy Option-Model 108	The 3" Overhang 12-1-12 Canopy Option for a Model 108 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,934.51

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO3"-Model 1210	Part Number GS-02-12112NCO3"-Model 1210	3" OH 12-1-12 Canopy Option-Model 1210	The 3" Overhang 12-1-12 Canopy Option for a Model 1210 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,846.35
12112NCO3"-Model 125	GS-02-12112NCO3"-Model 125	3" OH 12-1-12 Canopy Option-Model 125	The 3" Overhang 12-1-12 Canopy Option for a Model 125 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,491.18
12112NCO3"-Model 125R	GS-02-12112NCO3"-Model 125R	3" OH 12-1-12 Canopy Option-Model 125R	The 3" Overhang 12-1-12 Canopy Option for a Model 125R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,491.18
12112NCO3"-Model 127R	GS-02-12112NCO3"-Model 127R	3" OH 12-1-12 Canopy Option-Model 127R	The 3" Overhang 12-1-12 Canopy Option for a Model 127R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,032.75
12112NCO3"-Model 128	GS-02-12112NCO3"-Model 128	3" OH 12-1-12 Canopy Option-Model 128	The 3" Overhang 12-1-12 Canopy Option for a Model 128 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,304.79

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO3"-Model 1466R	Part Number GS-02-12112NCO3"-Model 1466R	3" OH 12-1-12 Canopy-Model 1466RHC	The 3" Overhang 12-1-12 Canopy Option for a Model 1466RHC Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,044.08
12112NCO3"-Model 2010	GS-02-12112NCO3"-Model 2010	3" OH 12-1-12 Canopy Option-Model 2010	The 3" Overhang 12-1-12 Canopy Option for a Model 2010 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,667.51
12112NCO3"-Model 54	GS-02-12112NCO3"-Model 54	3" OH 12-1-12 Canopy Option-Model 54	The 3" Overhang 12-1-12 Canopy Option for a Model 54 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$722.92
12112NCO3"-Model 64	GS-02-12112NCO3"-Model 64	3" OH 12-1-12 Canopy Option-Model 64	The 3" Overhang 12-1-12 Canopy Option for a Model 64 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$794.71
12112NCO3"-Model 65	GS-02-12112NCO3"-Model 65	3" OH 12-1-12 Canopy Option-Model 65	The 3" Overhang 12-1-12 Canopy Option for a Model 65 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$867.76

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO3"-Model 66	Part Number GS-02-12112NCO3"-Model 66	3" OH 12-1-12 Canopy Option-Model 66	The 3" Overhang 12-1-12 Canopy Option for a Model 66 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
12112NCO3"-Model 74	GS-02-12112NCO3"-Model 74	3" OH 12-1-12 Canopy Option-Model 74	The 3" Overhang 12-1-12 Canopy Option for a Model 74 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$867.76
12112NCO3"-Model 75	GS-02-12112NCO3"-Model 75	3" OH 12-1-12 Canopy Option-Model 75	The 3" Overhang 12-1-12 Canopy Option for a Model 75 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
12112NCO3"-Model 75HC	GS-02-12112NCO3"-Model 75HC	3" OH 12-1-12 Canopy Option-Model 75HC	The 3" Overhang 12-1-12 Canopy Option for a Model 75HC Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,012.59
12112NCO3"-Model 84	GS-02-12112NCO3"-Model 84	3" OH 12-1-12 Canopy Option-Model 84	The 3" Overhang 12-1-12 Canopy Option for a Model 84 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO3"-Model 85	GS-02-12112NCO3"-Model 85	3" OH 12-1-12 Canopy Option-Model 85	The 3" Overhang 12-1-12 Canopy Option for a Model 85 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,012.59
12112NCO3"-Model 86	GS-02-12112NCO3"-Model 86	3" OH 12-1-12 Canopy Option-Model 86	The 3" Overhang 12-1-12 Canopy Option for a Model 86 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,197.73
12112NCO3"-Model 88	GS-02-12112NCO3"-Model 88	3" OH 12-1-12 Canopy Option-Model 88	The 3" Overhang 12-1-12 Canopy Option for a Model 88 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,566.75
12112NCO3"-Model 95	GS-02-12112NCO3"-Model 95	3" OH 12-1-12 Canopy Option-Model 95	The 3" Overhang 12-1-12 Canopy Option for a Model 95 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,133.50
12112NCO3"-Model 95R	GS-02-12112NCO3"-Model 95R	3" OH 12-1-12 Canopy Option-Model 95R	The 3" Overhang 12-1-12 Canopy Option for a Model 95R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 3" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,133.50

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
12112NCO6"-Model 1010	GS-02-12112NCO6"-Model 1010	6" OH 12-1-12 Canopy Option-Model 1010	The 6" Overhang 12-1-12 Canopy Option for a Model 1010 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,624.69
12112NCO6"-Model 105	GS-02-12112NCO6"-Model 105	6" OH 12-1-12 Canopy Option-Model 105	The 6" Overhang 12-1-12 Canopy Option for a Model 105 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,431.99
12112NCO6"-Model 106	GS-02-12112NCO6"-Model 106	6" OH 12-1-12 Canopy Option-Model 106	The 6" Overhang 12-1-12 Canopy Option for a Model 106 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,670.03
12112NCO6"-Model 108	GS-02-12112NCO6"-Model 108	6" OH 12-1-12 Canopy Option-Model 108	The 6" Overhang 12-1-12 Canopy Option for a Model 108 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,147.36
12112NCO6"-Model 1210	GS-02-12112NCO6"-Model 1210	6" OH 12-1-12 Canopy Option-Model 1210	The 6" Overhang 12-1-12 Canopy Option for a Model 1210 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,100.76

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO6"-Model 125	Part Number GS-02-12112NCO6"-Model 125	6" OH 12-1-12 Canopy Option-Model 125	The 6" Overhang 12-1-12 Canopy Option for a Model 125 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,691.44
12112NCO6"-Model 125R	GS-02-12112NCO6"-Model 125R	6" OH 12-1-12 Canopy Option-Model 125R	The 6" Overhang 12-1-12 Canopy Option for a Model 125R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,691.44
12112NCO6"-Model 127R	GS-02-12112NCO6"-Model 127R	6" OH 12-1-12 Canopy Option-Model 127R	The 6" Overhang 12-1-12 Canopy Option for a Model 127R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,255.67
12112NCO6"-Model 128	GS-02-12112NCO6"-Model 128	6" OH 12-1-12 Canopy Option-Model 128	The 6" Overhang 12-1-12 Canopy Option for a Model 128 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,537.78
12112NCO6"-Model 1466R	GS-02-12112NCO6"-Model 1466R	6" OH 12-1-12 Canopy-Model 1466RHC	The 6" Overhang 12-1-12 Canopy Option for a Model 1466RHC Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,277.08

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO6"-Model 2010	Part Number GS-02-12112NCO6"-Model 2010	6" OH 12-1-12 Canopy Option-Model 2010	The 6" Overhang 12-1-12 Canopy Option for a Model 2010 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,010.08
12112NCO6"-Model 44	GS-02-12112NCO6"-Model 44	6" OH 12-1-12 Canopy Option-Model 44	The 6" Overhang 12-1-12 Canopy Option for a Model 44 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$722.92
12112NCO6"-Model 54	GS-02-12112NCO6"-Model 54	6" OH 12-1-12 Canopy Option-Model 54	The 6" Overhang 12-1-12 Canopy Option for a Model 54 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$794.71
12112NCO6"-Model 64	GS-02-12112NCO6"-Model 64	6" OH 12-1-12 Canopy Option-Model 64	The 6" Overhang 12-1-12 Canopy Option for a Model 64 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$867.76
12112NCO6"-Model 65	GS-02-12112NCO6"-Model 65	6" OH 12-1-12 Canopy Option-Model 65	The 6" Overhang 12-1-12 Canopy Option for a Model 65 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO6"-Model 66	Part Number GS-02-12112NCO6"-Model 66	6" OH 12-1-12 Canopy Option-Model 66	The 6" Overhang 12-1-12 Canopy Option for a Model 66 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,062.97
12112NCO6"-Model 74	GS-02-12112NCO6"-Model 74	6" OH 12-1-12 Canopy Option-Model 74	The 6" Overhang 12-1-12 Canopy Option for a Model 74 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
12112NCO6"-Model 75	GS-02-12112NCO6"-Model 75	6" OH 12-1-12 Canopy Option-Model 75	The 6" Overhang 12-1-12 Canopy Option for a Model 75 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,040.30
12112NCO6"-Model 75HC	GS-02-12112NCO6"-Model 75HC	6" OH 12-1-12 Canopy Option-Model 75HC	The 6" Overhang 12-1-12 Canopy Option for a Model 75HC Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,084.38
12112NCO6"-Model 84	GS-02-12112NCO6"-Model 84	6" OH 12-1-12 Canopy Option-Model 84	The 6" Overhang 12-1-12 Canopy Option for a Model 84 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,012.59

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO6"-Model 85	GS-02-12112NCO6"-Model 85	6" OH 12-1-12 Canopy Option-Model 85	The 6" Overhang 12-1-12 Canopy Option for a Model 85 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,171.28
12112NCO6"-Model 86	GS-02-12112NCO6"-Model 86	6" OH 12-1-12 Canopy Option-Model 86	The 6" Overhang 12-1-12 Canopy Option for a Model 86 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,365.24
12112NCO6"-Model 88	GS-02-12112NCO6"-Model 88	6" OH 12-1-12 Canopy Option-Model 88	The 6" Overhang 12-1-12 Canopy Option for a Model 88 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,756.93
12112NCO6"-Model 95	GS-02-12112NCO6"-Model 95	6" OH 12-1-12 Canopy Option-Model 95	The 6" Overhang 12-1-12 Canopy Option for a Model 95 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,301.01
12112NCO6"-Model 95R	GS-02-12112NCO6"-Model 95R	6" OH 12-1-12 Canopy Option-Model 95R	The 6" Overhang 12-1-12 Canopy Option for a Model 95R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with 6" canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,301.01

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO-Model 1010	Part Number GS-02-12112NCO-Model 1010	0" OH 12-1-12 Canopy Option-Model 1010	The 0" Overhang 12-1-12 Canopy Option for a Model 1010 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,168.77
12112NCO-Model 105	GS-02-12112NCO-Model 105	0" OH 12-1-12 Canopy Option-Model 105	The 0" Overhang 12-1-12 Canopy Option for a Model 105 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,084.38
12112NCO-Model 106	GS-02-12112NCO-Model 106	0" OH 12-1-12 Canopy Option-Model 106	The 0" Overhang 12-1-12 Canopy Option for a Model 106 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,301.01
12112NCO-Model 108	GS-02-12112NCO-Model 108	0" OH 12-1-12 Canopy Option-Model 108	The 0" Overhang 12-1-12 Canopy Option for a Model 108 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,735.52
12112NCO-Model 1210	GS-02-12112NCO-Model 1210	0" OH 12-1-12 Canopy Option-Model 1210	The 0" Overhang 12-1-12 Canopy Option for a Model 1210 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,602.02

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO-Model 125	Part Number GS-02-12112NCO-Model 125	0" OH 12-1-12 Canopy Option-Model 125	The 0" Overhang 12-1-12 Canopy Option for a Model 125 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,301.01
12112NCO-Model 125R	GS-02-12112NCO-Model 125R	0" OH 12-1-12 Canopy Option-Model 125R	The 0" Overhang 12-1-12 Canopy Option for a Model 125R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,301.01
12112NCO-Model 127R	GS-02-12112NCO-Model 127R	0" OH 12-1-12 Canopy Option-Model 127R	The 0" Overhang 12-1-12 Canopy Option for a Model 127R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,821.16
12112NCO-Model 128	G5-02-12112NCO-Model 128	0" OH 12-1-12 Canopy Option-Model 128	The 0" Overhang 12-1-12 Canopy Option for a Model 128 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$2,082.27
12112NCO-Model 1466R	GS-02-12112NCO-Model 1466R	0" OH 12-1-12 Canopy-Model 1466RHC	The 0" Overhang 12-1-12 Canopy Option for a Model 1466RHC Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,821.16

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO-Model 2010	Part Number GS-02-12112NCO-Model 2010	0" OH 12-1-12 Canopy Option-Model 2010	The 0" Overhang 12-1-12 Canopy Option for a Model 2010 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,337.53
12112NCO-Model 64	GS-02-12112NCO-Model 64	0" OH 12-1-12 Canopy Option-Model 64	The 0" Overhang 12-1-12 Canopy Option for a Model 64 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$722.92
12112NCO-Model 65	GS-02-12112NCO-Model 65	0" OH 12-1-12 Canopy Option-Model 65	The 0" Overhang 12-1-12 Canopy Option for a Model 65 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$794.71
12112NCO-Model 66	GS-02-12112NCO-Model 66	0" OH 12-1-12 Canopy Option-Model 66	The 0" Overhang 12-1-12 Canopy Option for a Model 66 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$867.76
12112NCO-Model 74	GS-02-12112NCO-Model 74	0" OH 12-1-12 Canopy Option-Model 74	The 0" Overhang 12-1-12 Canopy Option for a Model 74 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$794.71

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
12112NCO-Model 75	GS-02-12112NCO-Model 75	0" OH 12-1-12 Canopy Option-Model 75	The 0" Overhang 12-1-12 Canopy Option for a Model 75 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$867.76
12112NCO-Model 75HC	GS-02-12112NCO-Model 75HC	0" OH 12-1-12 Canopy Option-Model 75HC	The 0" Overhang 12-1-12 Canopy Option for a Model 75HC Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
12112NCO-Model 84	GS-02-12112NCO-Model 84	0" OH 12-1-12 Canopy Option-Model 84	The 0" Overhang 12-1-12 Canopy Option for a Model 84 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$867.76
12112NCO-Model 85	GS-02-12112NCO-Model 85	0" OH 12-1-12 Canopy Option-Model 85	The 0" Overhang 12-1-12 Canopy Option for a Model 85 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$939.55
12112NCO-Model 86	GS-02-12112NCO-Model 86	0" OH 12-1-12 Canopy Option-Model 86	The 0" Overhang 12-1-12 Canopy Option for a Model 86 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,012.59

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number 12112NCO-Model 88	GS-02-12112NCO-Model 88	0" OH 12-1-12 Canopy Option-Model 88	The 0" Overhang 12-1-12 Canopy Option for a Model 88 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,387.91
12112NCO-Model 95	GS-02-12112NCO-Model 95	0" OH 12-1-12 Canopy Option-Model 95	The 0" Overhang 12-1-12 Canopy Option for a Model 95 Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,012.59
12112NCO-Model 95R	GS-02-12112NCO-Model 95R	0" OH 12-1-12 Canopy Option-Model 95R	The 0" Overhang 12-1-12 Canopy Option for a Model 95R Booth provides the booth with a Split fascia design that has (2) 12" fascia sections stacked with a 1" reveal space in the center with NO canopy overhang. This Canopy design, with an overall height of 25", can be used in conjunction with the option for a roof top air conditioning unit to help to conceal the AC unit from view. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,047.86
SSR12"-Model 1010	GS-02-SSR12"-Model 1010	12" OH Standing Seam Roof-Model 1010	The 12" Overhang Standing Seam Roof Option for a Model 1010 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 1010 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,614.61
SSR12"-Model 105	GS-02-SSR12"-Model 105	12" Canopy Standing Seam Roof-Model 105	The 12" Overhang Standing Seam Roof Option for a Model 105 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 105 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,867.76
SSR12"-Model 106	GS-02-SSR12"-Model 106	12" Canopy Standing Seam Roof-Model 106	The 12" Overhang Standing Seam Roof Option for a Model 106 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 106 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,924.43

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSR12"-Model 108	Part Number GS-02-SSR12"-Model 108	12" Canopy Standing Seam Roof-Model 108	The 12" Overhang Standing Seam Roof Option for a Model 108 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 108 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,353.90
SSR12"-Model 1210	GS-02-SSR12"-Model 1210	12" OH Standing Seam Roof-Model 1210	The 12" Overhang Standing Seam Roof Option for a Model 1210 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 1210 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,688.92
SSR12"-Model 125R	GS-02-SSR12"-Model 125R	12" OH Standing Seam Roof-Model 125R	The 12" Overhang Standing Seam Roof Option for a Model 125R Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 125R booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,934.51
SSR12"-Model 127R	GS-02-SSR12"-Model 127R	12" OH Standing Seam Roof-Model 127R	The 12" Overhang Standing Seam Roof Option for a Model 127R Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 127R booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,465.99
SSR12"-Model 128	GS-02-SSR12"-Model 128	12" Canopy Standing Seam Roof-Model 128	The 12" Overhang Standing Seam Roof Option for a Model 128 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 128 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,614.61
SSR12"-Model 1466R	GS-02-SSR12"-Model 1466R	12" OH Standing Seam Roof-Model 1466RHC	The 12" Overhang Standing Seam Roof Option for a Model 1466RHC Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 1466RHC booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,721.66
SSR12"-Model 2010	GS-02-SSR12"-Model 2010	12" OH Standing Seam Roof-Model 2010	The 12" Overhang Standing Seam Roof Option for a Model 2010 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 2010 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$11,610.83
SSR12"-Model 44	GS-02-SSR12"-Model 44	12" Canopy Standing Seam Roof-Model 44	The 12" Overhang Standing Seam Roof Option for a Model 44 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 44 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,867.76

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSR12"-Model 54	Part Number GS-02-SSR12"-Model 54	12" Canopy Standing Seam Roof-Model 54	The 12" Overhang Standing Seam Roof Option for a Model 54 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 54 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,938.29
SSR12"-Model 64	GS-02-SSR12"-Model 64	12" Canopy Standing Seam Roof-Model 64	The 12" Overhang Standing Seam Roof Option for a Model 64 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 64 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,847.61
SSR12"-Model 65	GS-02-SSR12"-Model 65	12" Canopy Standing Seam Roof-Model 65	The 12" Overhang Standing Seam Roof Option for a Model 65 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 65 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,065.49
SSR12"-Model 66	GS-02-SSR12"-Model 66	12" Canopy Standing Seam Roof-Model 66	The 12" Overhang Standing Seam Roof Option for a Model 66 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 66 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,617.13
SSR12"-Model 74	GS-02-SSR12"-Model 74	12" Canopy Standing Seam Roof-Model 74	The 12" Overhang Standing Seam Roof Option for a Model 74 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 74 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,144.84
SSR12"-Model 75	GS-02-SSR12"-Model 75	12" Canopy Standing Seam Roof-Model 75	The 12" Overhang Standing Seam Roof Option for a Model 75 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 75 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,231.74
SSR12"-Model 75HC	GS-02-SSR12"-Model 75HC	12" OH Standing Seam Roof-Model 75HC	The 12" Overhang Standing Seam Roof Option for a Model 75HC Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 75HC booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,238.04
SSR12"-Model 84	GS-02-SSR12"-Model 84	12" Canopy Standing Seam Roof-Model 84	The 12" Overhang Standing Seam Roof Option for a Model 84 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 84 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,210.33

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSR12"-Model 85	Part Number GS-02-SSR12"-Model 85	12" Canopy Standing Seam Roof-Model 85	The 12" Overhang Standing Seam Roof Option for a Model 85 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 85 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,367.76
SSR12"-Model 86	GS-02-SSR12"-Model 86	12" Canopy Standing Seam Roof-Model 86	The 12" Overhang Standing Seam Roof Option for a Model 86 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 86 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,848.87
SSR12"-Model 88	GS-02-SSR12"-Model 88	12" Canopy Standing Seam Roof-Model 88	The 12" Overhang Standing Seam Roof Option for a Model 88 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 88 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,278.34
SSR12"-Model 95	GS-02-SSR12"-Model 95	12" Canopy Standing Seam Roof-Model 95	The 12" Overhang Standing Seam Roof Option for a Model 95 Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 95 booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,671.28
SSR12"-Model 95R	GS-02-SSR12"-Model 95R	12" Canopy Standing Seam Roof-Model 95R	The 12" Overhang Standing Seam Roof Option for a Model 95R Booth provides a 12" overhang of the canopy on a solid metal standing seam roof when added to a standard model 95R booth. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,367.76
SSR6"-Model 1010	GS-02-SSR6"-Model 1010	6" Canopy Standing Seam Roof-Model 1010	The 6" Overhang Standing Seam Roof Option for a Model 1010 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 1010 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,691.44
SSR6"-Model 105	GS-02-SSR6"-Model 105	6" Canopy Standing Seam Roof-Model 105	The 6" Overhang Standing Seam Roof Option for a Model 105 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 105 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,715.37

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
SSR6"-Model 106	GS-02-SSR6"-Model 106	6" Canopy Standing Seam Roof-Model 106	The 6" Overhang Standing Seam Roof Option for a Model 106 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 106 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,831.23
SSR6"-Model 108	GS-02-SSR6"-Model 108	6" Canopy Standing Seam Roof-Model 108	The 6" Overhang Standing Seam Roof Option for a Model 108 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 108 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,147.36
SSR6"-Model 1210	GS-02-SSR6"-Model 1210	6" Canopy Standing Seam Roof-Model 1210	The 6" Overhang Standing Seam Roof Option for a Model 1210 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 1210 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,765.74
SSR6"-Model 125	GS-02-SSR6"-Model 125	6" Canopy Standing Seam Roof-Model 125	The 6" Overhang Standing Seam Roof Option for a Model 125 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 125 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,829.97
SSR6"-Model 125R	GS-02-SSR6"-Model 125R	6" Canopy Standing Seam Roof-Model 125R	The 6" Overhang Standing Seam Roof Option for a Model 125R Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 125R booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,829.97
SSR6"-Model 127R	GS-02-SSR6"-Model 127R	6" Canopy Standing Seam Roof-Model 127R	The 6" Overhang Standing Seam Roof Option for a Model 127R Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 127R booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,323.68

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSR6"-Model 128	Part Number GS-02-SSR6"-Model 128	6" Canopy Standing Seam Roof-Model 128	The 6" Overhang Standing Seam Roof Option for a Model 128 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 128 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,429.47
SSR6"-Model 1466R	GS-02-SSR6"-Model 1466R	6" OH Standing Seam Roof-Model 1466RHC	The 6" Overhang Standing Seam Roof Option for a Model 1466RHC Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 1466RHC booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$7,580.60
SSR6"-Model 2010	GS-02-SSR6"-Model 2010	6" Canopy Standing Seam Roof-Model 2010	The 6" Overhang Standing Seam Roof Option for a Model 2010 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 2010 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$10,139.80
SSR6"-Model 44	GS-02-SSR6"-Model 44	6" Canopy Standing Seam Roof-Model 44	The 6" Overhang Standing Seam Roof Option for a Model 44 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 44 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,346.35
SSR6"-Model 54	GS-02-SSR6"-Model 54	6" Canopy Standing Seam Roof-Model 54	The 6" Overhang Standing Seam Roof Option for a Model 54 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 54 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,355.16
SSR6"-Model 64	GS-02-SSR6"-Model 64	6" Canopy Standing Seam Roof-Model 64	The 6" Overhang Standing Seam Roof Option for a Model 64 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 64 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,366.50

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number SSR6"-Model 65	Part Number GS-02-SSR6"-Model 65	6" Canopy Standing Seam Roof-Model 65	The 6" Overhang Standing Seam Roof Option for a Model 65 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 65 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,377.83
SSR6"-Model 66	GS-02-SSR6"-Model 66	6" Canopy Standing Seam Roof-Model 66	The 6" Overhang Standing Seam Roof Option for a Model 66 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 66 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,153.65
SSR6"-Model 74	GS-02-SSR6"-Model 74	6" Canopy Standing Seam Roof-Model 74	The 6" Overhang Standing Seam Roof Option for a Model 74 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 74 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,438.29
SSR6"-Model 75	GS-02-SSR6"-Model 75	6" Canopy Standing Seam Roof-Model 75	The 6" Overhang Standing Seam Roof Option for a Model 75 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 75 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,389.17
SSR6"-Model 75HC	GS-02-SSR6"-Model 75HC	6" Canopy Standing Seam Roof-Model 75HC	The 6" Overhang Standing Seam Roof Option for a Model 75HC Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 75HC booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,458.44
SSR6"-Model 84	GS-02-SSR6"-Model 84	6" Canopy Standing Seam Roof-Model 84	The 6" Overhang Standing Seam Roof Option for a Model 84 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 84 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,445.84

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
SSR6"-Model 85	GS-02-SSR6"-Model 85	6" Canopy Standing Seam Roof-Model 85	The 6" Overhang Standing Seam Roof Option for a Model 85 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 85 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,400.50
SSR6"-Model 86	GS-02-SSR6"-Model 86	6" Canopy Standing Seam Roof-Model 86	The 6" Overhang Standing Seam Roof Option for a Model 86 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 86 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,656.17
SSR6"-Model 88	GS-02-SSR6"-Model 88	6" Canopy Standing Seam Roof-Model 88	The 6" Overhang Standing Seam Roof Option for a Model 88 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 88 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$6,901.76
SSR6"-Model 95	GS-02-SSR6"-Model 95	6" Canopy Standing Seam Roof-Model 95	The 6" Overhang Standing Seam Roof Option for a Model 95 Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 95 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,473.55
SSR6"-Model 95R	GS-02-SSR6"-Model 95R	6" Canopy Standing Seam Roof-Model 95R	The 6" Overhang Standing Seam Roof Option for a Model 95R Booth provides a 6" overhang of the canopy on a solid metal standing seam roof when added to a standard model 95R booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,473.55

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSR12"-Model 105	Part Number GS-02-VSSR12"-Model 105	12" OH Vented Hip Roof Option-Model 105	The 12" Overhang Vented Standing Seam Roof Option for a Model 105 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 105 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,290.93
VSSR12"-Model 125	GS-02-VSSR12"-Model 125	12" OH Vented Hip Roof Option-Model 125	The 12" Overhang Vented Standing Seam Roof Option for a Model 125 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 125 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,487.41
VSSR12"-Model 125R	GS-02-VSSR12"-Model 125R	12" OH Vented Hip Roof Option-Model 125R	The 12" Overhang Vented Standing Seam Roof Option for a Model 125R Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 125R booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,554.16
VSSR12"-Model 44	GS-02-VSSR12"-Model 44	12" OH Vented Hip Roof Option-Model 44	The 12" Overhang Vented Standing Seam Roof Option for a Model 44 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 44 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,177.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSR12"-Model 54	Part Number GS-02-VSSR12"-Model 54	12" OH Vented Hip Roof Option-Model 54	The 12" Overhang Vented Standing Seam Roof Option for a Model 54 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 54 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,248.11
VSSR12"-Model 64	GS-02-VSSR12"-Model 64	12" OH Vented Hip Roof Option-Model 64	The 12" Overhang Vented Standing Seam Roof Option for a Model 64 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 64 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,157.43
VSSR12"-Model 65	GS-02-VSSR12"-Model 65	12" OH Vented Hip Roof Option-Model 65	The 12" Overhang Vented Standing Seam Roof Option for a Model 65 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 65 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,375.31
VSSR12"-Model 74	GS-02-VSSR12"-Model 74	12" OH Vented Hip Roof Option-Model 74	The 12" Overhang Vented Standing Seam Roof Option for a Model 74 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 74 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,454.66

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSR12"-Model 75	GS-02-VSSR12"-Model 75	12" OH Vented Hip Roof Option-Model 75	The 12" Overhang Vented Standing Seam Roof Option for a Model 75 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 75 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,443.32
VSSR12"-Model 75HC	GS-02-VSSR12"-Model 75HC	12" OH Vented Hip Roof Option-Model 75HC	The 12" Overhang Vented Standing Seam Roof Option for a Model 75HC Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 75HC booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,547.86
VSSR12"-Model 84	GS-02-VSSR12"-Model 84	12" OH Vented Hip Roof Option-Model 84	The 12" Overhang Vented Standing Seam Roof Option for a Model 84 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 84 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,520.15
VSSR12"-Model 85	GS-02-VSSR12"-Model 85	12" OH Vented Hip Roof Option-Model 85	The 12" Overhang Vented Standing Seam Roof Option for a Model 85 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 85 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,541.56

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSR12"-Model 95	Part Number GS-02-VSSR12"-Model 95	12" OH Vented Hip Roof Option-Model 95	The 12" Overhang Vented Standing Seam Roof Option for a Model 95 Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 95 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,677.58
VSSR12"-Model 95R	GS-02-VSSR12"-Model 95R	12" OH Vented Hip Roof Option-Model 95R	The 12" Overhang Vented Standing Seam Roof Option for a Model 95R Booth provides a 12" overhang of the canopy on a vented metal standing seam roof when added to a standard model 95R booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,677.58
VSSR6"-Model 105	GS-02-VSSR6"-Model 105	6" OH Vented Hip Roof Option-Model 105	The 6" Overhang Vented Standing Seam Roof Option for a Model 105 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 105 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,335.01
VSSR6"-Model 125	GS-02-VSSR6"-Model 125	6" OH Vented Hip Roof Option-Model 125	The 6" Overhang Vented Standing Seam Roof Option for a Model 125 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 125 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,449.62

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSR6"-Model 125R	Part Number GS-02-VSSR6"-Model 125R	6" OH Vented Hip Roof Option-Model 125R	The 6" Overhang Vented Standing Seam Roof Option for a Model 125R Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 125R booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$4,449.62
VSSR6"-Model 44	GS-02-VSSR6"-Model 44	6" OH Vented Hip Roof Option-Model 44	The 6" Overhang Vented Standing Seam Roof Option for a Model 44 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 44 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,656.17
VSSR6"-Model 54	GS-02-VSSR6"-Model 54	6" OH Vented Hip Roof Option-Model 54	The 6" Overhang Vented Standing Seam Roof Option for a Model 54 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 54 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,664.99
VSSR6"-Model 64	GS-02-VSSR6"-Model 64	6" OH Vented Hip Roof Option-Model 64	The 6" Overhang Vented Standing Seam Roof Option for a Model 64 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 64 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,676.32

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSR6"-Model 65	Part Number GS-02-VSSR6"-Model 65	6" OH Vented Hip Roof Option-Model 65	The 6" Overhang Vented Standing Seam Roof Option for a Model 65 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 65 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,687.66
VSSR6"-Model 74	GS-02-VSSR6"-Model 74	6" OH Vented Hip Roof Option-Model 74	The 6" Overhang Vented Standing Seam Roof Option for a Model 74 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 74 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,748.11
VSSR6"-Model 75	GS-02-VSSR6"-Model 75	6" OH Vented Hip Roof Option-Model 75	The 6" Overhang Vented Standing Seam Roof Option for a Model 75 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 75 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,698.99
VSSR6"-Model 75HC	GS-02-VSSR6"-Model 75HC	6" OH Vented Hip Roof Option-Model 75HC	The 6" Overhang Vented Standing Seam Roof Option for a Model 75HC Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 75HC booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,768.26

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSR6"-Model 84	Part Number GS-02-VSSR6"-Model 84	6" OH Vented Hip Roof Option-Model 84	The 6" Overhang Vented Standing Seam Roof Option for a Model 84 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 84 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,755.67
VSSR6"-Model 85	GS-02-VSSR6"-Model 85	6" OH Vented Hip Roof Option-Model 85	The 6" Overhang Vented Standing Seam Roof Option for a Model 85 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 85 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,710.33
VSSR6"-Model 95	GS-02-VSSR6"-Model 95	6" OH Vented Hip Roof Option-Model 95	The 6" Overhang Vented Standing Seam Roof Option for a Model 95 Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 95 booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,783.38
VSSR6"-Model 95R Guard Booth - Traile	GS-02-VSSR6"-Model 95R	6" OH Vented Hip Roof Option-Model 95R	The 6" Overhang Vented Standing Seam Roof Option for a Model 95R Booth provides a 6" overhang of the canopy on a vented metal standing seam roof when added to a standard model 95R booth. The standard roof design for the standing seam roof is a hip style. The standard fascia height for this option is 3". The vented metal roof is used to provide ventilation when the option is selected to include a roof top air conditioning unit. The vented metal roof is removable to allow for access to the roof so that the recommended annual roof maintenance can be performed. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,783.38

Manufacturer	Contractor Part Number	Product Name	Product Description	GSA Price
TLR-Model 64	GS-02-TLR-Model 44 GS-02-TLR-Model 64	Trailer Option for a Model 44 Booth Trailer Option for a Model 64 Booth	Trailer Mounted Option for a Model 44 Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy duty trailer will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location. Trailer Mounted Option for a Model 64 Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy duty trailer will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,061.71 \$3,841.31
TLR-Model 65	GS-02-TLR-Model 65	Trailer Option for a Model 65 Booth	Trailer Mounted Option for a Model 65 Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy duty trailer will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$3,841.31
TLR-Model 86	GS-02-TLR-Model 86	Trailer Option for a Model 86 Booth	Trailer Mounted Option for a Model 86 Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy duty trailer will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$5,855.16

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1TLR-Model 44	Part Number GS-02-UL1TLR-Model 44	Trailer Option - Model 44 UL 1 BR Booth	Trailer Mounted Option for a Model 44 UL 1 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,690.18
UL1TLR-Model 64	GS-02-UL1TLR-Model 64	Trailer Option - Model 64 UL 1 BR Booth	Trailer Mounted Option for a Model 64 UL 1 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,994.96
UL1TLR-Model 65	GS-02-UL1TLR-Model 65	Trailer Option - Model 65 UL 1 BR Booth	Trailer Mounted Option for a Model 65 UL 1 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,211.59
UL1TLR-Model 86	GS-02-UL1TLR-Model 86	Trailer Option - Model 86 UL 1 BR Booth	Trailer Mounted Option for a Model 86 UL 1 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,444.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3TLR-Model 44	Part Number GS-02-UL3TLR-Model 44	Trailer Option - Model 44 UL 3 BR Booth	Trailer Mounted Option for a Model 44 UL 3 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,690.18
UL3TLR-Model 64	GS-02-UL3TLR-Model 64	Trailer Option - Model 64 UL 3 BR Booth	Trailer Mounted Option for a Model 64 UL 3 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,994.96
UL3TLR-Model 65	GS-02-UL3TLR-Model 65	Trailer Option - Model 65 UL 3 BR Booth	Trailer Mounted Option for a Model 65 UL 3 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,211.58
UL3TLR-Model 86	GS-02-UL3TLR-Model 86	Trailer Option - Model 86 UL 3 BR Booth	Trailer Mounted Option for a Model 86 UL 3 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,444.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL4TLR-Model 44	Part Number GS-02-UL4TLR-Model 44	Trailer Option - Model 44 UL 4 BR Booth	Trailer Mounted Option for a Model 44 UL 4 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,690.18
UL4TLR-Model 64	GS-02-UL4TLR-Model 64	Trailer Option - Model 64 UL 4 BR Booth	Trailer Mounted Option for a Model 64 UL 4 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,994.96
UL4TLR-Model 65	GS-02-UL4TLR-Model 65	Trailer Option - Model 65 UL 4 BR Booth	Trailer Mounted Option for a Model 65 UL 4 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,211.59
UL4TLR-Model 86	GS-02-UL4TLR-Model 86	Trailer Option - Model 86 UL 4 BR Booth	Trailer Mounted Option for a Model 86 UL 4 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,444.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL8TLR-Model 44	Part Number GS-02-UL8TLR-Model 44	Trailer Option - Model 44 UL 8 BR Booth	Trailer Mounted Option for a Model 44 UL 8 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,690.18
UL8TLR-Model 64	GS-02-UL8TLR-Model 64	Trailer Option - Model 64 UL 8 BR Booth	Trailer Mounted Option for a Model 64 UL 8 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$8,994.96
UL8TLR-Model 65	GS-02-UL8TLR-Model 65	Trailer Option - Model 65 UL 8 BR Booth	Trailer Mounted Option for a Model 65 UL 8 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,211.59
Guard Booth - Wind	GS-02-UL8TLR-Model 86	Trailer Option - Model 86 UL 8 BR Booth	Trailer Mounted Option for a Model 86 UL 8 Bullet Resistant Booth includes a 10' power cord with male plug on the booth to allow for connection to an outside power source to serve as the power feed to the booth. The heavy weight trailer is reinforced to support the additional weight of the bullet resistant booth, and will include a grip strut fold down step, 4 leveling jacks, a 12 gauge galvanized steel treadplate trailer bed, a 2" ball coupler, a removable tongue with tongue jack and safety chains and (2) 13" tires. The trailer is not designed for highway use, and has a maximum safe towing speed of 25 mph. The trailer is an additional cost to the Base Booth. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$9,444.58

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HISSW-Model 1010	Part Number GS-02-HISSW-Model 1010	Horizontal Insul Slide Window-Mod. 1010	The Horizontal Insulated Sliding Service Window Option for a Model 1010 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 105	GS-02-HISSW-Model 105	Horizontal Insul Slide Window-Mod. 105	The Horizontal Insulated Sliding Service Window Option for a Model 105 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 106	GS-02-HISSW-Model 106	Horizontal Insul Slide Window-Mod. 106	The Horizontal Insulated Sliding Service Window Option for a Model 106 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 108	GS-02-HISSW-Model 108	Horizontal Insul Slide Window-Mod. 108	The Horizontal Insulated Sliding Service Window Option for a Model 108 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HISSW-Model 1210	Part Number GS-02-HISSW-Model 1210	Horizontal Insul Slide Window-Mod. 1210	The Horizontal Insulated Sliding Service Window Option for a Model 1210 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 125	GS-02-HISSW-Model 125	Horizontal Insul Slide Window-Mod. 125	The Horizontal Insulated Sliding Service Window Option for a Model 125 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 125R	GS-02-HISSW-Model 125R	Horizontal Insul Slide Window-Mod. 125R	The Horizontal Insulated Sliding Service Window Option for a Model 125R Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 127R	GS-02-HISSW-Model 128R	Horizontal Insul Slide Window-Mod. 127R	The Horizontal Insulated Sliding Service Window Option for a Model 127R Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HISSW-Model 128	Part Number GS-02-HISSW-Model 128	Horizontal Insul Slide Window-Mod. 128	The Horizontal Insulated Sliding Service Window Option for a Model 128 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 1466R	GS-02-HISSW-Model 1466R	Horizontal Insul Slide Window-# 1466RHC	The Horizontal Insulated Sliding Service Window Option for a Model 1466RHC Booth. This option replaces the Roller type cashier/service window with tempered safety glass that is standard with this booth model. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 2010	GS-02-HISSW-Model 2010	Horizontal Insul Slide Window-Mod. 2010	The Horizontal Insulated Sliding Service Window Option for a Model 2010 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 44	GS-02-HISSW-Model 44	Horizontal Insul Slide Window-Mod. 44	The Horizontal Insulated Sliding Service Window Option for a Model 44 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HISSW-Model 54	Part Number GS-02-HISSW-Model 54	Horizontal Insul Slide Window-Mod. 54	The Horizontal Insulated Sliding Service Window Option for a Model 54 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 64	GS-02-HISSW-Model 64	Horizontal Insul Slide Window-Mod. 64	The Horizontal Insulated Sliding Service Window Option for a Model 64 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 65	GS-02-HISSW-Model 65	Horizontal Insul Slide Window-Mod. 65	The Horizontal Insulated Sliding Service Window Option for a Model 65 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 66	GS-02-HISSW-Model 66	Horizontal Insul Slide Window-Mod. 66	The Horizontal Insulated Sliding Service Window Option for a Model 66 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HISSW-Model 74	Part Number GS-02-HISSW-Model 74	Horizontal Insul Slide Window-Mod. 74	The Horizontal Insulated Sliding Service Window Option for a Model 74 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 75	GS-02-HISSW-Model 75	Horizontal Insul Slide Window-Mod. 75	The Horizontal Insulated Sliding Service Window Option for a Model 75 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 75HC	GS-02-HISSW-Model 75HC	Horizontal Insul Slide Window-Mod. 75HC	The Horizontal Insulated Sliding Service Window Option for a Model 75HC Booth. This option replaces the Roller type cashier/service window with tempered safety glass that is standard with this booth model. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 84	GS-02-HISSW-Model 84	Horizontal Insul Slide Window-Mod. 84	The Horizontal Insulated Sliding Service Window Option for a Model 84 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HISSW-Model 85	Part Number GS-02-HISSW-Model 85	Horizontal Insul Slide Window-Mod. 85	The Horizontal Insulated Sliding Service Window Option for a Model 85 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 86	GS-02-HISSW-Model 86	Horizontal Insul Slide Window-Mod. 86	The Horizontal Insulated Sliding Service Window Option for a Model 86 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 88	GS-02-HISSW-Model 88	Horizontal Insul Slide Window-Mod. 88	The Horizontal Insulated Sliding Service Window Option for a Model 88 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HISSW-Model 95	GS-02-HISSW-Model 95	Horizontal Insul Slide Window-Mod. 95	The Horizontal Insulated Sliding Service Window Option for a Model 95 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HISSW-Model 95R	Part Number GS-02-HISSW-Model 95R	Horizontal Insul Slide Window-Mod. 95R	The Horizontal Insulated Sliding Service Window Option for a Model 95R Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window is glazed with up to a 5/8" maximum thickness glazing, and has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$846.35
HSSW-Model 1010	GS-02-HSSW-Model 1010	Horizontal Sliding Window-Model 1010	The Horizontal Sliding Service Window Option for a Model 1010 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 105	GS-02-HSSW-Model 105	Horizontal Sliding Window-Model 105	The Horizontal Sliding Service Window Option for a Model 105 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 106	GS-02-HSSW-Model 106	Horizontal Sliding Window-Model 106	The Horizontal Sliding Service Window Option for a Model 106 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HSSW-Model 108	Part Number GS-02-HSSW-Model 108	Horizontal Sliding Window-Model 108	The Horizontal Sliding Service Window Option for a Model 108 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 1210	GS-02-HSSW-Model 1210	Horizontal Sliding Window-Model 1210	The Horizontal Sliding Service Window Option for a Model 1210 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 125	GS-02-HSSW-Model 125	Horizontal Sliding Window-Model 125	The Horizontal Sliding Service Window Option for a Model 125 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 125R	GS-02-HSSW-Model 125R	Horizontal Sliding Window-Model 125R	The Horizontal Sliding Service Window Option for a Model 125R Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HSSW-Model 127R	Part Number GS-02-HSSW-Model 127R	Horizontal Sliding Window-Model 127R	The Horizontal Sliding Service Window Option for a Model 127R Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 128	GS-02-HSSW-Model 128	Horizontal Sliding Window-Model 128	The Horizontal Sliding Service Window Option for a Model 128 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 2010	GS-02-HSSW-Model 2010	Horizontal Sliding Window-Model 2010	The Horizontal Sliding Service Window Option for a Model 2010 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 44	GS-02-HSSW-Model 44	Horizontal Sliding Window-Model 44	The Horizontal Sliding Service Window Option for a Model 44 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HSSW-Model 54	Part Number GS-02-HSSW-Model 54	Horizontal Sliding Window-Model 54	The Horizontal Sliding Service Window Option for a Model 54 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 64	GS-02-HSSW-Model 64	Horizontal Sliding Window-Model 64	The Horizontal Sliding Service Window Option for a Model 64 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 65	GS-02-HSSW-Model 65	Horizontal Sliding Window-Model 65	The Horizontal Sliding Service Window Option for a Model 65 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 66	GS-02-HSSW-Model 66	Horizontal Sliding Window-Model 66	The Horizontal Sliding Service Window Option for a Model 66 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HSSW-Model 74	Part Number GS-02-HSSW-Model 74	Horizontal Sliding Window-Model 74	The Horizontal Sliding Service Window Option for a Model 74 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 75	GS-02-HSSW-Model 75	Horizontal Sliding Window-Model 75	The Horizontal Sliding Service Window Option for a Model 75 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 84	GS-02-HSSW-Model 84	Horizontal Sliding Window-Model 84	The Horizontal Sliding Service Window Option for a Model 84 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 85	GS-02-HSSW-Model 85	Horizontal Sliding Window-Model 85	The Horizontal Sliding Service Window Option for a Model 85 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number HSSW-Model 86	Part Number GS-02-HSSW-Model 86	Horizontal Sliding Window-Model 86	The Horizontal Sliding Service Window Option for a Model 86 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 88	GS-02-HSSW-Model 88	Horizontal Sliding Window-Model 88	The Horizontal Sliding Service Window Option for a Model 88 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 95	GS-02-HSSW-Model 95	Horizontal Sliding Window-Model 95	The Horizontal Sliding Service Window Option for a Model 95 Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27
HSSW-Model 95R	GS-02-HSSW-Model 95R	Horizontal Sliding Window-Model 95R	The Horizontal Sliding Service Window Option for a Model 95R Booth. This option replaces a portion of the windows in the wall of the booth opposite the door with a Roller type cashier/service window. This window has a side sliding panel to allow for service transactions, and is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$336.27

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1HSSW-Model 1010	Part Number GS-02-UL1HSSW-Model 1010	UL 1 BR Slide Service Window-Model 1010	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 1010 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 105	GS-02-UL1HSSW-Model 105	UL 1 BR Sliding Service Window-Model 105	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 105 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 106	GS-02-UL1HSSW-Model 106	UL 1 BR Sliding Service Window-Model 106	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 106 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 108	GS-02-UL1HSSW-Model 108	UL 1 BR Sliding Service Window-Model 108	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 108 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1HSSW-Model 1210	Part Number GS-02-UL1HSSW-Model 1210	UL 1 BR Slide Service Window-Model 1210	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 1210 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 125	GS-02-UL1HSSW-Model 125	UL 1 BR Sliding Service Window-Model 125	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 125 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 125R	GS-02-UL1HSSW-Model 125R	UL 1 BR Slide Service Window-Model 125R	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 125R Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 127R	GS-02-UL1HSSW-Model 127R	UL 1 BR Slide Service Window-Model 127R	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 127R Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1HSSW-Model 128	Part Number GS-02-UL1HSSW-Model 128	UL 1 BR Sliding Service Window-Model 128	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 128 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 1466R	GS-02-UL1HSSW-Model 1466R	UL 1 BR Slide Serv Window-Model 1466RHC	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 1466RHC Booth. This option replaces the Roller type horizontal sliding service window in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 2010	GS-02-UL1HSSW-Model 2010	UL 1 BR Slide Service Window-Model 2010	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 2010 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 44	GS-02-UL1HSSW-Model 44	UL 1 BR Sliding Service Window-Model 44	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 44 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1HSSW-Model 54	Part Number GS-02-UL1HSSW-Model 54	UL 1 BR Sliding Service Window-Model 54	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 54 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 64	GS-02-UL1HSSW-Model 64	UL 1 BR Sliding Service Window-Model 64	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 64 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 65	GS-02-UL1HSSW-Model 65	UL 1 BR Sliding Service Window-Model 65	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 65 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 66	GS-02-UL1HSSW-Model 66	UL 1 BR Sliding Service Window-Model 66	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 66 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1HSSW-Model 74	Part Number GS-02-UL1HSSW-Model 74	UL 1 BR Sliding Service Window-Model 74	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 74 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 75	GS-02-UL1HSSW-Model 75	UL 1 BR Sliding Service Window-Model 75	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 75 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 75HC	GS-02-UL1HSSW-Model 75HC	UL 1 BR Slide Service Window-Model 75HC	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 75HC Booth. This option replaces the Roller type horizontal sliding service window in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 84	GS-02-UL1HSSW-Model 84	UL 1 BR Sliding Service Window-Model 84	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 84 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1HSSW-Model 85	Part Number GS-02-UL1HSSW-Model 85	UL 1 BR Sliding Service Window-Model 85	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 85 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 86	GS-02-UL1HSSW-Model 86	UL 1 BR Sliding Service Window-Model 86	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 86 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 88	GS-02-UL1HSSW-Model 88	UL 1 BR Sliding Service Window-Model 88	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 88 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL1HSSW-Model 95	GS-02-UL1HSSW-Model 95	UL 1 BR Sliding Service Window-Model 95	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 95 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL1HSSW-Model 95R	Part Number GS-02-UL1HSSW-Model 95R	UL 1 BR Slide Service Window-Model 95R	The UL 1 Bullet Resistant Horizontal Sliding Service Window Option for a Model 95R Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 1 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$929.47
UL3HSSW-Model 1010	GS-02-UL3HSSW-Model 1010	UL 3 BR Slide Service Window-Model 1010	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 1010 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 105	GS-02-UL3HSSW-Model 105	UL 3 BR Sliding Service Window-Model 105	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 105 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 106	GS-02-UL3HSSW-Model 106	UL 3 BR Sliding Service Window-Model 106	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 106 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3HSSW-Model 108	Part Number GS-02-UL3HSSW-Model 108	UL 3 BR Sliding Service Window-Model 108	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 108 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 1210	GS-02-UL3HSSW-Model 1210	UL 3 BR Slide Service Window-Model 1210	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 1210 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 125	GS-02-UL3HSSW-Model 125	UL 3 BR Sliding Service Window-Model 125	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 125 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 125R	GS-02-UL3HSSW-Model 125R	UL 3 BR Slide Service Window-Model 125R	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 125R Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3HSSW-Model 127R	Part Number GS-02-UL3HSSW-Model 127R	UL 3 BR Slide Service Window-Model 127R	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 127R Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 128	GS-02-UL3HSSW-Model 128	UL 3 BR Sliding Service Window-Model 128	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 128 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 1466R	GS-02-UL3HSSW-Model 1466R	UL 3 BR Slide Serv Window-Model 1466RHC	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 1466RHC Booth. This option replaces the Roller type horizontal sliding service window in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 2010	GS-02-UL3HSSW-Model 2010	UL 3 BR Slide Service Window-Model 2010	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 2010 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3HSSW-Model 44	Part Number GS-02-UL3HSSW-Model 44	UL 3 BR Sliding Service Window-Model 44	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 44 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 54	GS-02-UL3HSSW-Model 54	UL 3 BR Sliding Service Window-Model 54	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 54 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 64	GS-02-UL3HSSW-Model 64	UL 3 BR Sliding Service Window-Model 64	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 64 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 65	GS-02-UL3HSSW-Model 65	UL 3 BR Sliding Service Window-Model 65	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 65 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3HSSW-Model 66	Part Number GS-02-UL3HSSW-Model 66	UL 3 BR Sliding Service Window-Model 66	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 66 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 74	GS-02-UL3HSSW-Model 74	UL 3 BR Sliding Service Window-Model 74	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 74 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 75	GS-02-UL3HSSW-Model 75	UL 3 BR Sliding Service Window-Model 75	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 75 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 75HC	GS-02-UL3HSSW-Model 75HC	UL 3 BR Slide Service Window-Model 75HC	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 75HC Booth. This option replaces the Roller type horizontal sliding service window in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3HSSW-Model 84	Part Number GS-02-UL3HSSW-Model 84	UL 3 BR Sliding Service Window-Model 84	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 84 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 85	GS-02-UL3HSSW-Model 85	UL 3 BR Sliding Service Window-Model 85	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 85 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 86	GS-02-UL3HSSW-Model 86	UL 3 BR Sliding Service Window-Model 86	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 86 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 88	GS-02-UL3HSSW-Model 88	UL 3 BR Sliding Service Window-Model 88	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 88 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number UL3HSSW-Model 95	GS-02-UL3HSSW-Model 95	UL 3 BR Sliding Service Window-Model 95	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 95 Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
UL3HSSW-Model 95R	GS-02-UL3HSSW-Model 95R	UL 3 BR Slide Service Window-Model 95R	The UL 3 Bullet Resistant Horizontal Sliding Service Window Option for a Model 95R Booth. This option replaces a portion of the fixed windows in the wall of the booth opposite the door with a top hung cashier/service window. This window is glazed with UL Level 3 bullet resistant glazing, as are the fixed windows in the booth. The window has a side sliding panel to allow for service transactions. The window is typically located approx. 32" above the finished floor for easy access. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$1,007.56
VSSW-Model 1010	GS-02-VSSW-Model 1010	Vertical Slide Window in Door-Model 1010	The Vertical Sliding Service Window in Door Option for a Model 1010 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 105	GS-02-VSSW-Model 105	Vertical Slide Window in Door-Model 105	The Vertical Sliding Service Window in Door Option for a Model 105 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 106	GS-02-VSSW-Model 106	Vertical Slide Window in Door-Model 106	The Vertical Sliding Service Window in Door Option for a Model 106 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSW-Model 108	Part Number GS-02-VSSW-Model 108	Vertical Slide Window in Door-Model 108	The Vertical Sliding Service Window in Door Option for a Model 108 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 1210	GS-02-VSSW-Model 1210	Vertical Slide Window in Door-Model 1210	The Vertical Sliding Service Window in Door Option for a Model 1210 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 125	GS-02-VSSW-Model 125	Vertical Slide Window in Door-Model 125	The Vertical Sliding Service Window in Door Option for a Model 125 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 125R	GS-02-VSSW-Model 125R	Vertical Slide Window in Door-Model 125R	The Vertical Sliding Service Window in Door Option for a Model 125R Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 127R	GS-02-VSSW-Model 127R	Vertical Slide Window in Door-Model 127R	The Vertical Sliding Service Window in Door Option for a Model 127R Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 128	GS-02-VSSW-Model 128	Vertical Slide Window in Door-Model 128	The Vertical Sliding Service Window in Door Option for a Model 128 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSW-Model 1466R	GS-02-VSSW-Model 1466R	Vertical Slide Window in Door-# 1466RHC	The Vertical Sliding Service Window in Door Option for a Model 1466RHC Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 2010	GS-02-VSSW-Model 2010	Vertical Slide Window in Door-Model 2010	The Vertical Sliding Service Window in Door Option for a Model 2010 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 44	GS-02-VSSW-Model 44	Vertical Sliding Window in Door-Model 44	The Vertical Sliding Service Window in Door Option for a Model 44 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 54	GS-02-VSSW-Model 54	Vertical Sliding Window in Door-Model 54	The Vertical Sliding Service Window in Door Option for a Model 54 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 64	GS-02-VSSW-Model 64	Vertical Sliding Window in Door-Model 64	The Vertical Sliding Service Window in Door Option for a Model 64 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 65	GS-02-VSSW-Model 65	Vertical Sliding Window in Door-Model 65	The Vertical Sliding Service Window in Door Option for a Model 65 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 66	GS-02-VSSW-Model 66	Vertical Sliding Window in Door-Model 66	The Vertical Sliding Service Window in Door Option for a Model 66 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number VSSW-Model 74	Part Number GS-02-VSSW-Model 74	Vertical Sliding Window in Door-Model 74	The Vertical Sliding Service Window in Door Option for a Model 74 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 75	GS-02-VSSW-Model 75	Vertical Sliding Window in Door-Model 75	The Vertical Sliding Service Window in Door Option for a Model 75 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 75HC	GS-02-VSSW-Model 75HC	Vertical Slide Window in Door-Model 75HC	The Vertical Sliding Service Window in Door Option for a Model 75HC Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 84	GS-02-VSSW-Model 84	Vertical Sliding Window in Door-Model 84	The Vertical Sliding Service Window in Door Option for a Model 84 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 85	GS-02-VSSW-Model 85	Vertical Sliding Window in Door-Model 85	The Vertical Sliding Service Window in Door Option for a Model 85 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 86	GS-02-VSSW-Model 86	Vertical Sliding Window in Door-Model 86	The Vertical Sliding Service Window in Door Option for a Model 86 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 88	GS-02-VSSW-Model 88	Vertical Sliding Window in Door-Model 88	The Vertical Sliding Service Window in Door Option for a Model 88 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
VSSW-Model 95	GS-02-VSSW-Model 95	Vertical Sliding Window in Door-Model 95	The Vertical Sliding Service Window in Door Option for a Model 95 Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99
VSSW-Model 95R	GS-02-VSSW-Model 95R	Vertical Slide Window in Door-Model 95R	The Vertical Sliding Service Window in Door Option for a Model 95R Booth. This option upgrades the standard fixed vision lite in the door of the booth to a Vertical Sliding Service Window. The window has an operable bottom sash, and a fixed top sash. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$164.99

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
Guard Booth Finials				
FRBSSR-Model 1010	GS-02-FRBSSR-Model 1010	Standing Seam Roof Finial Rod-Model 1010	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 1010 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof for the included Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 105	GS-02-FRBSSR-Model 105	Standing Seam Roof Finial Rod-Model 105	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 105 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 106	GS-02-FRBSSR-Model 106	Standing Seam Roof Finial Rod-Model 106	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 106 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 108	GS-02-FRBSSR-Model 108	Standing Seam Roof Finial Rod-Model 108	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 108 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 1210	GS-02-FRBSSR-Model 1210	Standing Seam Roof Finial Rod-Model 1210	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 1210 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof for the vented metal standing seam roof in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 125	GS-02-FRBSSR-Model 125	Standing Seam Roof Finial Rod-Model 125	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 125 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
FRBSSR-Model 125R	GS-02-FRBSSR-Model 125R	Standing Seam Roof Finial Rod-Model 125R	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 125R Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 127R	GS-02-FRBSSR-Model 127R	Standing Seam Roof Finial Rod-Model 127R	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 127R Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 128	GS-02-FRBSSR-Model 128	Standing Seam Roof Finial Rod-Model 128	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 128 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 1466R	GS-02-FRBSSR-Model 1466R	Finial Rod for Hip Roof-Model 1466RHC	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 1466RHC Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 2010	GS-02-FRBSSR-Model 2010	Standing Seam Roof Finial Rod-Model 2010	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 2010 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FRBSSR-Model 44	GS-02-FRBSSR-Model 44	Standing Seam Roof Finial Rod-Model 44	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 44 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 54	GS-02-FRBSSR-Model 54	Standing Seam Roof Finial Rod-Model 54	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 54 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 64	GS-02-FRBSSR-Model 64	Standing Seam Roof Finial Rod-Model 64	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 64 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 65	GS-02-FRBSSR-Model 65	Standing Seam Roof Finial Rod-Model 65	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 65 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 66	GS-02-FRBSSR-Model 66	Standing Seam Roof Finial Rod-Model 66	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 66 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 74	GS-02-FRBSSR-Model 74	Standing Seam Roof Finial Rod-Model 74	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 74 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number FRBSSR-Model 75	Part Number GS-02-FRBSSR-Model 75	Standing Seam Roof Finial Rod-Model 75	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 75 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 75HC	GS-02-FRBSSR-Model 75HC	Standing Seam Roof Finial Rod-Model 75HC	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 75HC Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 84	GS-02-FRBSSR-Model 84	Standing Seam Roof Finial Rod-Model 84	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 84 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 85	GS-02-FRBSSR-Model 85	Standing Seam Roof Finial Rod-Model 85	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 85 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 86	GS-02-FRBSSR-Model 86	Standing Seam Roof Finial Rod-Model 86	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 86 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94
FRBSSR-Model 88	GS-02-FRBSSR-Model 88	Standing Seam Roof Finial Rod-Model 88	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 88 Booth includes a 24" high Finial Rod with a 4" diameter Ball as a decorative addition to a standing seam roof. This option can be included with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field by others. This option is an additional cost to the base booth price. Freight NOT included in the item price. Freight is an additional charge and is calculated from the factory to the delivery location.	\$324.94

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
FRBSSR-Model 95	GS-02-FRBSSR-Model 95	Standing Seam Roof Finial Rod-Model 95	The Finial Rod and Ball Option for a Standing Seam Roof for a Model 95 Booth includes a 24" high Finial	\$324.94
			Rod with a 4" diameter Ball as a decorative addition	
			to a standing seam roof. This option can be included	
			with either the solid metal standing seam roof or the vented metal standing seam roof. The threaded	
			Finial Rod is shipped loose and is installed in the field	
			by others. This option is an additional cost to the	
			base booth price. Freight NOT included in the item	
			price. Freight is an additional charge and is calculated	
			from the factory to the delivery location.	
FRBSSR-Model 95R	GS-02-FRBSSR-Model 95R	Standing Seam Roof Finial Rod-Model 95R	The Finial Rod and Ball Option for a Standing Seam	\$324.94
			Roof for a Model 95R Booth includes a 24" high Finial	
			Rod with a 4" diameter Ball as a decorative addition	
			to a standing seam roof. This option can be included	
			with either the solid metal standing seam roof or the	
			vented metal standing seam roof. The threaded Finial Rod is shipped loose and is installed in the field	
			by others. This option is an additional cost to the	
			base booth price. Freight NOT included in the item	
			price. Freight is an additional charge and is calculated	
			from the factory to the delivery location.	

Pre-Cast Concrete Barriers

Manufacturer: Concentric Security, LLC

Country of Origin: United States

SIN: 334290L

Unit of Measure: Per Each

Lead Time: 28 Days after Receipt of Order

Warranty: 1 Year

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer Part Number	Contractor Part Number	Product Name	Product Description	GSA Price
AVB Repair Parts	Part Number			
GS-40-1/2HHWF	GS-40-1/2HHWF	1/2" Hydraulic Hose with Fittings	Pre-manufactured (not manufactured in field) 1/2" hydraulic hose with (2) straight or (2) 90 degree fittings, price is per foot (contact Concentric Security to confirm fit for the Owner's specific model)	\$13.67
GS-40-1769-L24ER-QBIB	GS-40-1769-L24ER-QBIB	A-B Compactlogix L24ER PLC	A-B Compactlogix L24ER PLC	\$3,729.78
	·		, -	
GS-40-18BS	GS-40-18BS	18" Barrier Spring	18" Nasatka barrier spring for active vehicle barrier (contact Concentric Security to confirm fit for the Owner's specific model)	\$1,126.86
GS-40-1HHWF	GS-40-1HHWF	1" Hydraulic Hose with Fittings	Pre-manufactured (not manufactured in field) 1" hydraulic hose with (2) straight or (2) 90 degree fittings, price is per foot (contact Concentric Security to confirm fit for the Owner's specific model)	\$41.58
GS-40-24BS	GS-40-24BS	24" Barrier Spring	24" Nasatka barrier spring for active vehicle barrier (contact Concentric Security to confirm fit for the Owner's specific model)	\$1,419.87
GS-40-264920	GS-40-264920	LED Bulb	SKU #264920 60-Watt equivalent, 9 watt, 120 volt non-dimmable 2700K warm white LED light bulb (contact Concentric Security to confirm fit for the Owner's specific model)	\$4.31
GS-40-2CLEDTL	GS-40-2CLEDTL	2-Color LED Traffic Light	2-Color (red and yellow) LED traffic light to include housing and visors, post and base NOT included (contact Concentric Security to confirm fit for the Owner's specific model)	\$665.30
GS-40-2CLEDTLU	GS-40-2CLEDTLU	2-Color LED Traffic Light Unit	2-Color (red and yellow) LED traffic light unit (8" 200mm red or amber traffic light engine only), housing, visors, post and base NOT inlcuded (contact Concentric Security to confirm fit for the Owner's specific model)	\$439.10
GS-40-3/4HHWF	GS-40-3/4HHWF	3/4" Hydraulic Hose with Fittings	Pre-manufactured (not manufactured in field) 3/4" hydraulic hose with (2) straight or (2) 90 degree fittings, price is per foot (contact Concentric Security to confirm fit for the Owner's specific model)	\$22.51
GS-40-3/8HHWF	GS-40-3/8HHWF	3/8" Hydraulic Hose with Fittings	Pre-manufactured (not manufactured in field) 3/8" hydraulic hose with (2) straight or (2) 90 degree fittings, price is per foot (contact Concentric Security to confirm fit for the Owner's specific model)	\$11.77
GS-40-3PHSC	GS-40-3PHSC	Barrier Starter Contactor, 3PHSC	GH15ET-3-00A Starter contactor for active vehicle barrier (contact Concentric Security to confirm fit for the Owner's specific model)	\$190.68
GS-40-A12110700UX0276	GS-40-A12110700UX0276	RSSI LED Warning Light	RSSI LED Warning Light	\$37.92
GS-40-A53S-24	GS-40-A53S-24	Sump Pump	RSSI Sump Pump, A53S	\$427.94
GS-40-DCVIGB	GS-40-DCVIGB	Directional Control Valve for In-Ground Barrier	DG4V-3-2N-M-U-B6-60 Directional control valve for in-ground active vehicle barrier (contact Concentric Security to confirm fit for the Owner's specific model)	\$688.73
GS-40-DCVMB	GS-40-DCVMB	Directional Control Valve for Mobile Barrier	DSG-01-3060-A120-N-7090 Directional control valve for mobile vehicle barrier (contact Concentric Security to confirm fit for the Owner's specific model)	\$440.54
GS-40-DL105PLC	GS-40-DL105PLC	DL-105 PLC	DL-105 Fixed I/O micro PLC with 10 inputs and 8 outputs, program NOT included (contact Concentric Security to confirm fit for the Owner's specific model)	\$439.08
GS-40-DL205PLC	GS-40-DL205PLC	DL-205 PLC	DL-205 PLC	\$2,857.84
GS-40-DMIGB	GS-40-DMIGB	Drive Motor for In-Ground Barrier	Drive motor for a SD10346-DM in-ground active vehicle barrier (contact Concentric Security to confirm fit for the Owner's specific model)	64.422
GS-40-EA7-T15C	GS-40-EA7-T15C	Touch Panel	15" C More Touch Panel	\$1,133.44 \$3,546.00
GS-40-FEIGVEKM1H	GS-40-FEIGVEKM1H	Loop Detector Module	Loop Detector Module	\$260.45
GS-40-HCIGB	GS-40-HCIGB	Hydraulic Cylinder	Hydraulic Cylinder for In-Ground Barrier	\$639.18
GS-40-HCMB	GS-40-HCMB	Hydraulic Cylinder for Mobile Barrier	2253-0013-0000 Hydraulic cylinder for mobile vehicle barrier (contact Concentric Security to confirm fit for the Owner's specific model)	
				\$903.03

Manufacturer	Contractor	Product Name	Product Description	GSA Price
Part Number	Part Number		· · · · · · · · · · · · · · · · · · ·	
GS-40-HPUIGB	GS-40-HPUIGB	HPU for In-Ground Barrier	Hydraulic pumping unit (complete) for a SD10346-HPU in-ground active	
			vehicle barrier to include motor, pump, and valves for one in-ground active vehicle barrier (contact Concentric Security to confirm fit for the	
			Owner's specific model)	
				\$16,447.03
GS-40-HPUMB	GS-40-HPUMB	HPU for Mobile Barrier	2232-3002-0050 Hydraulic pumping unit (complete) to include motor,	
			pump, and, valves for one mobile vehicle barrier (contact Concentric	
			Security to confirm fit for the Owner's specific model)	
				\$3,106.80
GS-40-LimitSwitch	GS-40-LimitSwitch	Limit switch	Limit switch, cable output, plastic rod, VCTF oil-resistant cable, 3M	\$195.01
			(contact Concentric Security to confirm fit for the Owner's specific	
			model)	
GS-40-LoopWireSealant	GS-40-LoopWireSealant	Loop Wire and Sealant	24 Linear foot standard loop wire (NOT pre-formed), sealant, and up to	\$145.17
			a 30' twisted tail (contact Concentric Security to confirm fit for the	
			Owner's specific model)	
GS-40-LSMB	GS-40-LSMB	Limit Switch for Mobile Barrier	83873101 Limit switch for mobile vehicle barrier (contact Concentric	
			Security to confirm fit for the Owner's specific model)	
				\$190.80
GS-40-MACU	GS-40-MACU	Control Unit	Magnetic Automation Control Unit	\$997.28
GS-40-MALED04CLEDVE24C	GS-40-MALED04CLEDVE24C	LED Light Kit	Magnetic Automation LED Light Kit	\$768.42
00.40.4440				4010.05
GS-40-MALS	GS-40-MALS	Limit Switch	Magnetic Automation Limit Switch	\$212.35
GS-40-MAPS01	GS-40-MAPS01	Pendulum Support Unit	Magnetic Automation Pendulum Support Unit	\$402.59
GS-40-MARC02010	GS-40-MARC02010	Traffic Gate Arm	Magnetic Automation Traffic Gate Arm	\$4,057.94
GS-40-MAVARIOBOOM-NC012	GS-40-MAVARIOBOOM-NC012	Replacement VarioBoom, 12'	Magnetic Automation Replacement VarioBoom, 12'	\$466.29
GS-40-MAVARIOBOOM-NC020	GS-40-MAVARIOBOOM-NC020	Replacement VarioBoom, Up to 20'	Magnetic Automation Replacement VarioBoom, Up to 20'	\$503.63
GS-40-MPAI Special	GS-40-MPAI Special	RSSI Barrier Actuator	Rockwell series 2 actuator with rod eye, eye bracket, clevis pin, and	
			clevis bracket for RSSI active vehicle barrier - direct replacement of	
			existing Rockwell series 2 actuator only (contact Concentric Security to confirm fit for the Owner's specific model)	
			commit it for the Owner's specific model)	640.640.44
GS-40-MX000137	GS-40-MX000137	Brake Kit for SlideDriver Operator	Brake Kit for SlideDriver Operator	\$10,648.41 \$660.03
GS-40-MX000496	GS-40-MX000496	Chassis for SlideDriver Operator	Chassis for SlideDriver Operator	
GS-40-MX000585-0	GS-40-MX000585-0	Smart Touch Controller	Smart Touch Controller for SlideDriver Operator	\$1,558.99
GS-40-MX000877	GS-40-MX000877	Battery	Battery for SlideDriver Operator	\$815.03
GS-40-MX001276	GS-40-MX001276	Soft Start Kit	Soft Start Kit for Slide Driver Operator	\$421.41
GS-40-MX001647	GS-40-MX001647	2 HP Electric Motor	2 HP Electric Motor for Slide Driver Operator	\$1,278.61
GS-40-MX001647	GS-40-MX001648	4 HP Electric Motor	·	\$1,140.59
GS-40-MX001943			4 HP Electric Motor for SlideDriver Operator	\$1,589.76
	GS-40-MX001943	Pump pack	Pump pack for SlideDriver 15 Operator	\$1,593.74
GS-40-MX001944	GS-40-MX001944	Pump pack	Pump pack for SlideDriver 40 Operator	\$1,850.85
GS-40-MX001977	GS-40-MX001977	Pump pack	Pump pack for SlideDriver 50VF2/50VF3 Operator	\$1,813.01
GS-40-MX001979	GS-40-MX001979	Pump pack	Pump pack for SlideDriver 30F/40F/80 Operator	\$2,379.90
GS-40-MX2914-01	GS-40-MX2914-01	240 Volt Battery Charger	240 Volt Battery Charger for SlideDriver Operator	\$970.73
GS-40-MX2918-01	GS-40-MX2918-01	120 Volt Battery Charger	120 Volt Battery Charger for SlideDriver Operator	\$806.82
GS-40-MX3886	GS-40-MX3886	Drive Rail	Drive Rail for SlideDriver Operator	\$2,741.09
GS-40-OPTIMAD34M	GS-40-OPTIMAD34M	Battery	RSSI Battery	\$378.93
GS-40-PhotoEye	GS-40-PhotoEye	Photo eye	Enforcer photo eye, 90' transmitter/receiver, 12/24V AC/DC, with laser	\$281.68
			alignment (contact Concentric Security to confirm fit for the Owner's	
GS-40-RM2000-24	GS-40-RM2000-24	Sump Dump	specific model)	6270.04
		Sump Pump	RSSI Sump Pump, 24 VDC	\$378.91
GS-40-SPHSC	GS-40-SPHSC	Barrier Starter Contactor, SPHSC	GH15CN-3-01A Starter contactor for active vehicle barrier (contact Concentric Security to confirm fit for the Owner's specific model)	\$121.34
			concentrate security to commit he for the Owner's specific model)	
GS-40-SSS-1002	GS-40-SSS-1002	RSSI Barrier Spring	RSSI spring for RSSI active vehicle barrier with mounting hardware	\$348.85
	155 15 555 2552	- Some Spring	(contact Concentric Security to confirm fit for the Owner's specific	Ç3-10.03
			model)	
GS-40-TBPBS	GS 40 TDDDS	Tothorod Buch Button Station for Markilla	·	¢200.4F
03-40-1 DFD3	GS-40-TBPBS	Tethered Push Button Station for Mobile Barrier	Tethered hand-held barrier push button station with push buttons for one barrier (contact Concentric Security to confirm fit for the Owner's	\$280.45
			specific model)	
	1	1		

Manufacturer: Securitech Group, Inc.

Country of Origin: United States

Point(s) of Production: Maspeth, NY

SIN: 334290L

Unit of Measure: Per Each

Fabrication Lead Time: 42 Days after Receipt of Order

Warranty: Standard Commercial

Freight Charges: F.O.B. Origin

Freight Charges are not included in the Unit Prices.

Please contact Concentric Security for the Freight Charge.

Manufacturer	Product Name	Product Description	GSA Price
Part Number Bolt Position Sw	ritch		
BPS	Bolt Position Switch	Provides signal only to monitoring system (separate)	\$83.83
Instant Keyless I	Lockdown Lock		
SB175-LC-LH	Instant Keyless Lockdown Lock	Instant button activated lockdown lock for use over cylindrical locksets Rim cylinder required, by others. For doors up to 1-3/4" thick.	\$347.41
SB175-LC-LHR	Instant Keyless Lockdown Lock	Instant button activated lockdown lock for use over cylindrical locksets Rim cylinder required, by others. For doors up to 1-3/4" thick.	\$347.41
SB175-LC-RH	Instant Keyless Lockdown Lock	Instant button activated lockdown lock for use over cylindrical locksets Rim cylinder required, by others. For doors up to 1-3/4" thick.	\$347.41
SB175-LC-RHR	Instant Keyless Lockdown Lock	Instant button activated lockdown lock for use over cylindrical locksets Rim cylinder required, by others. For doors up to 1-3/4" thick.	\$347.41
SB175-LC-SK2-LH	Instant Keyless Lockdown Lock	SAFEBOLT for 2" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK2-LHR	Instant Keyless Lockdown Lock	SAFEBOLT for 2" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK2-RH	Instant Keyless Lockdown Lock	SAFEBOLT for 2" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK2-RHR	Instant Keyless Lockdown Lock	SAFEBOLT for 2" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK3-LH	Instant Keyless Lockdown Lock	SAFEBOLT for 2-1/4" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK3-LHR	Instant Keyless Lockdown Lock	SAFEBOLT for 2-1/4" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK3-RH	Instant Keyless Lockdown Lock	SAFEBOLT for 2-1/4" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK3-RHR	Instant Keyless Lockdown Lock	SAFEBOLT for 2-1/4" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK4-LH	Instant Keyless Lockdown Lock	SAFEBOLT for 2-1/2" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK4-LHR	Instant Keyless Lockdown Lock	SAFEBOLT for 2-1/2" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK4-RH	Instant Keyless Lockdown Lock	SAFEBOLT for 2-1/2" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
SB175-LC-SK4-RHR	Instant Keyless Lockdown Lock	SAFEBOLT for 2-1/2" thick doors. Special Models for thicker doors (includes longer fasteners). Longer rim tailpiece required (by others)	\$351.44
Rim Cylinder			
SBRIMCYL1-KA	Rim Cylinder	Rim cylinder for use with SAFEBOLT Provided keyed alike	\$29.02